

PE-500 3000x1250x60 mm grålln

Artikelnr P1400363

● Beständig
 ● Delvis beständig
 ● Ej beständig

| Kemikalie | Koncentration | Temp. | Beständighet |
|---------------------------------------|---------------|---------|--------------|
| 1,4-Dioxane | 100% | 20 Å°C | ● |
| 2-Hydroxypropionic Acid | 90% | 20 Å°C | ● |
| Acetaldehyde | â€ | 20 Å°C | ● |
| Acetic Acid | 100% | 20 Å°C | ● |
| Acetic acid | 100% | 20 Å°C | ● |
| Acetic acid | 3% | 100 Å°C | ● |
| Acetic acid | 3% w/w | 20 Å°C | ● |
| Acetic acid | 3% | 100 Å°C | ● |
| Acetic acid | 3% | 100 Å°C | ● |
| Acetic acid, aqueous | 70% | 20 Å°C | ● |
| Acetic anhydride | â€ | 20 Å°C | ● |
| Acetone | â€ | 20 Å°C | ● |
| Acetone | 100% | 20 Å°C | ● |
| Acronal dispersions | â€ | 20 Å°C | ● |
| Acrylonitrile | â€ | 20 Å°C | ● |
| Allyl acetate | â€ | 20 Å°C | ● |
| Allyl alcohol | 96% | 20 Å°C | ● |
| Allyl chloride | â€ | 20 Å°C | ● |
| Aluminium chloride, aqueous | any | 20 Å°C | ● |
| Aluminium chloride, solid | â€ | 20 Å°C | ● |
| Aluminium fluoride | Conc. | 20 Å°C | ● |
| Aluminium hydroxide | â€ | 20 Å°C | ● |
| Aluminium metaphosphate | â€ | 20 Å°C | ● |
| Aluminium sulphate, aqueous saturated | â€ | 20 Å°C | ● |
| Aluminium sulphate, solid | â€ | 20 Å°C | ● |
| Ammonia | concentrated | 20 Å°C | ● |
| Ammonia, gaseous | â€ | 20 Å°C | ● |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|--|-------------------|-------|--------------|
| Ammonia, liquid |    | 20  C |   |
| Ammonium Chloride |    | 20  C |   |
| Amyl Alcohol |    | 20  C |   |
| Aniline | any | 20  C |   |
| Anisole |    | 20  C |   |
| Apple Juice |    | 20  C |   |
| Aqua regia |    | 20  C |   |
| Beer |    | 20  C |   |
| Benzaldehyde, aqueous | any | 20  C |   |
| Benzene |    | 20  C |   |
| Benzene | technically grade | 20  C |   |
| Benzoic acid, aqueous | any | 20  C |   |
| Benzyl alcohol |    | 20  C |   |
| Bitumen |    | 20  C |   |
| Bleaching Solution | 12.5 cl | 20  C |   |
| Boric Acid | 100% | 20  C |   |
| Brake Fluid |    | 20  C |   |
| Bromine, liquid | 100% | 20  C |   |
| Butanol, aqueous | any | 20  C |   |
| Butter |    | 20  C |   |
| Butyl Acetate |    | 20  C |   |
| Calcium Chloride |    | 20  C |   |
| Calcium carbonate |    | 20  C |   |
| Calcium carbonate |    | 20  C |   |
| Calcium hypochlorite, aqueous suspension | any | 20  C |   |
| Camphor |    | 20  C |   |
| Carbon Disulfide | 100% | 20  C |   |
| Carbon Tetrachloride |    | 20  C |   |
| Carbon disulphide |    | 20  C |   |
| Caustic soda | any | 20  C |   |
| Chlorine (gas) | 100% | 20  C |   |
| Chlorine, liquid |    | 20  C |   |
| Chloroacetic acid, aqueous |   85% | 20  C |   |
| Chlorobenzene | 100% | 20  C |   |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|--------------------------|-------------------|--------|--------------|
| Chlorobenzene |    | 20  C |   |
| Chloroform | technically grade | 20  C |   |
| Chloroform |    | 20  C |   |
| Chromosulphuric acid |    | 20  C |   |
| Cider |    | 20  C |   |
| Citric Acid | 10% | 20  C |   |
| Citrus fruit juices |    | 20  C |   |
| Coconut oil |    | 20  C |   |
| Cod liver oil |    | 20  C |   |
| Cresol |    | 20  C |   |
| Cresol | 100% | 20  C |   |
| Cyclohexane |    | 20  C |   |
| Cyclohexanol |    | 20  C |   |
| Cyclohexanone | 100% | 20  C |   |
| Cyclohexanone |    | 20  C |   |
| Cyclohexene | 100% | 20  C |   |
| Detergents |    | 20  C |   |
| Dibutyl ether |    | 20  C |   |
| Dibutyl phthalate |    | 20  C |   |
| Dichloroacetic acid |    | 20  C |   |
| Dichloroethane |    | 20  C |   |
| Diesel Fuel |    | 20  C |   |
| Diesel fuel |    | 20  C |   |
| Diethylene Oxide |    | 20  C |   |
| Diglycolic acid, aqueous | 30% | 20  C |   |
| Dimethyl formamide |    | 20  C |   |
| Dimethylamine |    | 20  C |   |
| Dioxane |    | 20  C |   |
| Ethanol | 10% | 100  C |   |
| Ethanol | 10% v/v | 20  C |   |
| Ethanol | 10% | 100  C |   |
| Ethanol | 10% | 100  C |   |
| Ethyl Acetate | 100% | 20  C |   |
| Ethyl Alcohol | 96% | 20  C |   |
| Ethyl acetate |    | 20  C |   |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|---|---------------|-------|--------------|
| Ethylene Chloride | 100% | 20  C | ● |
| Ethylene alcohol | 96% | 20  C | ● |
| Ethylene chloride |    | 20  C | ● |
| Ethylene diamine |    | 20  C | ● |
| Ethylene glycol |    | 20  C | ● |
| Ferric chloride, aqueous | any | 20  C | ● |
| Ferric nitrate, aqueous saturated |    | 20  C | ● |
| Ferric sulphate, aqueous saturated |    | 20  C | ● |
| Ferrous (II) chloride, aqueous saturated |    | 20  C | ● |
| Ferrous (II) sulfate, aqueous saturated |    | 20  C | ● |
| Ferrous (III) chloride, aqueous saturated |    | 20  C | ● |
| Ferrous (III) nitrate, aqueous saturated |    | 20  C | ● |
| Ferrous (III) sulfate, aqueous saturated |    | 20  C | ● |
| Food Oil |    | 20  C | ● |
| Formaldehyde (aqueous) | 40% | 20  C | ● |
| Formaldehyde, aqueous |   -40% | 20  C | ● |
| Formic Acid | 10% | 20  C | ● |
| Formic acid, aqueous | 85% | 20  C | ● |
| Frigen 12 (Freon 12) | 100% | 20  C | ● |
| Frost Protection Agent |    | 20  C | ● |
| Fruit juices | any | 20  C | ● |
| Fuel (aromatic free) |    | 20  C | ● |
| Fuel oil |    | 20  C | ● |
| Furfural |    | 20  C | ● |
| Glycerin, aqueous | any | 20  C | ● |
| Glycerine | 100% | 20  C | ● |
| Glycol | 100% | 20  C | ● |
| Glykol, aqueous | as supplied | 20  C | ● |
| Glysantin |    | 20  C | ● |
| Heating Oil |    | 20  C | ● |
| Heptane | 100% | 20  C | ● |
| Heptane |    | 20  C | ● |
| Hexane |    | 20  C | ● |
| Honey |    | 20  C | ● |
| Hydrobromic acid, aqueous | 50% | 20  C | ● |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|--|----------------------------|-------|--------------|
| Hydrochloric Acid | 10% | 20  C | ● |
| Hydrochloric Acid (concentrated) | concentrated | 20  C | ● |
| Hydrochloric acid, aqueous | any | 20  C | ● |
| Hydrofluoric Acid | 40% | 20  C | ● |
| Hydrogen Peroxide | 10% | 20  C | ● |
| Hydrogen Sulfide (aqueous solution) |    | 20  C | ● |
| Ink |    | 20  C | ● |
| Iodine in potassium iodide solution | 3% iodine | 20  C | ● |
| Isooctane |    | 20  C | ● |
| Isopropanol |    | 20  C | ● |
| Isopropyl Alcohol | 100% | 20  C | ● |
| Isopropyl ether |    | 20  C | ● |
| Jam |    | 20  C | ● |
| Kerosene |    | 20  C | ● |
| Linseed Oil |    | 20  C | ● |
| Linseed oil | technically grade | 20  C | ● |
| Lithium bromide |    | 20  C | ● |
| Magnesium stearate |    | 20  C | ● |
| Magnesium stearate |    | 20  C | ● |
| Maleic acid, aqueous | any | 20  C | ● |
| Menthol |    | 20  C | ● |
| Mercurochrome |    | 20  C | ● |
| Mercury |    | 20  C | ● |
| Methanol | technically grade | 20  C | ● |
| Methyl Alcohol | 100% | 20  C | ● |
| Methyl Ethyl Ketone (MEK) | 100% | 20  C | ● |
| Methyl chloride | gaseous, technically grade | 20  C | ● |
| Methyl ethyl ketone | technically grade | 20  C | ● |
| Methylene Chloride | 100% | 20  C | ● |
| Milk |    | 20  C | ● |
| Milk |    | 20  C | ● |
| Mineral Oil (aromatic free) |    | 20  C | ● |
| Molasses |    | 20  C | ● |
| Motor oil (heavy duty oil) without additives |    | 20  C | ● |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|----------------------------|---------------|--------|--------------|
| Naphtha |    | 20  C |   |
| Naphthalene |    | 20  C |   |
| Nitric Acid | 10% | 20  C |   |
| Nitric Acid (50%) | 50% | 20  C |   |
| Nitric acid, aqueous | 50% | 20  C |   |
| Nitric acid, aqueous | 25% | 20  C |   |
| Nitrobenzene |    | 20  C |   |
| Nitrobenzene |    | 20  C |   |
| Oils, ethereal |    | 20  C |   |
| Oils, vegetable and animal |    | 20  C |   |
| Oleic acid |    | 20  C |   |
| Oleum | any | 20  C |   |
| Olive oil |    | 100  C |   |
| Olive oil |    | 100  C |   |
| Olive oil |    | 20  C |   |
| Olive oil |    | 100  C |   |
| Oxalic Acid |    | 20  C |   |
| Oxalic acid, aqueous | any | 20  C |   |
| Oxygen |    | 20  C |   |
| Ozone | 50 ppm | 20  C |   |
| Ozone Gas |  % 0.5 ppm | 20  C |   |
| Paraffine Oil | 100% | 20  C |   |
| Perchloric acid, aqueous | 70% | 20  C |   |
| Perchloric acid, aqueous | 20% | 20  C |   |
| Perchloric acid, aqueous | 50% | 20  C |   |
| Perchloroethylene |    | 20  C |   |
| Petroleum | 100% | 20  C |   |
| Petroleum |    | 20  C |   |
| Petroleum Ether | 100% | 20  C |   |
| Petroleum ether |    | 20  C |   |
| Phenol |    | 20  C |   |
| Phenol (aqueous) |  % 9% | 20  C |   |
| Phosphoric Acid | 50% | 20  C |   |
| Phosphoric acid, aqueous | 80% L 95% | 20  C |   |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|-------------------------------|-------------------|-------|--------------|
| Phosphoric acid, aqueous | 50% | 20  C | ● |
| Phosphorus trichloride |  " | 20  C | ● |
| Photographic developers |  " | 20  C | ● |
| Photographic emulsions | as supplied | 20  C | ● |
| Photographic fixing baths | as supplied | 20  C | ● |
| Phthalic acid, aqueous | 50% | 20  C | ● |
| Polyester resins |  " | 20  C | ● |
| Potassium Hydroxide liquor | 50% | 20  C | ● |
| Premium Fuel |  " | 20  C | ● |
| Propionic acid, aqueous | any | 20  C | ● |
| Propyl Alcohol |  " | 20  C | ● |
| Pyridine |  " | 20  C | ● |
| Pyridine |  " | 20  C | ● |
| Sea water |  " | 20  C | ● |
| Silicon dioxide |  " | 20  C | ● |
| Silicon dioxide |  " | 20  C | ● |
| Silicone Oil |  " | 20  C | ● |
| Silicone oil | technically grade | 20  C | ● |
| Sodium Carbonate (aqueous) |  " | 20  C | ● |
| Sodium Chloride (aqueous) |  " | 20  C | ● |
| Sodium Hydrogen Sulfite |  " | 20  C | ● |
| Sodium Hydroxide liquor | 15% | 20  C | ● |
| Sodium Hydroxide liquor (60%) | 60% | 20  C | ● |
| Sodium Nitrate (aqueous) |  " | 20  C | ● |
| Sodium Thiosulfate |  " | 20  C | ● |
| Sodium borate |  " | 20  C | ● |
| Sodium bromide |  " | 20  C | ● |
| Sodium hydroxide, aqueous | any | 20  C | ● |
| Sodium hydroxide, solid |  " | 20  C | ● |
| Stearic acid |  " | 20  C | ● |
| Sugar syrup |  " | 20  C | ● |
| Sulfuric Acid | 96% | 20  C | ● |
| Sulphuric acid, aqueous | 70% | 20  C | ● |
| Sulphuric acid, aqueous | 80% | 20  C | ● |
| Sulphuric acid, aqueous | 98% | 20  C | ● |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|----------------------------------|-------------------|-------|--------------|
| Sulphuric acid, aqueous |   50% | 20  C | ● |
| Tallow | technically grade | 20  C | ● |
| Tannic acid (tannin), aqueous | 10% | 20  C | ● |
| Tetrahydrofuran | technically grade | 20  C | ● |
| Tetrahydrofuran (THF) | 100% | 20  C | ● |
| Thionyl chloride |    | 20  C | ● |
| Thiophene |    | 20  C | ● |
| Tin (II) chloride, aqueous | any | 20  C | ● |
| Tin (IV) chloride, aqueous | saturated | 20  C | ● |
| Titanium dioxide |    | 20  C | ● |
| Titanium dioxide |    | 20  C | ● |
| Toluene | technically grade | 20  C | ● |
| Toluene | 100% | 20  C | ● |
| Transformer Oil |    | 20  C | ● |
| Transformer oil (insulating oil) | technically grade | 20  C | ● |
| Trichloroacetic acid | technically grade | 20  C | ● |
| Trichloroethylene | technically grade | 20  C | ● |
| Trichloroethylene | 100% | 20  C | ● |
| Triethanolamine |    | 20  C | ● |
| Triethanolamine |    | 20  C | ● |
| Turpentine oil | technically grade | 20  C | ● |
| Urea, aqueous |   33% | 20  C | ● |
| Vaseline | technically grade | 20  C | ● |
| Vinegar (standard) | 5-10% | 20  C | ● |
| Washing up liquids | usual | 20  C | ● |
| Water |    | 20  C | ● |
| Water, distilled |    | 20  C | ● |
| Wine |    | 20  C | ● |
| Xylene |    | 20  C | ● |
| Xylene |    | 20  C | ● |
| Zinc sludge |    | 20  C | ● |