



PE-HD 4000x2000x20 mm svart

Artikelnr P1200449

Best ndig Delvis best ndig Ej best ndig

| Kemikalie                             | Koncentration | Temp. | Best ndighet |
|---------------------------------------|---------------|-------|--------------|
| 1,4-Dioxane                           | 100%          | 20  C | Best ndig    |
| 2-Hydroxypropionic acid (lactic acid) | 90%           | 20  C | Best ndig    |
| Acetaldehyde                          |               | 20  C | Best ndig    |
| Acetic acid                           | 100%          | 20  C | Best ndig    |
| Acetic acid                           | 100%          | 20  C | Best ndig    |
| Acetic acid, aqueous                  | 70%           | 20  C | Best ndig    |
| Acetic anhydride                      |               | 20  C | Best ndig    |
| Acetone                               | 100%          | 20  C | Best ndig    |
| Acetone                               |               | 20  C | Best ndig    |
| Acronal dispersions                   |               | 20  C | Best ndig    |
| Acrylonitrile                         |               | 20  C | Best ndig    |
| Allyl acetate                         |               | 20  C | Best ndig    |
| Allyl alcohol                         | 96%           | 20  C | Best ndig    |
| Allyl chloride                        |               | 20  C | Best ndig    |
| Aluminium chloride, aqueous           | any           | 20  C | Best ndig    |
| Aluminium chloride, solid             |               | 20  C | Best ndig    |
| Aluminium fluoride                    | Conc.         | 20  C | Best ndig    |
| Aluminium hydroxide                   |               | 20  C | Best ndig    |
| Aluminium metaphosphate               |               | 20  C | Best ndig    |
| Aluminium sulphate, aqueous saturated |               | 20  C | Best ndig    |
| Aluminium sulphate, solid             |               | 20  C | Best ndig    |
| Ammonia                               | concentrated  | 20  C | Best ndig    |
| Ammonia, gaseous                      |               | 20  C | Best ndig    |
| Ammonia, liquid                       |               | 20  C | Best ndig    |
| Ammonium chloride                     |               | 20  C | Best ndig    |
| Amyl alcohol                          |               | 20  C | Best ndig    |
| Aniline                               | any           | 20  C | Best ndig    |

| Kemikalie                                | Koncentration     | Temp.  | BestÃndighet |
|------------------------------------------|-------------------|--------|--------------|
| Anisole                                  | â€”               | 20 Â°C | ●            |
| Aqua regia                               | â€”               | 20 Â°C | ●            |
| Beer                                     | â€”               | 20 Â°C | ●            |
| Benzaldehyde, aqueous                    | any               | 20 Â°C | ●            |
| Benzene                                  | technically grade | 20 Â°C | ●            |
| Benzene                                  | â€”               | 20 Â°C | ●            |
| Benzoic acid, aqueous                    | any               | 20 Â°C | ●            |
| Benzyl alcohol                           | â€”               | 20 Â°C | ●            |
| Bitumen                                  | â€”               | 20 Â°C | ●            |
| Bleaching solution                       | 12.5 cl           | 20 Â°C | ●            |
| Boric acid                               | 100%              | 20 Â°C | ●            |
| Brake fluid                              | â€”               | 20 Â°C | ●            |
| Bromine, liquid                          | 100%              | 20 Â°C | ●            |
| Butanol, aqueous                         | any               | 20 Â°C | ●            |
| Butter                                   | â€”               | 20 Â°C | ●            |
| Butyl acetate                            | â€”               | 20 Â°C | ●            |
| Calcium chloride                         | â€”               | 20 Â°C | ●            |
| Calcium hypochlorite, aqueous suspension | any               | 20 Â°C | ●            |
| Camphor                                  | â€”               | 20 Â°C | ●            |
| Carbon disulphide                        | 100%              | 20 Â°C | ●            |
| Carbon disulphide                        | â€”               | 20 Â°C | ●            |
| Carbon tetrachloride                     | â€”               | 20 Â°C | ●            |
| Caustic soda (NaOH)                      | any               | 20 Â°C | ●            |
| Chlorine (gas)                           | 100%              | 20 Â°C | ●            |
| Chlorine, liquid                         | â€”               | 20 Â°C | ●            |
| Chloroacetic acid, aqueous               | â‰¥85%            | 20 Â°C | ●            |
| Chlorobenzene                            | 100%              | 20 Â°C | ●            |
| Chlorobenzene                            | â€”               | 20 Â°C | ●            |
| Chloroform                               | technically grade | 20 Â°C | ●            |
| Chloroform                               | â€”               | 20 Â°C | ●            |
| Chromosulphuric acid                     | â€”               | 20 Â°C | ●            |
| Cider                                    | â€”               | 20 Â°C | ●            |
| Citric acid                              | 10%               | 20 Â°C | ●            |
| Citrus fruit juices                      | â€”               | 20 Â°C | ●            |

| Kemikalie                          | Koncentration | Temp.  | BestÃndighet |
|------------------------------------|---------------|--------|--------------|
| Coconut oil                        | â€”           | 20 Â°C | ●            |
| Cod liver oil                      | â€”           | 20 Â°C | ●            |
| Cresol                             | 100%          | 20 Â°C | ●            |
| Cresol                             | â€”           | 20 Â°C | ●            |
| Cyclohexane                        | â€”           | 20 Â°C | ●            |
| Cyclohexanol                       | â€”           | 20 Â°C | ●            |
| Cyclohexanone                      | 100%          | 20 Â°C | ●            |
| Cyclohexanone                      | â€”           | 20 Â°C | ●            |
| Cyclohexene                        | 100%          | 20 Â°C | ●            |
| Detergents                         | usual         | 20 Â°C | ●            |
| Detergents                         | â€”           | 20 Â°C | ●            |
| Dibutyl ether                      | â€”           | 20 Â°C | ●            |
| Dibutyl phthalate                  | â€”           | 20 Â°C | ●            |
| Dichloroacetic acid                | â€”           | 20 Â°C | ●            |
| Dichloroethane                     | â€”           | 20 Â°C | ●            |
| Diesel                             | â€”           | 20 Â°C | ●            |
| Diesel                             | â€”           | 20 Â°C | ●            |
| Diethylene oxide                   | â€”           | 20 Â°C | ●            |
| Diglycolic acid, aqueous           | 30%           | 20 Â°C | ●            |
| Dimethyl formamide (DMF)           | â€”           | 20 Â°C | ●            |
| Dimethylamine                      | â€”           | 20 Â°C | ●            |
| Dioxane                            | â€”           | 20 Â°C | ●            |
| Essential oils                     | â€”           | 20 Â°C | ●            |
| Ethyl acetate                      | â€”           | 20 Â°C | ●            |
| Ethyl acetate                      | 100%          | 20 Â°C | ●            |
| Ethyl alcohol (ethanol)            | 96%           | 20 Â°C | ●            |
| Ethylene alcohol                   | 96%           | 20 Â°C | ●            |
| Ethylene chloride                  | 100%          | 20 Â°C | ●            |
| Ethylene chloride                  | â€”           | 20 Â°C | ●            |
| Ethylene diamine                   | â€”           | 20 Â°C | ●            |
| Ethylene glycol                    | â€”           | 20 Â°C | ●            |
| Ferric chloride, aqueous           | any           | 20 Â°C | ●            |
| Ferric nitrate, aqueous saturated  | â€”           | 20 Â°C | ●            |
| Ferric nitrate, aqueous saturated  | â€”           | 20 Â°C | ●            |
| Ferric sulphate, aqueous saturated | â€”           | 20 Â°C | ●            |

| Kemikalie                                 | Koncentration | Temp.  | BestÃndighet |
|-------------------------------------------|---------------|--------|--------------|
| Ferric sulphate, aqueous saturated        | â€”           | 20 Â°C | â—•          |
| Ferrous (II) chloride, aqueous saturated  | â€”           | 20 Â°C | â—•          |
| Ferrous (II) sulfate, aqueous saturated   | â€”           | 20 Â°C | â—•          |
| Ferrous (III) chloride, aqueous saturated | â€”           | 20 Â°C | â—•          |
| Food oil                                  | â€”           | 20 Â°C | â—•          |
| Formaldehyde (aqueous)                    | 40%           | 20 Â°C | â—•          |
| Formaldehyde, aqueous                     | â‰ƒ40%        | 20 Â°C | â—•          |
| Formic acid                               | 10%           | 20 Â°C | â—•          |
| Formic acid, aqueous                      | 85%           | 20 Â°C | â—•          |
| Frigen 12 (Freon 12)                      | 100%          | 20 Â°C | â—•          |
| Frost protection agent                    | â€”           | 20 Â°C | â—•          |
| Fruit juices                              | any           | 20 Â°C | â—•          |
| Fuel (aromatic free)                      | â€”           | 20 Â°C | â—•          |
| Fuel oil                                  | â€”           | 20 Â°C | â—•          |
| Fuel oil                                  | â€”           | 20 Â°C | â—•          |
| Furfural                                  | â€”           | 20 Â°C | â—•          |
| Glycerine                                 | 100%          | 20 Â°C | â—•          |
| Glycerine, aqueous                        | any           | 20 Â°C | â—•          |
| Glycol                                    | 100%          | 20 Â°C | â—•          |
| Glycol, aqueous                           | as supplied   | 20 Â°C | â—•          |
| Glysantin                                 | â€”           | 20 Â°C | â—•          |
| Heptane                                   | 100%          | 20 Â°C | â—•          |
| Heptane                                   | â€”           | 20 Â°C | â—•          |
| Hexane                                    | â€”           | 20 Â°C | â—•          |
| Honey                                     | â€”           | 20 Â°C | â—•          |
| Hydrobromic acid, aqueous                 | 50%           | 20 Â°C | â—•          |
| Hydrochloric acid                         | 10%           | 20 Â°C | â—•          |
| Hydrochloric acid (concentrated)          | concentrated  | 20 Â°C | â—•          |
| Hydrochloric acid, aqueous                | any           | 20 Â°C | â—•          |
| Hydrofluoric acid                         | 40%           | 20 Â°C | â—•          |
| Hydrogen peroxide                         | 10%           | 20 Â°C | â—•          |
| Hydrogen sulfide (aqueous)                | â€”           | 20 Â°C | â—•          |
| Ink                                       | â€”           | 20 Â°C | â—•          |
| Iodine in potassium iodide solution       | 3% iodine     | 20 Â°C | â—•          |
| Isooctane                                 | â€”           | 20 Â°C | â—•          |

| Kemikalie                                | Koncentration              | Temp.  | BestÃndighet |
|------------------------------------------|----------------------------|--------|--------------|
| Isopropanol                              | â€”                        | 20 Â°C | ●            |
| Isopropyl alcohol                        | 100%                       | 20 Â°C | ●            |
| Isopropyl ether                          | â€”                        | 20 Â°C | ●            |
| Jam                                      | â€”                        | 20 Â°C | ●            |
| Kerosene                                 | â€”                        | 20 Â°C | ●            |
| Linseed oil                              | â€”                        | 20 Â°C | ●            |
| Linseed oil                              | technically grade          | 20 Â°C | ●            |
| Lithium bromide                          | â€”                        | 20 Â°C | ●            |
| Maleic acid, aqueous                     | any                        | 20 Â°C | ●            |
| Menthol                                  | â€”                        | 20 Â°C | ●            |
| Mercurochrome                            | â€”                        | 20 Â°C | ●            |
| Mercury                                  | â€”                        | 20 Â°C | ●            |
| Methanol                                 | technically grade          | 20 Â°C | ●            |
| Methyl alcohol (methanol)                | 100%                       | 20 Â°C | ●            |
| Methyl chloride                          | gaseous, technically grade | 20 Â°C | ●            |
| Methyl ethyl ketone (MEK)                | 100%                       | 20 Â°C | ●            |
| Methyl ethyl ketone (MEK)                | technically grade          | 20 Â°C | ●            |
| Methylene chloride                       | 100%                       | 20 Â°C | ●            |
| Milk                                     | â€”                        | 20 Â°C | ●            |
| Milk                                     | â€”                        | 20 Â°C | ●            |
| Mineral oil (aromatic free)              | â€”                        | 20 Â°C | ●            |
| Molasses                                 | â€”                        | 20 Â°C | ●            |
| Motor oil (heavy duty) without additives | â€”                        | 20 Â°C | ●            |
| Naphtha                                  | â€”                        | 20 Â°C | ●            |
| Naphthalene                              | â€”                        | 20 Â°C | ●            |
| Nitric acid                              | 10%                        | 20 Â°C | ●            |
| Nitric acid (50%)                        | 50%                        | 20 Â°C | ●            |
| Nitric acid, aqueous                     | 25%                        | 20 Â°C | ●            |
| Nitric acid, aqueous                     | 50%                        | 20 Â°C | ●            |
| Nitrobenzene                             | â€”                        | 20 Â°C | ●            |
| Nitrobenzene                             | â€”                        | 20 Â°C | ●            |
| Oils, vegetable and animal               | â€”                        | 20 Â°C | ●            |
| Oleic acid                               | â€”                        | 20 Â°C | ●            |
| Oleum (fuming sulphuric acid)            | any                        | 20 Â°C | ●            |

| Kemikalie                    | Koncentration     | Temp.  | BestÃndighet |
|------------------------------|-------------------|--------|--------------|
| Oxalic acid                  | â€”               | 20 Â°C | â—•          |
| Oxalic acid, aqueous         | any               | 20 Â°C | â—•          |
| Oxygen                       | â€”               | 20 Â°C | â—•          |
| Ozone                        | 50 ppm            | 20 Â°C | â—•          |
| Ozone (gas)                  | â‰¥0.5 ppm        | 20 Â°C | â—•          |
| Paraffin oil                 | 100%              | 20 Â°C | â—•          |
| Perchloric acid, aqueous     | 50%               | 20 Â°C | â—•          |
| Perchloric acid, aqueous     | 70%               | 20 Â°C | â—•          |
| Perchloric acid, aqueous     | 20%               | 20 Â°C | â—•          |
| Perchloroethylene            | â€”               | 20 Â°C | â—•          |
| Petroleum                    | â€”               | 20 Â°C | â—•          |
| Petroleum ether              | â€”               | 20 Â°C | â—•          |
| Petroleum ether              | 100%              | 20 Â°C | â—•          |
| Phenol                       | â€”               | 20 Â°C | â—•          |
| Phenol (aqueous)             | â‰¥9%             | 20 Â°C | â—•          |
| Phosphoric acid              | 50%               | 20 Â°C | â—•          |
| Phosphoric acid, aqueous     | 50%               | 20 Â°C | â—•          |
| Phosphoric acid, aqueous     | 80% L 95%         | 20 Â°C | â—•          |
| Phosphorus trichloride       | â€”               | 20 Â°C | â—•          |
| Photographic developer       | â€”               | 20 Â°C | â—•          |
| Photographic emulsion        | as supplied       | 20 Â°C | â—•          |
| Photographic fixing bath     | as supplied       | 20 Â°C | â—•          |
| Phthalic acid, aqueous       | 50%               | 20 Â°C | â—•          |
| Polyester resins             | â€”               | 20 Â°C | â—•          |
| Potassium hydroxide solution | 50%               | 20 Â°C | â—•          |
| Premium fuel                 | â€”               | 20 Â°C | â—•          |
| Propionic acid, aqueous      | any               | 20 Â°C | â—•          |
| Propyl alcohol               | â€”               | 20 Â°C | â—•          |
| Pyridine                     | â€”               | 20 Â°C | â—•          |
| Pyridine                     | â€”               | 20 Â°C | â—•          |
| Sea water                    | â€”               | 20 Â°C | â—•          |
| Silicone oil                 | technically grade | 20 Â°C | â—•          |
| Silicone oil                 | â€”               | 20 Â°C | â—•          |
| Sodium borate (borax)        | â€”               | 20 Â°C | â—•          |
| Sodium bromide               | â€”               | 20 Â°C | â—•          |

| Kemikalie                                | Koncentration     | Temp.  | BestÃndighet |
|------------------------------------------|-------------------|--------|--------------|
| Sodium carbonate (aqueous)               | â€”               | 20 Â°C | â—•          |
| Sodium chloride (aqueous)                | â€”               | 20 Â°C | â—•          |
| Sodium hydrogen sulfite                  | â€”               | 20 Â°C | â—•          |
| Sodium hydroxide solution (60%)          | 60%               | 20 Â°C | â—•          |
| Sodium hydroxide solution (caustic soda) | 15%               | 20 Â°C | â—•          |
| Sodium hydroxide, aqueous                | any               | 20 Â°C | â—•          |
| Sodium hydroxide, solid                  | â€”               | 20 Â°C | â—•          |
| Sodium nitrate (aqueous)                 | â€”               | 20 Â°C | â—•          |
| Sodium thiosulfate                       | â€”               | 20 Â°C | â—•          |
| Stearic acid                             | â€”               | 20 Â°C | â—•          |
| Sugar syrup                              | â€”               | 20 Â°C | â—•          |
| Sulphuric acid                           | 96%               | 20 Â°C | â—•          |
| Sulphuric acid, aqueous                  | 80%               | 20 Â°C | â—•          |
| Sulphuric acid, aqueous                  | â—•â—•50%         | 20 Â°C | â—•          |
| Sulphuric acid, aqueous                  | 70%               | 20 Â°C | â—•          |
| Sulphuric acid, aqueous                  | 98%               | 20 Â°C | â—•          |
| Tallow                                   | technically grade | 20 Â°C | â—•          |
| Tannic acid (tannin), aqueous            | 10%               | 20 Â°C | â—•          |
| Tetrahydrofuran (THF)                    | technically grade | 20 Â°C | â—•          |
| Tetrahydrofuran (THF)                    | 100%              | 20 Â°C | â—•          |
| Thionyl chloride                         | â€”               | 20 Â°C | â—•          |
| Thiophene                                | â€”               | 20 Â°C | â—•          |
| Tin (II) chloride, aqueous               | any               | 20 Â°C | â—•          |
| Tin (IV) chloride, aqueous               | saturated         | 20 Â°C | â—•          |
| Toluene                                  | technically grade | 20 Â°C | â—•          |
| Toluene                                  | 100%              | 20 Â°C | â—•          |
| Transformer oil                          | â€”               | 20 Â°C | â—•          |
| Transformer oil (insulating oil)         | technically grade | 20 Â°C | â—•          |
| Trichloroacetic acid                     | technically grade | 20 Â°C | â—•          |
| Trichloroethylene                        | technically grade | 20 Â°C | â—•          |
| Trichloroethylene                        | 100%              | 20 Â°C | â—•          |
| Triethanolamine                          | â€”               | 20 Â°C | â—•          |
| Turpentine oil                           | technically grade | 20 Â°C | â—•          |
| Urea, vattenl.                           | â—•â—•33%         | 20 Â°C | â—•          |
| Vaseline                                 | technically grade | 20 Â°C | â—•          |

| Kemikalie          | Koncentration | Temp.  | Beständighet |
|--------------------|---------------|--------|--------------|
| Vinegar (standard) | 5-10%         | 20 Å°C | ●            |
| Water              | â€”           | 20 Å°C | ●            |
| Water, distilled   | â€”           | 20 Å°C | ●            |
| Wine               | â€”           | 20 Å°C | ●            |
| Xylene             | â€”           | 20 Å°C | ●            |
| Xylene             | â€”           | 20 Å°C | ●            |
| Zinc sludge        | â€”           | 20 Å°C | ●            |