



PP-H AlphaPlus 4000x2000x25 mm grÅ

Artikelnr P2201070

Beständig Delvis beständig Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	
2-Hydroxypropionic acid (lactic acid)	90	20 Å°C	
Acetic acid	100	20 Å°C	
Acetone	100	20 Å°C	
Ammonia	â€	20 Å°C	
Ammonium chloride	â€	20 Å°C	
Amyl alcohol	â€	20 Å°C	
Benzene	â€	20 Å°C	
Bleaching solution	â€	20 Å°C	
Boric acid	100	20 Å°C	
Brake fluid	â€	20 Å°C	
Butyl acetate	â€	20 Å°C	
Calcium chloride	â€	20 Å°C	
Carbon disulphide	100	20 Å°C	
Carbon tetrachloride	â€	20 Å°C	
Chlorine (gas)	100	20 Å°C	
Chlorobenzene	100	20 Å°C	
Chloroform	â€	20 Å°C	
Citric acid	10	20 Å°C	
Cresol	â€	20 Å°C	
Cyclohexanone	100	20 Å°C	
Cyclohexene	100	20 Å°C	
Diesel	â€	20 Å°C	
Diethylene oxide	â€	20 Å°C	
Ethyl acetate	100	20 Å°C	
Ethyl alcohol (ethanol)	96	20 Å°C	
Ethylene chloride	100	20 Å°C	

Kemikalie	Koncentration	Temp.	Best�ndighet
Food oil	���	20 ��C	���
Formaldehyde, aqueous	40	20 ��C	���
Formic acid	10	20 ��C	���
Frost protection agent	���	20 ��C	���
Fuel oil	���	20 ��C	���
Fuel, aromatic free	���	20 ��C	���
Glycerine	100	20 ��C	���
Glycol	100	20 ��C	���
Heptane	100	20 ��C	���
Hydrochloric acid	10	20 ��C	���
Hydrochloric acid (concentrated)	���	20 ��C	���
Hydrofluoric acid	40	20 ��C	���
Hydrogen peroxide	10	20 ��C	���
Hydrogen sulfide, aqueous	���	20 ��C	���
Isopropyl alcohol	100	20 ��C	���
Linseed oil	���	20 ��C	���
Mercurochrome	���	20 ��C	���
Methyl alcohol (methanol)	100	20 ��C	���
Methyl ethyl ketone (MEK)	100	20 ��C	���
Methylene chloride	100	20 ��C	���
Milk	���	20 ��C	���
Mineral oils (aromatic free)	���	20 ��C	���
Nitric acid	50	20 ��C	���
Nitric acid	10	20 ��C	���
Nitrobenzene	���	20 ��C	���
Oxalic acid	���	20 ��C	���
Ozone (gas)	��� 0.5 ppm	20 ��C	���
Paraffin oil	100	20 ��C	���
Perchloroethylene	���	20 ��C	���
Petroleum ether	100	20 ��C	���
Phenol, aqueous	ca. 9	20 ��C	���
Phosphoric acid	50	20 ��C	���
Potassium hydroxide solution	50	20 ��C	���
Premium fuel	���	20 ��C	���
Propyl alcohol	���	20 ��C	���

