



PTFE 600x600x80 mm natural

Artikelnr P1203068

Beständig

Delvis beständig

Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	
2-Hydroxypropionic Acid	90	20 Å°C	
Acetic Acid	100	20 Å°C	
Acetone	100	20 Å°C	
Ammonia	â€”	20 Å°C	
Ammonium Chloride	â€”	20 Å°C	
Amyl Alcohol	â€”	20 Å°C	
Apple Juice	â€”	20 Å°C	
Benzene	â€”	20 Å°C	
Bleaching Solution	â€”	20 Å°C	
Boric Acid	100	20 Å°C	
Brake Fluid	â€”	20 Å°C	
Butyl Acetate	â€”	20 Å°C	
Calcium Chloride	â€”	20 Å°C	
Carbon Disulfide	100	20 Å°C	
Carbon Tetrachloride	â€”	20 Å°C	
Chlorine (gas)	100	20 Å°C	
Chlorobenzene	100	20 Å°C	
Chloroform	â€”	20 Å°C	
Citric Acid	10	20 Å°C	
Cresol	â€”	20 Å°C	
Cyclohexanone	100	20 Å°C	
Cyclohexene	100	20 Å°C	
Diesel Fuel	â€”	20 Å°C	
Diethylene Oxide	â€”	20 Å°C	
Ethyl Acetate	100	20 Å°C	
Ethyl Alcohol	96	20 Å°C	

Kemikalie	Koncentration	Temp.	Best�ndighet
Ethylene Chloride	100	20 ��C	�
Food Oil	��	20 ��C	�
Formaldehyde (aqueous)	40	20 ��C	�
Formic Acid	10	20 ��C	�
Frost Protection Agent	��	20 ��C	�
Fuel, aromatic free	��	20 ��C	�
Glycerine	100	20 ��C	�
Glycol	100	20 ��C	�
Heating Oil	��	20 ��C	�
Heptane	100	20 ��C	�
Hydrochloric Acid	10	20 ��C	�
Hydrochloric Acid (concentrated)	��	20 ��C	�
Hydrofluoric Acid	40	20 ��C	�
Hydrogen Peroxide	10	20 ��C	�
Hydrogen Sulfide (aqueous)	��	20 ��C	�
Isopropyl Alcohol	100	20 ��C	�
Linseed Oil	��	20 ��C	�
Mercurochrome	��	20 ��C	�
Methyl Alcohol	100	20 ��C	�
Methyl Ethyl Ketone (MEK)	100	20 ��C	�
Methylene Chloride	100	20 ��C	�
Milk	��	20 ��C	�
Mineral Oils (aromatic free)	��	20 ��C	�
Nitric Acid	10	20 ��C	�
Nitric Acid (50%)	50	20 ��C	�
Nitrobenzene	��	20 ��C	�
Oxalic Acid	��	20 ��C	�
Ozone Gas	��� 0.5 ppm	20 ��C	�
Paraffine Oil	100	20 ��C	�
Perchloroethylene	��	20 ��C	�
Petroleum	100	20 ��C	�
Petroleum Ether	100	20 ��C	�
Phenol (aqueous)	ca. 9	20 ��C	�
Phosphoric Acid	50	20 ��C	�
Potassium Hydroxide liquor	50	20 ��C	�

