



Artikelnr P1000236

● Beständigt ● Delvis beständigt ● Ej beständigt

Kemikalie	Koncentration	Temp.	BestÃndighet
1,4-Dioxane	100	20 Å°C	●
2-Hydroxypropionic acid (lactic acid)	90	20 Å°C	●
Acetone	100	20 Å°C	●
Ammonia	conc.	20 Å°C	●
Ammonium chloride	â€”	20 Å°C	●
Amyl alcohol	â€”	20 Å°C	●
Apple juice	â€”	20 Å°C	●
Benzene	â€”	20 Å°C	●
Bleaching solution	12.5 cl	20 Å°C	●
Boric acid	100	20 Å°C	●
Brake fluid	â€”	20 Å°C	●
Butyl acetate	â€”	20 Å°C	●
Calcium chloride	â€”	20 Å°C	●
Carbon disulphide	100	20 Å°C	●
Carbon tetrachloride	â€”	20 Å°C	●
Chlorine (gas)	100	20 Å°C	●
Chlorobenzene	100	20 Å°C	●
Chloroform	â€”	20 Å°C	●
Citric acid	10	20 Å°C	●
Cresol	â€”	20 Å°C	●
Cyclohexanone	100	20 Å°C	●
Cyclohexene	100	20 Å°C	●
Diesel	â€”	20 Å°C	●
Diethylene oxide	â€”	20 Å°C	●
Ethyl acetate	100	20 Å°C	●
Ethyl alcohol (ethanol)	96	20 Å°C	●
Ethylene chloride	100	20 Å°C	●

Kemikalie	Koncentration	Temp.	BestÃndighet
Food oil	â€”	20 Â°C	â—•
Formaldehyde (aqueous)	40	20 Â°C	â—•
Formic acid	10	20 Â°C	â—•
Fuel (aromatic free)	â€”	20 Â°C	â—•
Fuel oil	â€”	20 Â°C	â—•
Glycerine	100	20 Â°C	â—•
Glycol	100	20 Â°C	â—•
Heptane	100	20 Â°C	â—•
Hydrochloric acid	10	20 Â°C	â—•
Hydrochloric acid (concentrated)	conc.	20 Â°C	â—•
Hydrofluoric acid	40	20 Â°C	â—•
Hydrogen peroxide	10	20 Â°C	â—•
Hydrogen sulfide (aqueous)	â€”	20 Â°C	â—•
Isopropyl alcohol	100	20 Â°C	â—•
Linseed oil	â€”	20 Â°C	â—•
Mercurochrome	â€”	20 Â°C	â—•
Methyl alcohol (methanol)	100	20 Â°C	â—•
Methyl ethyl ketone (MEK)	100	20 Â°C	â—•
Methylene chloride	100	20 Â°C	â—•
Milk	â€”	20 Â°C	â—•
Mineral oils (aromatic free)	â€”	20 Â°C	â—•
Nitric acid	50	20 Â°C	â—•
Nitric acid	10	20 Â°C	â—•
Nitrobenzene	â€”	20 Â°C	â—•
Oxalic acid	â€”	20 Â°C	â—•
Ozone (gas)	â‰¥ 0.5 ppm	20 Â°C	â—•
Paraffin oil	100	20 Â°C	â—•
Perchloroethylene	â€”	20 Â°C	â—•
Petroleum	100	20 Â°C	â—•
Petroleum ether	100	20 Â°C	â—•
Phenol (aqueous)	ca. 9	20 Â°C	â—•
Phosphoric acid	50	20 Â°C	â—•
Potassium hydroxide solution	50	20 Â°C	â—•
Premium fuel	â€”	20 Â°C	â—•
Propyl alcohol	â€”	20 Â°C	â—•

