

PA6.6 FG 36x1000 mm natur

Artikelnr P1002311

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie | Koncentration | Temp. | Beständighet |
|-------------------------|---------------|-------|--------------|
| 1,4-Dioxane | 100 | 20 °C | ● |
| 2-Hydroxypropionic Acid | 90 | 20 °C | ● |
| Acetic Acid | 100 | 20 °C | ● |
| Acetone | 100 | 20 °C | ● |
| Ammonia | conc. | 20 °C | ● |
| Ammonium Chloride | - | 20 °C | ● |
| Amyl Alcohol | - | 20 °C | ● |
| Apple Juice | - | 20 °C | ● |
| Benzene | - | 20 °C | ● |
| Bleaching Solution | 12.5 cl | 20 °C | ● |
| Boric Acid | 100 | 20 °C | ● |
| Brake Fluid | - | 20 °C | ● |
| Butyl Acetate | - | 20 °C | ● |
| Calcium Chloride | - | 20 °C | ● |
| Carbon Disulfide | 100 | 20 °C | ● |
| Carbon Tetrachloride | - | 20 °C | ● |
| Chlorine (gas) | 100 | 20 °C | ● |
| Chlorobenzene | 100 | 20 °C | ● |
| Chloroform | - | 20 °C | ● |
| Citric Acid | 10 | 20 °C | ● |
| Cresol | - | 20 °C | ● |
| Cyclohexanone | 100 | 20 °C | ● |
| Cyclohexene | 100 | 20 °C | ● |
| Diesel Fuel | - | 20 °C | ● |
| Diethylene Oxide | - | 20 °C | ● |
| Ethyl Acetate | 100 | 20 °C | ● |

| Kemikalie | Koncentration | Temp. | Beständighet |
|----------------------------------|---------------|-------|--------------|
| Ethyl Alcohol | 96 | 20 °C | ● |
| Ethylene Chloride | 100 | 20 °C | ● |
| Food Oil | - | 20 °C | ● |
| Formaldehyde (aqueous) | 40 | 20 °C | ● |
| Formic Acid | 10 | 20 °C | ● |
| Frost Protection Agent | - | 20 °C | ● |
| Fuel (aromatic free) | - | 20 °C | ● |
| Glycerine | 100 | 20 °C | ● |
| Glycol | 100 | 20 °C | ● |
| Heating Oil | - | 20 °C | ● |
| Heptane | 100 | 20 °C | ● |
| Hydrochloric Acid | 10 | 20 °C | ● |
| Hydrochloric Acid (concentrated) | conc. | 20 °C | ● |
| Hydrofluoric Acid | 40 | 20 °C | ● |
| Hydrogen Peroxide | 10 | 20 °C | ● |
| Hydrogen Sulfide (aqueous) | - | 20 °C | ● |
| Isopropyl Alcohol | 100 | 20 °C | ● |
| Linseed Oil | - | 20 °C | ● |
| Mercurochrome | - | 20 °C | ● |
| Methyl Alcohol | 100 | 20 °C | ● |
| Methyl Ethyl Ketone (MEK) | 100 | 20 °C | ● |
| Methylene Chloride | 100 | 20 °C | ● |
| Milk | - | 20 °C | ● |
| Mineral Oils (aromatic free) | - | 20 °C | ● |
| Nitric Acid | 10 | 20 °C | ● |
| Nitric Acid | 50 | 20 °C | ● |
| Nitrobenzene | - | 20 °C | ● |
| Oxalic Acid | - | 20 °C | ● |
| Ozone Gas | ≤ 0.5 ppm | 20 °C | ● |
| Paraffine Oil | 100 | 20 °C | ● |
| Perchloroethylene | - | 20 °C | ● |
| Petroleum | 100 | 20 °C | ● |
| Petroleum Ether | 100 | 20 °C | ● |
| Phenol (aqueous) | ca. 9 | 20 °C | ● |

| Kemikalie | Koncentration | Temp. | Beständighet |
|----------------------------|---------------|-------|--------------|
| Phosphoric Acid | 50 | 20 °C | ● |
| Potassium Hydroxide liquor | 50 | 20 °C | ● |
| Premium Fuel | - | 20 °C | ● |
| Propyl Alcohol | - | 20 °C | ● |
| Pyridine | - | 20 °C | ● |
| Silicone Oil | - | 20 °C | ● |
| Sodium Carbonate (aqueous) | - | 20 °C | ● |
| Sodium Chloride (aqueous) | - | 20 °C | ● |
| Sodium Hydrogen Sulfite | - | 20 °C | ● |
| Sodium Hydroxide liquor | 60 | 20 °C | ● |
| Sodium Hydroxide liquor | 15 | 20 °C | ● |
| Sodium Nitrate (aqueous) | - | 20 °C | ● |
| Sodium Thiosulfate | - | 20 °C | ● |
| Sulfuric Acid | 96 | 20 °C | ● |
| Tetrahydrofuran (THF) | 100 | 20 °C | ● |
| Toluene | 100 | 20 °C | ● |
| Transformer Oil | - | 20 °C | ● |
| Trichloroethylene | 100 | 20 °C | ● |
| Vinegar (standard) | 5 - 10 | 20 °C | ● |
| Water | - | 20 °C | ● |
| Xylene | - | 20 °C | ● |