

PE-HD 100x2000 mm black

Artikelnr P1003260

● Beständig
 ● Delvis beständig
 ● Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100%	20 Å°C	●
2-Hydroxypropionic acid (lactic acid)	90%	20 Å°C	●
Acetaldehyde	â€”	20 Å°C	●
Acetic acid	100%	20 Å°C	●
Acetic acid	100%	20 Å°C	●
Acetic acid, aqueous	70%	20 Å°C	●
Acetic anhydride	â€”	20 Å°C	●
Acetone	â€”	20 Å°C	●
Acetone	100%	20 Å°C	●
Acronal dispersions	â€”	20 Å°C	●
Acrylonitrile	â€”	20 Å°C	●
Allyl acetate	â€”	20 Å°C	●
Allyl alcohol	96%	20 Å°C	●
Allyl chloride	â€”	20 Å°C	●
Aluminium chloride, aqueous	any	20 Å°C	●
Aluminium chloride, solid	â€”	20 Å°C	●
Aluminium fluoride	Conc.	20 Å°C	●
Aluminium hydroxide	â€”	20 Å°C	●
Aluminium metaphosphate	â€”	20 Å°C	●
Aluminium sulphate, aqueous saturated	â€”	20 Å°C	●
Aluminium sulphate, solid	â€”	20 Å°C	●
Ammonia	concentrated	20 Å°C	●
Ammonia, gaseous	â€”	20 Å°C	●
Ammonia, liquid	â€”	20 Å°C	●
Ammonium chloride	â€”	20 Å°C	●
Amyl alcohol	â€”	20 Å°C	●
Aniline	any	20 Å°C	●

Kemikalie	Koncentration	Temp.	Best�ndighet
Anisole	��	20 �C	�
Aqua regia	��	20 �C	�
Beer	��	20 �C	�
Benzaldehyde, aqueous	any	20 �C	�
Benzene	technically grade	20 �C	�
Benzene	��	20 �C	�
Benzoic acid, aqueous	any	20 �C	�
Benzyl alcohol	��	20 �C	�
Bitumen	��	20 �C	�
Bleaching solution	12.5 cl	20 �C	�
Boric acid	100%	20 �C	�
Brake fluid	��	20 �C	�
Bromine, liquid	100%	20 �C	�
Butanol, aqueous	any	20 �C	�
Butter	��	20 �C	�
Butyl acetate	��	20 �C	�
Calcium chloride	��	20 �C	�
Calcium hypochlorite, aqueous suspension	any	20 �C	�
Camphor	��	20 �C	�
Carbon disulphide	100%	20 �C	�
Carbon disulphide	��	20 �C	�
Carbon tetrachloride	��	20 �C	�
Caustic soda (NaOH)	any	20 �C	�
Chlorine (gas)	100%	20 �C	�
Chlorine, liquid	��	20 �C	�
Chloroacetic acid, aqueous	��85%	20 �C	�
Chlorobenzene	100%	20 �C	�
Chlorobenzene	��	20 �C	�
Chloroform	technically grade	20 �C	�
Chloroform	��	20 �C	�
Chromosulphuric acid	��	20 �C	�
Cider	��	20 �C	�
Citric acid	10%	20 �C	�
Citrus fruit juices	��	20 �C	�

Kemikalie	Koncentration	Temp.	Best�ndighet
Coconut oil	��	20 �C	�
Cod liver oil	��	20 �C	�
Cresol	100%	20 �C	�
Cresol	��	20 �C	�
Cyclohexane	��	20 �C	�
Cyclohexanol	��	20 �C	�
Cyclohexanone	100%	20 �C	�
Cyclohexanone	��	20 �C	�
Cyclohexene	100%	20 �C	�
Detergents	usual	20 �C	�
Detergents	��	20 �C	�
Dibutyl ether	��	20 �C	�
Dibutyl phthalate	��	20 �C	�
Dichloroacetic acid	��	20 �C	�
Dichloroethane	��	20 �C	�
Diesel	��	20 �C	�
Diesel	��	20 �C	�
Diethylene oxide	��	20 �C	�
Diglycolic acid, aqueous	30%	20 �C	�
Dimethyl formamide (DMF)	��	20 �C	�
Dimethylamine	��	20 �C	�
Dioxane	��	20 �C	�
Essential oils	��	20 �C	�
Ethyl acetate	��	20 �C	�
Ethyl acetate	100%	20 �C	�
Ethyl alcohol (ethanol)	96%	20 �C	�
Ethylene alcohol	96%	20 �C	�
Ethylene chloride	100%	20 �C	�
Ethylene chloride	��	20 �C	�
Ethylene diamine	��	20 �C	�
Ethylene glycol	��	20 �C	�
Ferric chloride, aqueous	any	20 �C	�
Ferric nitrate, aqueous saturated	��	20 �C	�
Ferric nitrate, aqueous saturated	��	20 �C	�
Ferric sulphate, aqueous saturated	��	20 �C	�

Kemikalie	Koncentration	Temp.	Best�ndighet
Ferric sulphate, aqueous saturated	��	20 �C	�
Ferrous (II) chloride, aqueous saturated	��	20 �C	�
Ferrous (II) sulfate, aqueous saturated	��	20 �C	�
Ferrous (III) chloride, aqueous saturated	��	20 �C	�
Food oil	��	20 �C	�
Formaldehyde (aqueous)	40%	20 �C	�
Formaldehyde, aqueous	��-40%	20 �C	�
Formic acid	10%	20 �C	�
Formic acid, aqueous	85%	20 �C	�
Frigen 12 (Freon 12)	100%	20 �C	�
Frost protection agent	��	20 �C	�
Fruit juices	any	20 �C	�
Fuel (aromatic free)	��	20 �C	�
Fuel oil	��	20 �C	�
Fuel oil	��	20 �C	�
Furfural	��	20 �C	�
Glycerine	100%	20 �C	�
Glycerine, aqueous	any	20 �C	�
Glycol	100%	20 �C	�
Glycol, aqueous	as supplied	20 �C	�
Glysantin	��	20 �C	�
Heptane	100%	20 �C	�
Heptane	��	20 �C	�
Hexane	��	20 �C	�
Honey	��	20 �C	�
Hydrobromic acid, aqueous	50%	20 �C	�
Hydrochloric acid	10%	20 �C	�
Hydrochloric acid (concentrated)	concentrated	20 �C	�
Hydrochloric acid, aqueous	any	20 �C	�
Hydrofluoric acid	40%	20 �C	�
Hydrogen peroxide	10%	20 �C	�
Hydrogen sulfide (aqueous)	��	20 �C	�
Ink	��	20 �C	�
Iodine in potassium iodide solution	3% iodine	20 �C	�
Isooctane	��	20 �C	�

Kemikalie	Koncentration	Temp.	Best�ndighet
Isopropanol	��	20 �C	�
Isopropyl alcohol	100%	20 �C	�
Isopropyl ether	��	20 �C	�
Jam	��	20 �C	�
Kerosene	��	20 �C	�
Linseed oil	technically grade	20 �C	�
Linseed oil	��	20 �C	�
Lithium bromide	��	20 �C	�
Maleic acid, aqueous	any	20 �C	�
Menthol	��	20 �C	�
Mercurochrome	��	20 �C	�
Mercury	��	20 �C	�
Methanol	technically grade	20 �C	�
Methyl alcohol (methanol)	100%	20 �C	�
Methyl chloride	gaseous, technically grade	20 �C	�
Methyl ethyl ketone (MEK)	100%	20 �C	�
Methyl ethyl ketone (MEK)	technically grade	20 �C	�
Methylene chloride	100%	20 �C	�
Milk	��	20 �C	�
Milk	��	20 �C	�
Mineral oil (aromatic free)	��	20 �C	�
Molasses	��	20 �C	�
Motor oil (heavy duty) without additives	��	20 �C	�
Naphtha	��	20 �C	�
Naphthalene	��	20 �C	�
Nitric acid	10%	20 �C	�
Nitric acid (50%)	50%	20 �C	�
Nitric acid, aqueous	50%	20 �C	�
Nitric acid, aqueous	25%	20 �C	�
Nitrobenzene	��	20 �C	�
Nitrobenzene	��	20 �C	�
Oils, vegetable and animal	��	20 �C	�
Oleic acid	��	20 �C	�
Oleum (fuming sulphuric acid)	any	20 �C	�

Kemikalie	Koncentration	Temp.	Best�ndighet
Oxalic acid	��	20 �C	�
Oxalic acid, aqueous	any	20 �C	�
Oxygen	��	20 �C	�
Ozone	50 ppm	20 �C	�
Ozone (gas)	��0.5 ppm	20 �C	�
Paraffin oil	100%	20 �C	�
Perchloric acid, aqueous	20%	20 �C	�
Perchloric acid, aqueous	50%	20 �C	�
Perchloric acid, aqueous	70%	20 �C	�
Perchloroethylene	��	20 �C	�
Petroleum	��	20 �C	�
Petroleum ether	��	20 �C	�
Petroleum ether	100%	20 �C	�
Phenol	��	20 �C	�
Phenol (aqueous)	��9%	20 �C	�
Phosphoric acid	50%	20 �C	�
Phosphoric acid, aqueous	50%	20 �C	�
Phosphoric acid, aqueous	80% L 95%	20 �C	�
Phosphorus trichloride	��	20 �C	�
Photographic developer	��	20 �C	�
Photographic emulsion	as supplied	20 �C	�
Photographic fixing bath	as supplied	20 �C	�
Phthalic acid, aqueous	50%	20 �C	�
Polyester resins	��	20 �C	�
Potassium hydroxide solution	50%	20 �C	�
Premium fuel	��	20 �C	�
Propionic acid, aqueous	any	20 �C	�
Propyl alcohol	��	20 �C	�
Pyridine	��	20 �C	�
Pyridine	��	20 �C	�
Sea water	��	20 �C	�
Silicone oil	technically grade	20 �C	�
Silicone oil	��	20 �C	�
Sodium borate (borax)	��	20 �C	�
Sodium bromide	��	20 �C	�

Kemikalie	Koncentration	Temp.	Best�ndighet
Sodium carbonate (aqueous)	��	20 �C	�
Sodium chloride (aqueous)	��	20 �C	�
Sodium hydrogen sulfite	��	20 �C	�
Sodium hydroxide solution (60%)	60%	20 �C	�
Sodium hydroxide solution (caustic soda)	15%	20 �C	�
Sodium hydroxide, aqueous	any	20 �C	�
Sodium hydroxide, solid	��	20 �C	�
Sodium nitrate (aqueous)	��	20 �C	�
Sodium thiosulfate	��	20 �C	�
Stearic acid	��	20 �C	�
Sugar syrup	��	20 �C	�
Sulphuric acid	96%	20 �C	�
Sulphuric acid, aqueous	���50%	20 �C	�
Sulphuric acid, aqueous	98%	20 �C	�
Sulphuric acid, aqueous	80%	20 �C	�
Sulphuric acid, aqueous	70%	20 �C	�
Tallow	technically grade	20 �C	�
Tannic acid (tannin), aqueous	10%	20 �C	�
Tetrahydrofuran (THF)	technically grade	20 �C	�
Tetrahydrofuran (THF)	100%	20 �C	�
Thionyl chloride	��	20 �C	�
Thiophene	��	20 �C	�
Tin (II) chloride, aqueous	any	20 �C	�
Tin (IV) chloride, aqueous	saturated	20 �C	�
Toluene	100%	20 �C	�
Toluene	technically grade	20 �C	�
Transformer oil	��	20 �C	�
Transformer oil (insulating oil)	technically grade	20 �C	�
Trichloroacetic acid	technically grade	20 �C	�
Trichloroethylene	technically grade	20 �C	�
Trichloroethylene	100%	20 �C	�
Triethanolamine	��	20 �C	�
Turpentine oil	technically grade	20 �C	�
Urea, vattenl.	���33%	20 �C	�
Vaseline	technically grade	20 �C	�

Kemikalie	Koncentration	Temp.	Beständighet
Vinegar (standard)	5-10%	20 Å°C	●
Water	â€”	20 Å°C	●
Water, distilled	â€”	20 Å°C	●
Wine	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●
Zinc sludge	â€”	20 Å°C	●