



PP-H 50x2000 mm grÃ

Artikelnr P1010052

● Beständigt ● Delvis beständigt ● Ej beständigt

Kemikalie	Koncentratie	Temp.	Bestandigheid
1,4-Dioxane	100	20 °C	●
2-Hydroxypropionic acid (lactic acid)	90	20 °C	●
Acetic acid	100	20 °C	●
Acetone	100	20 °C	●
Ammonia	â€	20 °C	●
Ammonium chloride	â€	20 °C	●
Amyl alcohol	â€	20 °C	●
Benzene	â€	20 °C	●
Bleaching solution	â€	20 °C	●
Boric acid	100	20 °C	●
Brake fluid	â€	20 °C	●
Butyl acetate	â€	20 °C	●
Calcium chloride	â€	20 °C	●
Carbon disulphide	100	20 °C	●
Carbon tetrachloride	â€	20 °C	●
Chlorine (gas)	100	20 °C	●
Chlorobenzene	100	20 °C	●
Chloroform	â€	20 °C	●
Citric acid	10	20 °C	●
Cresol	â€	20 °C	●
Cyclohexanone	100	20 °C	●
Cyclohexene	100	20 °C	●
Diesel	â€	20 °C	●
Diethylene oxide	â€	20 °C	●
Ethyl acetate	100	20 °C	●
Ethyl alcohol (ethanol)	96	20 °C	●
Ethylene chloride	100	20 °C	●

Kemikalie	Koncentrasjon	Temp.	BestÃndighet
Food oil	â€”	20 Â°C	ðŸ’œ
Formaldehyde, aqueous	40	20 Â°C	ðŸ’œ
Formic acid	10	20 Â°C	ðŸ’œ
Frost protection agent	â€”	20 Â°C	ðŸ’œ
Fuel oil	â€”	20 Â°C	ðŸ’œ
Fuel, aromatic free	â€”	20 Â°C	ðŸ’œ
Glycerine	100	20 Â°C	ðŸ’œ
Glycol	100	20 Â°C	ðŸ’œ
Heptane	100	20 Â°C	ðŸ’£
Hydrochloric acid	10	20 Â°C	ðŸ’œ
Hydrochloric acid (concentrated)	â€”	20 Â°C	ðŸ’œ
Hydrofluoric acid	40	20 Â°C	ðŸ’œ
Hydrogen peroxide	10	20 Â°C	ðŸ’œ
Hydrogen sulfide, aqueous	â€”	20 Â°C	ðŸ’œ
Isopropyl alcohol	100	20 Â°C	ðŸ’œ
Linseed oil	â€”	20 Â°C	ðŸ’œ
Mercurochrome	â€”	20 Â°C	ðŸ’œ
Methyl alcohol (methanol)	100	20 Â°C	ðŸ’œ
Methyl ethyl ketone (MEK)	100	20 Â°C	ðŸ’œ
Methylene chloride	100	20 Â°C	ðŸ’£
Milk	â€”	20 Â°C	ðŸ’œ
Mineral oils (aromatic free)	â€”	20 Â°C	ðŸ’œ
Nitric acid	50	20 Â°C	ðŸ’¯
Nitric acid	10	20 Â°C	ðŸ’œ
Nitrobenzene	â€”	20 Â°C	ðŸ’œ
Oxalic acid	â€”	20 Â°C	ðŸ’œ
Ozone (gas)	â‰¥ 0.5 ppm	20 Â°C	ðŸ’¯
Paraffin oil	100	20 Â°C	ðŸ’œ
Perchloroethylene	â€”	20 Â°C	ðŸ’£
Petroleum ether	100	20 Â°C	ðŸ’œ
Phenol, aqueous	ca. 9	20 Â°C	ðŸ’œ
Phosphoric acid	50	20 Â°C	ðŸ’œ
Potassium hydroxide solution	50	20 Â°C	ðŸ’œ
Premium fuel	â€”	20 Â°C	ðŸ’œ
Propyl alcohol	â€”	20 Â°C	ðŸ’œ

