



PP-H 85x1000 mm grÅ

Artikelnr P1010020

Beständig Delvis beständig Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	
2-Hydroxypropionic acid (lactic acid)	90	20 Å°C	
Acetic acid	100	20 Å°C	
Acetone	100	20 Å°C	
Ammonia	â€”	20 Å°C	
Ammonium chloride	â€”	20 Å°C	
Amyl alcohol	â€”	20 Å°C	
Benzene	â€”	20 Å°C	
Bleaching solution	â€”	20 Å°C	
Boric acid	100	20 Å°C	
Brake fluid	â€”	20 Å°C	
Butyl acetate	â€”	20 Å°C	
Calcium chloride	â€”	20 Å°C	
Carbon disulphide	100	20 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Chlorine (gas)	100	20 Å°C	
Chlorobenzene	100	20 Å°C	
Chloroform	â€”	20 Å°C	
Citric acid	10	20 Å°C	
Cresol	â€”	20 Å°C	
Cyclohexanone	100	20 Å°C	
Cyclohexene	100	20 Å°C	
Diesel	â€”	20 Å°C	
Diethylene oxide	â€”	20 Å°C	
Ethyl acetate	100	20 Å°C	
Ethyl alcohol (ethanol)	96	20 Å°C	
Ethylene chloride	100	20 Å°C	

Kemikalie	Koncentration	Temp.	BestÃndighet
Food oil	â€”	20 Â°C	ðŸ’Ž
Formaldehyde, aqueous	40	20 Â°C	ðŸ’Ž
Formic acid	10	20 Â°C	ðŸ’Ž
Frost protection agent	â€”	20 Â°C	ðŸ’Ž
Fuel oil	â€”	20 Â°C	ðŸ’Ž
Fuel, aromatic free	â€”	20 Â°C	ðŸ’Ž
Glycerine	100	20 Â°C	ðŸ’Ž
Glycol	100	20 Â°C	ðŸ’Ž
Heptane	100	20 Â°C	ðŸ’Š
Hydrochloric acid	10	20 Â°C	ðŸ’Ž
Hydrochloric acid (concentrated)	â€”	20 Â°C	ðŸ’Ž
Hydrofluoric acid	40	20 Â°C	ðŸ’Ž
Hydrogen peroxide	10	20 Â°C	ðŸ’Ž
Hydrogen sulfide, aqueous	â€”	20 Â°C	ðŸ’Ž
Isopropyl alcohol	100	20 Â°C	ðŸ’Ž
Linseed oil	â€”	20 Â°C	ðŸ’Ž
Mercurochrome	â€”	20 Â°C	ðŸ’Ž
Methyl alcohol (methanol)	100	20 Â°C	ðŸ’Ž
Methyl ethyl ketone (MEK)	100	20 Â°C	ðŸ’Ž
Methylene chloride	100	20 Â°C	ðŸ’Š
Milk	â€”	20 Â°C	ðŸ’Ž
Mineral oils (aromatic free)	â€”	20 Â°C	ðŸ’Ž
Nitric acid	50	20 Â°C	ðŸ’Å
Nitric acid	10	20 Â°C	ðŸ’Ž
Nitrobenzene	â€”	20 Â°C	ðŸ’Ž
Oxalic acid	â€”	20 Â°C	ðŸ’Ž
Ozone (gas)	â‰¥ 0.5 ppm	20 Â°C	ðŸ’Å
Paraffin oil	100	20 Â°C	ðŸ’Ž
Perchloroethylene	â€”	20 Â°C	ðŸ’Š
Petroleum ether	100	20 Â°C	ðŸ’Ž
Phenol, aqueous	ca. 9	20 Â°C	ðŸ’Ž
Phosphoric acid	50	20 Â°C	ðŸ’Ž
Potassium hydroxide solution	50	20 Â°C	ðŸ’Ž
Premium fuel	â€”	20 Â°C	ðŸ’Ž
Propyl alcohol	â€”	20 Â°C	ðŸ’Ž

