

PEEK Mod 125/60x3000 mm negro

Artikelnr P1501215

Beständig Delvis beständig Ej beständig

Kemikalie	Concentración	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	Beständig
2-Hydroxypropionic acid (lactic acid)	90	20 Å°C	Beständig
Acetic acid	100	20 Å°C	Beständig
Acetone	100	20 Å°C	Beständig
Ammonia	â€	20 Å°C	Beständig
Ammonium chloride	â€	20 Å°C	Beständig
Amyl alcohol	â€	20 Å°C	Beständig
Apple juice	â€	20 Å°C	Beständig
Benzene	â€	20 Å°C	Beständig
Boric acid	100	20 Å°C	Beständig
Brake fluid	â€	20 Å°C	Beständig
Butyl acetate	â€	20 Å°C	Beständig
Calcium chloride	â€	20 Å°C	Beständig
Carbon tetrachloride	â€	20 Å°C	Beständig
Chlorine (gas)	100	20 Å°C	Beständig
Chlorobenzene	100	20 Å°C	Beständig
Chloroform	â€	20 Å°C	Beständig
Citric acid	10	20 Å°C	Beständig
Cyclohexanone	100	20 Å°C	Beständig
Cyclohexene	100	20 Å°C	Beständig
Diesel	â€	20 Å°C	Beständig
Diethylene oxide	â€	20 Å°C	Beständig
Ethyl acetate	100	20 Å°C	Beständig
Ethyl alcohol (ethanol)	96	20 Å°C	Beständig
Ethylene chloride	100	20 Å°C	Beständig
Food oil	â€	20 Å°C	Beständig
Formaldehyde (aqueous)	40	20 Å°C	Beständig

Kemikalie		Concentraci3n	Temp.	Best3ndighet
Formic acid	10	20 3C		
Frost protection agent	3"	20 3C		
Fuel oil	3"	20 3C		
Fuel, aromatic free	3"	20 3C		
Glycerine	100	20 3C		
Glycol	100	20 3C		
Heptane	100	20 3C		
Hydrochloric acid	10	20 3C		
Hydrochloric acid (concentrated)	3"	20 3C		
Hydrofluoric acid	40	20 3C		
Hydrogen peroxide	10	20 3C		
Hydrogen sulfide (aqueous)	3"	20 3C		
Isopropyl alcohol	100	20 3C		
Linseed oil	3"	20 3C		
Mercurochrome	3"	20 3C		
Methyl alcohol (methanol)	100	20 3C		
Methyl ethyl ketone (MEK)	100	20 3C		
Methylene chloride	100	20 3C		
Milk	3"	20 3C		
Mineral oils (aromatic free)	3"	20 3C		
Nitric acid	50	20 3C		
Nitric acid	10	20 3C		
Nitrobenzene	3"	20 3C		
Oxalic acid	3"	20 3C		
Ozone (gas)	3"	20 3C		
Paraffin oil	100	20 3C		
Perchloroethylene	3"	20 3C		
Petroleum	100	20 3C		
Petroleum ether	100	20 3C		
Phenol (aqueous)	9	20 3C		
Phosphoric acid	50	20 3C		
Potassium hydroxide solution	50	20 3C		
Premium fuel	3"	20 3C		
Propyl alcohol	3"	20 3C		
Pyridine	3"	20 3C		

Kemikalie	Concentration	Temp.	Beständighet
Silicone oil	â€”	20 Å°C	●
Sodium carbonate (aqueous)	â€”	20 Å°C	●
Sodium chloride (aqueous)	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	20 Å°C	●
Sodium nitrate (aqueous)	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96	20 Å°C	●
Tetrahydrofuran (THF)	100	20 Å°C	●
Toluene	100	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100	20 Å°C	●
Vinegar (standard)	5-10	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●