



PET ZX 3000x610x50 mm gris claro

Artikelnr P1004258

Beständig

Delvis beständig

Ej beständig

Kemikalie	Concentration	Temp.	Beständighet
1,4-Dioxane	100	60 Å°C	
1,4-Dioxane	100	20 Å°C	
Acetic acid	100	20 Å°C	
Acetic acid	100%	20 Å°C	
Acetic acid	100	60 Å°C	
Acetone	100	60 Å°C	
Acetone	100	20 Å°C	
Ammonia	conc.	20 Å°C	
Ammonia	conc.	60 Å°C	
Apple juice	â€”	20 Å°C	
Apple juice	â€”	20 Å°C	
Benzene	â€”	20 Å°C	
Benzene	â€”	60 Å°C	
Bleaching solution	â€”	20 Å°C	
Brake fluid	â€”	60 Å°C	
Brake fluid	â€”	20 Å°C	
Butyl acetate	â€”	60 Å°C	
Butyl acetate	â€”	20 Å°C	
Calcium chloride	â€”	60 Å°C	
Calcium chloride	â€”	20 Å°C	
Carbon disulphide	100	60 Å°C	
Carbon disulphide	100	20 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Carbon tetrachloride	â€”	60 Å°C	
Chlorobenzene	100%	20 Å°C	
Chlorobenzene	100	60 Å°C	

Kemikalie		Concentraci3n	Temp.	Best3ndighet
Chlorobenzene	100	20 3C		
Chloroform	3C	60 3C		
Chloroform	3C	20 3C		
Citric acid	10	20 3C		
Citric acid	10	60 3C		
Diesel	3C	20 3C		
Diesel	3C	60 3C		
Diethylene oxide	3C	20 3C		
Diethylene oxide	3C	20 3C		
Ethyl acetate	100	20 3C		
Ethyl acetate	100	60 3C		
Ethyl alcohol (ethanol)	96	60 3C		
Ethyl alcohol (ethanol)	96%	20 3C		
Ethyl alcohol (ethanol)	96	20 3C		
Ethylene chloride	100	20 3C		
Ethylene chloride	100	60 3C		
Food oil	3C	20 3C		
Food oil	3C	60 3C		
Food oil	3C	20 3C		
Formic acid	10	20 3C		
Formic acid	10	60 3C		
Frost protection agent	3C	20 3C		
Frost protection agent	3C	60 3C		
Fuel oil	3C	60 3C		
Fuel oil	3C	20 3C		
Fuel, aromatic free	3C	60 3C		
Fuel, aromatic free	3C	20 3C		
Glycerine	100	60 3C		
Glycerine	100	20 3C		
Glycerine	100%	20 3C		
Glycol	100	60 3C		
Glycol	100	20 3C		
Heptane	100	20 3C		
Heptane	100	60 3C		

Kemikalie	Concentration	Temp.	Beständighet
Hydrochloric acid	conc.	20 Å°C	
Hydrochloric acid	10	60 Å°C	
Hydrochloric acid	10	20 Å°C	
Hydrochloric acid	conc.	60 Å°C	
Hydrochloric acid (concentrated)	conc.	20 Å°C	
Hydrofluoric acid	40%	20 Å°C	
Hydrofluoric acid	40	60 Å°C	
Hydrofluoric acid	40	20 Å°C	
Hydrogen peroxide	10	20 Å°C	
Hydrogen peroxide	10	60 Å°C	
Hydrogen sulfide, aqueous	â€”	20 Å°C	
Isopropyl alcohol	100	60 Å°C	
Isopropyl alcohol	100%	20 Å°C	
Isopropyl alcohol	100	20 Å°C	
Linseed oil	â€”	60 Å°C	
Linseed oil	â€”	20 Å°C	
Mercurochrome	â€”	20 Å°C	
Methyl alcohol (methanol)	100	20 Å°C	
Methyl alcohol (methanol)	100	60 Å°C	
Methyl alcohol (methanol)	100%	20 Å°C	
Methyl ethyl ketone (MEK)	100	60 Å°C	
Methyl ethyl ketone (MEK)	100	20 Å°C	
Methylene chloride	100	20 Å°C	
Methylene chloride	100	60 Å°C	
Milk	â€”	20 Å°C	
Milk	â€”	60 Å°C	
Mineral oils, aromatic free	â€”	20 Å°C	
Mineral oils, aromatic free	â€”	60 Å°C	
Nitric acid	50	20 Å°C	
Nitric acid	50	60 Å°C	
Nitric acid	10%	20 Å°C	
Nitric acid	10	20 Å°C	
Nitric acid	10	60 Å°C	
Paraffin oil	100	20 Å°C	

Kemikalie	Concentraci3n	Temp.	Best3ndighet
Paraffin oil	100	60 Å°C	●
Perchloroethylene	â€”	60 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum ether	100	60 Å°C	●
Petroleum ether	100	20 Å°C	●
Petroleum ether	100%	20 Å°C	●
Phenol, aqueous	ca.9	20 Å°C	●
Phosphoric acid	50	20 Å°C	●
Phosphoric acid	50	60 Å°C	●
Potassium hydroxide solution	50	60 Å°C	●
Potassium hydroxide solution	50	20 Å°C	●
Premium fuel	â€”	60 Å°C	●
Premium fuel	â€”	20 Å°C	●
Propyl alcohol	â€”	60 Å°C	●
Propyl alcohol	â€”	20 Å°C	●
Silicone oil	â€”	60 Å°C	●
Silicone oil	â€”	20 Å°C	●
Sodium carbonate, aqueous	â€”	60 Å°C	●
Sodium carbonate, aqueous	â€”	20 Å°C	●
Sodium chloride, aqueous	â€”	60 Å°C	●
Sodium chloride, aqueous	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	60 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	60 Å°C	●
Sodium hydroxide solution (caustic soda)	60	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	60 Å°C	●
Sodium hydroxide solution (caustic soda)	15	20 Å°C	●
Sodium nitrate, aqueous	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96	20 Å°C	●
Sulphuric acid	96	60 Å°C	●

Kemikalie	Concentration	Temp.	Beständighet
Tetrahydrofuran (THF)	100	60 Å°C	
Tetrahydrofuran (THF)	100	20 Å°C	
Toluene	100	60 Å°C	
Toluene	100	20 Å°C	
Toluene	100%	20 Å°C	
Transformer oil	â€”	60 Å°C	
Transformer oil	â€”	20 Å°C	
Trichloroethylene	100	60 Å°C	
Trichloroethylene	100	20 Å°C	
Vinegar, standard	5-10	60 Å°C	
Vinegar, standard	5-10	20 Å°C	
Vinegar, standard	5-10%	20 Å°C	
Water	â€”	20 Å°C	
Water	â€”	60 Å°C	
Xylene	â€”	20 Å°C	
Xylene	â€”	60 Å°C	