

PFA 1500x1500x0,8 mm natural

Nº artículo P2202784

● Resistente
 ● Parcialmente resistente
 ● No resistente

Sustancia química	Concentración	Resist.
1,4-Dioxane	100	●
2-Hydroxypropionic Acid	90	●
Acetic Acid	100	●
Acetone	100	●
Ammonia	–	●
Ammonium Chloride	–	●
Amyl Alcohol	–	●
Apple Juice	–	●
Benzene	–	●
Bleaching Solution	–	●
Boric Acid	100	●
Brake Fluid	–	●
Butyl Acetate	–	●
Calcium Chloride	–	●
Carbon Disulfide	100	●
Carbon Tetrachloride	–	●
Chlorine (gas)	100	●
Chlorobenzene	100	●
Chloroform	–	●
Citric Acid	10	●
Cresol	–	●
Cyclohexanone	100	●
Cyclohexene	100	●
Diesel Fuel	–	●
Diethylene Oxide	–	●

Sustancia química	Concentración	Resist.
Ethyl Acetate	100	●
Ethyl Alcohol	96	●
Ethylene Chloride	100	●
Food Oil	–	●
Formaldehyde (aqueous)	40	●
Formic Acid	10	●
Frost Protection Agent	–	●
Fuel, aromatic free	–	●
Glycerine	100	●
Glycol	100	●
Heating Oil	–	●
Heptane	100	●
Hydrochloric Acid	10	●
Hydrochloric Acid (concentrated)	–	●
Hydrofluoric Acid	40	●
Hydrogen Peroxide	10	●
Hydrogen Sulfide (aqueous)	–	●
Isopropyl Alcohol	100	●
Linseed Oil	–	●
Mercurochrome	–	●
Methyl Alcohol	100	●
Methyl Ethyl Ketone (MEK)	100	●
Methylene Chloride	100	●
Milk	–	●
Mineral Oils (aromatic free)	–	●
Nitric Acid	10	●
Nitric Acid (50%)	50	●
Nitrobenzene	–	●
Oxalic Acid	–	●
Ozone Gas	≤ 0.5 ppm	●
Paraffine Oil	100	●
Perchloroethylene	–	●

Sustancia química	Concentración	Resist.
Petroleum	100	●
Petroleum Ether	100	●
Phenol (aqueous)	ca. 9	●
Phosphoric Acid	50	●
Potassium Hydroxide liquor	50	●
Premium Fuel	–	●
Propyl Alcohol	–	●
Pyridine	–	●
Silicone Oil	–	●
Sodium Carbonate (aqueous)	–	●
Sodium Chloride (aqueous)	–	●
Sodium Hydrogen Sulfite	–	●
Sodium Hydroxide liquor	15	●
Sodium Hydroxide liquor (60)	60	●
Sodium Nitrate (aqueous)	–	●
Sodium Thiosulfate	–	●
Sulfuric Acid	96	●
Tetrahydrofuran (THF)	100	●
Toluene	100	●
Transformer Oil	–	●
Trichloroethylene	100	●
Vinegar (standard)	5 - 10	●
Water	–	●
Xylene	–	●