



# POM CGL 110/80x3000 mm azul

Artikelnr P1008257

Beständig

Delvis beständig

Ej beständig

| Kemikalie               | Concentration | Temp.  | Beständighet |
|-------------------------|---------------|--------|--------------|
| 1,4-Dioxane             | 100%          | 20 Å°C |              |
| 2-Hydroxypropionic Acid | 90%           | 20 Å°C |              |
| Acetic Acid             | 100%          | 20 Å°C |              |
| Acetone                 | 100%          | 20 Å°C |              |
| Ammonia                 | conc.         | 20 Å°C |              |
| Ammonium Chloride       | â€”           | 20 Å°C |              |
| Amyl Alcohol            | â€”           | 20 Å°C |              |
| Apple Juice             | â€”           | 20 Å°C |              |
| Benzene                 | â€”           | 20 Å°C |              |
| Bleaching Solution      | 12.5 cl       | 20 Å°C |              |
| Boric Acid              | 100%          | 20 Å°C |              |
| Brake Fluid             | â€”           | 20 Å°C |              |
| Butyl Acetate           | â€”           | 20 Å°C |              |
| Calcium Chloride        | â€”           | 20 Å°C |              |
| Carbon Disulfide        | 100%          | 20 Å°C |              |
| Carbon Tetrachloride    | â€”           | 20 Å°C |              |
| Chlorine (gas)          | 100%          | 20 Å°C |              |
| Chlorobenzene           | 100%          | 20 Å°C |              |
| Chloroform              | â€”           | 20 Å°C |              |
| Citric Acid             | 10%           | 20 Å°C |              |
| Cresol                  | â€”           | 20 Å°C |              |
| Cyclohexanone           | 100%          | 20 Å°C |              |
| Cyclohexene             | 100%          | 20 Å°C |              |
| Diesel Fuel             | â€”           | 20 Å°C |              |
| Diethylene Oxide        | â€”           | 20 Å°C |              |
| Ethyl Acetate           | 100%          | 20 Å°C |              |
| Ethyl Alcohol           | 96%           | 20 Å°C |              |

| Kemikalie                          | Concentration | Temp.  | Beständighet |
|------------------------------------|---------------|--------|--------------|
| Ethylene Chloride                  | 100%          | 20 Å°C | ●            |
| Food Oil                           | â€”           | 20 Å°C | ●            |
| Formaldehyde, aqueous              | 40%           | 20 Å°C | ●            |
| Formic Acid                        | 10%           | 20 Å°C | ●            |
| Frost Protection Agent             | â€”           | 20 Å°C | ●            |
| Fuel, aromatic free                | â€”           | 20 Å°C | ●            |
| Glycerine                          | 100%          | 20 Å°C | ●            |
| Glycol                             | 100%          | 20 Å°C | ●            |
| Heating Oil                        | â€”           | 20 Å°C | ●            |
| Heptane                            | 100%          | 20 Å°C | ●            |
| Hydrochloric Acid                  | 10%           | 20 Å°C | ●            |
| Hydrochloric Acid (concentrated)   | conc.         | 20 Å°C | ●            |
| Hydrofluoric Acid                  | 40%           | 20 Å°C | ●            |
| Hydrogen Peroxide                  | 10%           | 20 Å°C | ●            |
| Hydrogen Sulfide, aqueous solution | â€”           | 20 Å°C | ●            |
| Isopropyl Alcohol                  | 100%          | 20 Å°C | ●            |
| Linseed Oil                        | â€”           | 20 Å°C | ●            |
| Mercurochrome                      | â€”           | 20 Å°C | ●            |
| Methyl Alcohol                     | 100%          | 20 Å°C | ●            |
| Methyl Ethyl Ketone (MEK)          | 100%          | 20 Å°C | ●            |
| Methylene Chloride                 | 100%          | 20 Å°C | ●            |
| Milk                               | â€”           | 20 Å°C | ●            |
| Mineral Oils (aromatic free)       | â€”           | 20 Å°C | ●            |
| Nitric Acid                        | 10%           | 20 Å°C | ●            |
| Nitric Acid (50%)                  | 50%           | 20 Å°C | ●            |
| Nitrobenzene                       | â€”           | 20 Å°C | ●            |
| Oxalic Acid                        | â€”           | 20 Å°C | ●            |
| Ozone Gas                          | â‰¤0.5 ppm    | 20 Å°C | ●            |
| Paraffine Oil                      | 100%          | 20 Å°C | ●            |
| Perchloroethylene                  | â€”           | 20 Å°C | ●            |
| Petroleum                          | 100%          | 20 Å°C | ●            |
| Petroleum Ether                    | 100%          | 20 Å°C | ●            |
| Phenol, aqueous                    | ca. 9%        | 20 Å°C | ●            |
| Phosphoric Acid                    | 50%           | 20 Å°C | ●            |
| Potassium Hydroxide liquor         | 50%           | 20 Å°C | ●            |

| Kemikalie                     | Concentration | Temp.  | Beständighet |
|-------------------------------|---------------|--------|--------------|
| Premium Fuel                  | â€”           | 20 Å°C | <div></div>  |
| Propyl Alcohol                | â€”           | 20 Å°C | <div></div>  |
| Pyridine                      | â€”           | 20 Å°C | <div></div>  |
| Silicone Oil                  | â€”           | 20 Å°C | <div></div>  |
| Sodium Carbonate, aqueous     | â€”           | 20 Å°C | <div></div>  |
| Sodium Chloride, aqueous      | â€”           | 20 Å°C | <div></div>  |
| Sodium Hydrogen Sulfite       | â€”           | 20 Å°C | <div></div>  |
| Sodium Hydroxide liquor (15%) | 15%           | 20 Å°C | <div></div>  |
| Sodium Hydroxide liquor (60%) | 60%           | 20 Å°C | <div></div>  |
| Sodium Nitrate, aqueous       | â€”           | 20 Å°C | <div></div>  |
| Sodium Thiosulfate            | â€”           | 20 Å°C | <div></div>  |
| Sulfuric Acid                 | 96%           | 20 Å°C | <div></div>  |
| Tetrahydrofuran, THF          | 100%          | 20 Å°C | <div></div>  |
| Toluene                       | 100%          | 20 Å°C | <div></div>  |
| Transformer Oil               | â€”           | 20 Å°C | <div></div>  |
| Trichloroethylene             | 100%          | 20 Å°C | <div></div>  |
| Vinegar, standard             | 5-10%         | 20 Å°C | <div></div>  |
| Water                         | â€”           | 20 Å°C | <div></div>  |
| Xylene                        | â€”           | 20 Å°C | <div></div>  |