



POM CGL 150/120x3000 mm azul

Artikelnr P1008269

Beständig Delvis beständig Ej beständig

Kemikalie	Concentration	Temp.	Beständighet
1,4-Dioxane	100%	20 Å°C	
2-Hydroxypropionic Acid	90%	20 Å°C	
Acetic Acid	100%	20 Å°C	
Acetone	100%	20 Å°C	
Ammonia	conc.	20 Å°C	
Ammonium Chloride	â€	20 Å°C	
Amyl Alcohol	â€	20 Å°C	
Apple Juice	â€	20 Å°C	
Benzene	â€	20 Å°C	
Bleaching Solution	12.5 cl	20 Å°C	
Boric Acid	100%	20 Å°C	
Brake Fluid	â€	20 Å°C	
Butyl Acetate	â€	20 Å°C	
Calcium Chloride	â€	20 Å°C	
Carbon Disulfide	100%	20 Å°C	
Carbon Tetrachloride	â€	20 Å°C	
Chlorine (gas)	100%	20 Å°C	
Chlorobenzene	100%	20 Å°C	
Chloroform	â€	20 Å°C	
Citric Acid	10%	20 Å°C	
Cresol	â€	20 Å°C	
Cyclohexanone	100%	20 Å°C	
Cyclohexene	100%	20 Å°C	
Diesel Fuel	â€	20 Å°C	
Diethylene Oxide	â€	20 Å°C	
Ethyl Acetate	100%	20 Å°C	
Ethyl Alcohol	96%	20 Å°C	

Kemikalie	Concentration	Temp.	Beständighet
Ethylene Chloride	100%	20 Å°C	●
Food Oil	â€”	20 Å°C	●
Formaldehyde, aqueous	40%	20 Å°C	●
Formic Acid	10%	20 Å°C	●
Frost Protection Agent	â€”	20 Å°C	●
Fuel, aromatic free	â€”	20 Å°C	●
Glycerine	100%	20 Å°C	●
Glycol	100%	20 Å°C	●
Heating Oil	â€”	20 Å°C	●
Heptane	100%	20 Å°C	●
Hydrochloric Acid	10%	20 Å°C	●
Hydrochloric Acid (concentrated)	conc.	20 Å°C	●
Hydrofluoric Acid	40%	20 Å°C	●
Hydrogen Peroxide	10%	20 Å°C	●
Hydrogen Sulfide, aqueous solution	â€”	20 Å°C	●
Isopropyl Alcohol	100%	20 Å°C	●
Linseed Oil	â€”	20 Å°C	●
Mercurochrome	â€”	20 Å°C	●
Methyl Alcohol	100%	20 Å°C	●
Methyl Ethyl Ketone (MEK)	100%	20 Å°C	●
Methylene Chloride	100%	20 Å°C	●
Milk	â€”	20 Å°C	●
Mineral Oils (aromatic free)	â€”	20 Å°C	●
Nitric Acid	10%	20 Å°C	●
Nitric Acid (50%)	50%	20 Å°C	●
Nitrobenzene	â€”	20 Å°C	●
Oxalic Acid	â€”	20 Å°C	●
Ozone Gas	â‰¤0.5 ppm	20 Å°C	●
Paraffine Oil	100%	20 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum Ether	100%	20 Å°C	●
Phenol, aqueous	ca. 9%	20 Å°C	●
Phosphoric Acid	50%	20 Å°C	●
Potassium Hydroxide liquor	50%	20 Å°C	●

Kemikalie	Concentration	Temp.	Beständighet
Premium Fuel	â€”	20 Å°C	●
Propyl Alcohol	â€”	20 Å°C	●
Pyridine	â€”	20 Å°C	●
Silicone Oil	â€”	20 Å°C	●
Sodium Carbonate, aqueous	â€”	20 Å°C	●
Sodium Chloride, aqueous	â€”	20 Å°C	●
Sodium Hydrogen Sulfite	â€”	20 Å°C	●
Sodium Hydroxide liquor (15%)	15%	20 Å°C	●
Sodium Hydroxide liquor (60%)	60%	20 Å°C	●
Sodium Nitrate, aqueous	â€”	20 Å°C	●
Sodium Thiosulfate	â€”	20 Å°C	●
Sulfuric Acid	96%	20 Å°C	●
Tetrahydrofuran, THF	100%	20 Å°C	●
Toluene	100%	20 Å°C	●
Transformer Oil	â€”	20 Å°C	●
Trichloroethylene	100%	20 Å°C	●
Vinegar, standard	5-10%	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●