

PVC U 2000x1000x1 mm transparente

Nº artículo P1201191

● Resistente ● Parcialmente resistente ● No resistente

| Sustancia química | Concentración | Resist. |
|---------------------------------------|---------------|---------|
| 1,4-Dioxane | 100% | ● |
| 2-Hydroxypropionic acid (lactic acid) | 90% | ● |
| Acetic acid | 100% | ● |
| Acetone | 100% | ● |
| Ammonia | conc. | ● |
| Ammonium chloride | – | ● |
| Amyl alcohol | – | ● |
| Apple juice | – | ● |
| Benzene | – | ● |
| Bleaching solution | 12.5 cl | ● |
| Boric acid | 100% | ● |
| Brake fluid | – | ● |
| Butyl acetate | – | ● |
| Calcium chloride | – | ● |
| Carbon disulphide | 100% | ● |
| Carbon tetrachloride | – | ● |
| Chlorine (gas) | 100% | ● |
| Chlorobenzene | 100% | ● |
| Chloroform | – | ● |
| Citric acid | 10% | ● |
| Cresol | – | ● |
| Cyclohexanone | 100% | ● |
| Cyclohexene | 100% | ● |
| Diesel | – | ● |
| Diethylene oxide | – | ● |

| Sustancia química | Concentración | Resist. |
|----------------------------------|---------------|---------|
| Ethyl acetate | 100% | ● |
| Ethyl alcohol (ethanol) | 96% | ● |
| Ethylene chloride | 100% | ● |
| Food oil | — | ● |
| Formaldehyde (aqueous) | 40% | ● |
| Formic acid | 10% | ● |
| Frost protection agent | — | ● |
| Fuel (aromatic free) | — | ● |
| Fuel oil | — | ● |
| Glycerine | 100% | ● |
| Glycol | 100% | ● |
| Heptane | 100% | ● |
| Hydrochloric acid | 10% | ● |
| Hydrochloric acid (concentrated) | conc. | ● |
| Hydrofluoric acid | 40% | ● |
| Hydrogen peroxide | 10% | ● |
| Hydrogen sulfide (aqueous) | — | ● |
| Isopropyl alcohol | 100% | ● |
| Linseed oil | — | ● |
| Mercurochrome | — | ● |
| Methyl alcohol (methanol) | 100% | ● |
| Methyl ethyl ketone (MEK) | 100% | ● |
| Methylene chloride | 100% | ● |
| Milk | — | ● |
| Mineral oils (aromatic free) | — | ● |
| Nitric acid | 50% | ● |
| Nitric acid | 10% | ● |
| Nitrobenzene | — | ● |
| Oxalic acid | — | ● |
| Ozone (gas) | ≤ 0.5 ppm | ● |
| Paraffin oil | 100% | ● |
| Perchloroethylene | — | ● |

| Sustancia química | Concentración | Resist. |
|--|---------------|---------|
| Petroleum | 100% | ● |
| Petroleum ether | 100% | ● |
| Phenol (aqueous) | ca. 9% | ● |
| Phosphoric acid | 50% | ● |
| Potassium hydroxide solution | 50% | ● |
| Premium fuel | — | ● |
| Propyl alcohol | — | ● |
| Pyridine | — | ● |
| Silicone oil | — | ● |
| Sodium carbonate (aqueous) | — | ● |
| Sodium chloride (aqueous) | — | ● |
| Sodium hydrogen sulfite | — | ● |
| Sodium hydroxide solution (caustic soda) | 15% | ● |
| Sodium hydroxide solution (caustic soda) | 60% | ● |
| Sodium nitrate (aqueous) | — | ● |
| Sodium thiosulfate | — | ● |
| Sulphuric acid | 96% | ● |
| Tetrahydrofuran (THF) | 100% | ● |
| Toluene | 100% | ● |
| Transformer oil | — | ● |
| Trichloroethylene | 100% | ● |
| Vinegar (standard) | 5 - 10% | ● |
| Water | — | ● |
| Xylene | — | ● |