

PVC U 3000x1500x2 mm gris

Artikelnr P1201176

● Beständig
 ● Delvis beständig
 ● Ej beständig

| Kemikalie | Concentration | Temp. | Beständighet |
|---------------------------------------|---------------|--------|--------------|
| 1,4-Dioxane | 100% | 20 Å°C | ● |
| 2-Hydroxypropionic acid (lactic acid) | 90% | 20 Å°C | ● |
| Acetic acid | 100% | 20 Å°C | ● |
| Acetone | 100% | 20 Å°C | ● |
| Ammonia | conc. | 20 Å°C | ● |
| Ammonium chloride | â€” | 20 Å°C | ● |
| Amyl alcohol | â€” | 20 Å°C | ● |
| Apple juice | â€” | 20 Å°C | ● |
| Benzene | â€” | 20 Å°C | ● |
| Bleaching solution | 12.5 cl | 20 Å°C | ● |
| Boric acid | 100% | 20 Å°C | ● |
| Brake fluid | â€” | 20 Å°C | ● |
| Butyl acetate | â€” | 20 Å°C | ● |
| Calcium chloride | â€” | 20 Å°C | ● |
| Carbon disulphide | 100% | 20 Å°C | ● |
| Carbon tetrachloride | â€” | 20 Å°C | ● |
| Chlorine (gas) | 100% | 20 Å°C | ● |
| Chlorobenzene | 100% | 20 Å°C | ● |
| Chloroform | â€” | 20 Å°C | ● |
| Citric acid | 10% | 20 Å°C | ● |
| Cresol | â€” | 20 Å°C | ● |
| Cyclohexanone | 100% | 20 Å°C | ● |
| Cyclohexene | 100% | 20 Å°C | ● |
| Diesel | â€” | 20 Å°C | ● |
| Diethylene oxide | â€” | 20 Å°C | ● |
| Ethyl acetate | 100% | 20 Å°C | ● |
| Ethyl alcohol (ethanol) | 96% | 20 Å°C | ● |

| Kemikalie | Concentraci3n | Temp. | Best3ndighet |
|----------------------------------|---------------|-------|--------------|
| Ethylene chloride | 100% | 20 3C | ● |
| Food oil | 3€" | 20 3C | ● |
| Formaldehyde (aqueous) | 40% | 20 3C | ● |
| Formic acid | 10% | 20 3C | ● |
| Frost protection agent | 3€" | 20 3C | ● |
| Fuel (aromatic free) | 3€" | 20 3C | ● |
| Fuel oil | 3€" | 20 3C | ● |
| Glycerine | 100% | 20 3C | ● |
| Glycol | 100% | 20 3C | ● |
| Heptane | 100% | 20 3C | ● |
| Hydrochloric acid | 10% | 20 3C | ● |
| Hydrochloric acid (concentrated) | conc. | 20 3C | ● |
| Hydrofluoric acid | 40% | 20 3C | ● |
| Hydrogen peroxide | 10% | 20 3C | ● |
| Hydrogen sulfide (aqueous) | 3€" | 20 3C | ● |
| Isopropyl alcohol | 100% | 20 3C | ● |
| Linseed oil | 3€" | 20 3C | ● |
| Mercurochrome | 3€" | 20 3C | ● |
| Methyl alcohol (methanol) | 100% | 20 3C | ● |
| Methyl ethyl ketone (MEK) | 100% | 20 3C | ● |
| Methylene chloride | 100% | 20 3C | ● |
| Milk | 3€" | 20 3C | ● |
| Mineral oils (aromatic free) | 3€" | 20 3C | ● |
| Nitric acid | 50% | 20 3C | ● |
| Nitric acid | 10% | 20 3C | ● |
| Nitrobenzene | 3€" | 20 3C | ● |
| Oxalic acid | 3€" | 20 3C | ● |
| Ozone (gas) | 3% 0.5 ppm | 20 3C | ● |
| Paraffin oil | 100% | 20 3C | ● |
| Perchloroethylene | 3€" | 20 3C | ● |
| Petroleum | 100% | 20 3C | ● |
| Petroleum ether | 100% | 20 3C | ● |
| Phenol (aqueous) | ca. 9% | 20 3C | ● |
| Phosphoric acid | 50% | 20 3C | ● |
| Potassium hydroxide solution | 50% | 20 3C | ● |

| Kemikalie | Concentration | Temp. | Beständighet |
|--|---------------|--------|--------------|
| Premium fuel | â€” | 20 Å°C | ● |
| Propyl alcohol | â€” | 20 Å°C | ● |
| Pyridine | â€” | 20 Å°C | ● |
| Silicone oil | â€” | 20 Å°C | ● |
| Sodium carbonate (aqueous) | â€” | 20 Å°C | ● |
| Sodium chloride (aqueous) | â€” | 20 Å°C | ● |
| Sodium hydrogen sulfite | â€” | 20 Å°C | ● |
| Sodium hydroxide solution (caustic soda) | 15% | 20 Å°C | ● |
| Sodium hydroxide solution (caustic soda) | 60% | 20 Å°C | ● |
| Sodium nitrate (aqueous) | â€” | 20 Å°C | ● |
| Sodium thiosulfate | â€” | 20 Å°C | ● |
| Sulphuric acid | 96% | 20 Å°C | ● |
| Tetrahydrofuran (THF) | 100% | 20 Å°C | ● |
| Toluene | 100% | 20 Å°C | ● |
| Transformer oil | â€” | 20 Å°C | ● |
| Trichloroethylene | 100% | 20 Å°C | ● |
| Vinegar (standard) | 5 - 10% | 20 Å°C | ● |
| Water | â€” | 20 Å°C | ● |
| Xylene | â€” | 20 Å°C | ● |