PEEK+PTFE 75x3000 mm azul

Artikelnr P1501480

BestÃ□ndig Delvis bestÃ□ndig Ej bestÃ□ndig

Kemikalie	ConcentraciÃ³n	Temp.	BestÃ□ndighet
1,4-Dioxane	100	20 Â°C	
2-Hydroxypropionic Acid	90	20 Â°C	
Acetic Acid	100	20 Â°C	
Acetone	100	20 Â°C	
Ammonia	â€”	20 Â°C	
Ammonium Chloride	â€”	20 Â°C	
Amyl Alcohol	â€”	20 Â°C	
Apple Juice	â€”	20 Â°C	
Benzene	â€”	20 Â°C	
Bleaching Solution	â€”	20 Â°C	
Boric Acid	100	20 Â°C	
Brake Fluid	â€”	20 Â°C	
Butyl Acetate	â€”	20 Â°C	
Calcium Chloride	â€”	20 Â°C	
Carbon Disulfide	100	20 Â°C	
Carbon Tetrachloride	â€”	20 Â°C	
Chlorine (gas)	100	20 Â°C	
Chlorobenzene	100	20 Â°C	
Chloroform	â€”	20 Â°C	
Citric Acid	10	20 Â°C	
Cresol	â€”	20 Â°C	
Cyclohexanone	100	20 Â°C	
Cyclohexene	100	20 Â°C	
Diesel Fuel	â€”	20 Â°C	
Diethylene Oxide	â€”	20 Â°C	
Ethyl Acetate	100	20 Â°C	
Ethyl Alcohol	96	20 Â°C	

Kemikalie	ConcentraciÃ³n	Temp.	BestÃ□ndighet
Ethylene Chloride	100	20 Â°C	
Food Oil	â€”	20 Â°C	
Formaldehyde (aqueous)	40	20 Â°C	
Formic Acid	10	20 Â°C	
Frost Protection Agent	â€”	20 Â°C	
Fuel, aromatic free	â€”	20 Â°C	
Glycerine	100	20 Â°C	
Glycol	100	20 Â°C	
Heating Oil	â€”	20 Â°C	
Heptane	100	20 Â°C	
Hydrochloric Acid	10	20 Â°C	
Hydrochloric Acid (concentrated)	â€”	20 Â°C	
Hydrofluoric Acid	40	20 Â°C	
Hydrogen Peroxide	10	20 Â°C	
Hydrogen Sulfide (aqueous)	â€”	20 Â°C	
Isopropyl Alcohol	100	20 Â°C	
Linseed Oil	â€”	20 Â°C	
Mercurochrome	â€”	20 Â°C	
Methyl Alcohol	100	20 Â°C	
Methyl Ethyl Ketone (MEK)	100	20 Â°C	
Methylene Chloride	100	20 Â°C	
Milk	â€”	20 Â°C	
Mineral Oils (aromatic free)	â€”	20 Â°C	
Nitric Acid	10	20 Â°C	
Nitric Acid	50	20 Â°C	
Nitrobenzene	â€”	20 Â°C	
Oxalic Acid	â€”	20 Â°C	
Ozone Gas	â€”	20 Â°C	
Paraffine Oil	100	20 Â°C	
Perchloroethylene	â€”	20 Â°C	
Petroleum	100	20 Â°C	
Petroleum Ether	100	20 Â°C	
Phenol (aqueous)	9	20 Â°C	
Phosphoric Acid	50	20 Â°C	
Potassium Hydroxide liquor	50	20 Â°C	

Kemikalie	ConcentraciÃ³n	Temp.	BestÃ□ndighet
Premium Fuel	â€”	20 Â°C	
Propyl Alcohol	â€”	20 Â°C	
Pyridine	â€”	20 Â°C	
Silicone Oil	â€”	20 Â°C	
Sodium Carbonate (aqueous)	â€”	20 Â°C	
Sodium Chloride (aqueous)	â€”	20 Â°C	
Sodium Hydrogen Sulfite	â€”	20 Â°C	
Sodium Hydroxide liquor	15	20 Â°C	
Sodium Hydroxide liquor	60	20 Â°C	
Sodium Nitrate (aqueous)	â€”	20 Â°C	
Sodium Thiosulfate	â€”	20 Â°C	
Sulfuric Acid	96	20 Â°C	
Tetrahydrofuran (THF)	100	20 Â°C	
Toluene	100	20 Â°C	
Transformer Oil	â€”	20 Â°C	
Trichloroethylene	100	20 Â°C	
Vinegar (standard)	5-10	20 Â°C	
Water	â€”	20 Â°C	
Xylene	â€”	20 Â°C	

This document is for informational purposes only. Specifications may change without notice. Generated 2026-03-03