



PET 12x3000 mm natural

Artikelnr P1003627

Beständig

Delvis beständig

Ej beständig

Kemikalie	Concentration	Temp.	Beständighet
1,4-Dioxane	100	60 Å°C	
1,4-Dioxane	100	20 Å°C	
Acetic acid	100	20 Å°C	
Acetic acid	100	60 Å°C	
Acetic acid	100%	20 Å°C	
Acetone	100	60 Å°C	
Acetone	100	20 Å°C	
Ammonia	conc.	60 Å°C	
Ammonia	conc.	20 Å°C	
Apple juice	â€”	20 Å°C	
Apple juice	â€”	20 Å°C	
Benzene	â€”	20 Å°C	
Benzene	â€”	60 Å°C	
Bleaching solution	â€”	20 Å°C	
Brake fluid	â€”	60 Å°C	
Brake fluid	â€”	20 Å°C	
Butyl acetate	â€”	20 Å°C	
Butyl acetate	â€”	60 Å°C	
Calcium chloride	â€”	60 Å°C	
Calcium chloride	â€”	20 Å°C	
Carbon disulphide	100	20 Å°C	
Carbon disulphide	100	60 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Carbon tetrachloride	â€”	60 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Chlorobenzene	100%	20 Å°C	
Chlorobenzene	100	60 Å°C	

Kemikalie		Concentraci3n	Temp.	Best3ndighet
Chlorobenzene	100		20 Å°C	●
Chloroform	â€”		20 Å°C	●
Chloroform	â€”		60 Å°C	●
Citric acid	10		20 Å°C	●
Citric acid	10		60 Å°C	●
Diesel	â€”		60 Å°C	●
Diesel	â€”		20 Å°C	●
Diethylene oxide	â€”		20 Å°C	●
Diethylene oxide	â€”		20 Å°C	●
Ethyl acetate	100		20 Å°C	●
Ethyl acetate	100		60 Å°C	●
Ethyl alcohol (ethanol)	96		60 Å°C	●
Ethyl alcohol (ethanol)	96%		20 Å°C	●
Ethyl alcohol (ethanol)	96		20 Å°C	●
Ethylene chloride	100		20 Å°C	●
Ethylene chloride	100		60 Å°C	●
Food oil	â€”		60 Å°C	●
Food oil	â€”		20 Å°C	●
Food oil	â€”		20 Å°C	●
Formic acid	10		20 Å°C	●
Formic acid	10		60 Å°C	●
Frost protection agent	â€”		60 Å°C	●
Frost protection agent	â€”		20 Å°C	●
Fuel oil	â€”		20 Å°C	●
Fuel oil	â€”		60 Å°C	●
Fuel, aromatic free	â€”		20 Å°C	●
Fuel, aromatic free	â€”		60 Å°C	●
Glycerine	100%		20 Å°C	●
Glycerine	100		60 Å°C	●
Glycerine	100		20 Å°C	●
Glycol	100		60 Å°C	●
Glycol	100		20 Å°C	●
Heptane	100		60 Å°C	●
Heptane	100		20 Å°C	●

Kemikalie	Concentration	Temp.	Beständighet
Hydrochloric acid	conc.	20 Å°C	
Hydrochloric acid	10	20 Å°C	
Hydrochloric acid	conc.	60 Å°C	
Hydrochloric acid	10	60 Å°C	
Hydrochloric acid (concentrated)	conc.	20 Å°C	
Hydrofluoric acid	40	60 Å°C	
Hydrofluoric acid	40%	20 Å°C	
Hydrofluoric acid	40	20 Å°C	
Hydrogen peroxide	10	60 Å°C	
Hydrogen peroxide	10	20 Å°C	
Hydrogen sulfide, aqueous	â€”	20 Å°C	
Isopropyl alcohol	100	20 Å°C	
Isopropyl alcohol	100	60 Å°C	
Isopropyl alcohol	100%	20 Å°C	
Linseed oil	â€”	60 Å°C	
Linseed oil	â€”	20 Å°C	
Mercurochrome	â€”	20 Å°C	
Methyl alcohol (methanol)	100	60 Å°C	
Methyl alcohol (methanol)	100%	20 Å°C	
Methyl alcohol (methanol)	100	20 Å°C	
Methyl ethyl ketone (MEK)	100	20 Å°C	
Methyl ethyl ketone (MEK)	100	60 Å°C	
Methylene chloride	100	20 Å°C	
Methylene chloride	100	60 Å°C	
Milk	â€”	20 Å°C	
Milk	â€”	60 Å°C	
Mineral oils, aromatic free	â€”	60 Å°C	
Mineral oils, aromatic free	â€”	20 Å°C	
Nitric acid	50	60 Å°C	
Nitric acid	10	20 Å°C	
Nitric acid	50	20 Å°C	
Nitric acid	10%	20 Å°C	
Nitric acid	10	60 Å°C	
Paraffin oil	100	60 Å°C	

Kemikalie	Concentraci3n	Temp.	Best3ndighet
Paraffin oil	100	20 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Perchloroethylene	â€”	60 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum ether	100	20 Å°C	●
Petroleum ether	100%	20 Å°C	●
Petroleum ether	100	60 Å°C	●
Phenol, aqueous	ca.9	20 Å°C	●
Phosphoric acid	50	20 Å°C	●
Phosphoric acid	50	60 Å°C	●
Potassium hydroxide solution	50	20 Å°C	●
Potassium hydroxide solution	50	60 Å°C	●
Premium fuel	â€”	20 Å°C	●
Premium fuel	â€”	60 Å°C	●
Propyl alcohol	â€”	60 Å°C	●
Propyl alcohol	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Silicone oil	â€”	60 Å°C	●
Sodium carbonate, aqueous	â€”	60 Å°C	●
Sodium carbonate, aqueous	â€”	20 Å°C	●
Sodium chloride, aqueous	â€”	60 Å°C	●
Sodium chloride, aqueous	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	60 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	60 Å°C	●
Sodium hydroxide solution (caustic soda)	60	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	60 Å°C	●
Sodium nitrate, aqueous	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96	60 Å°C	●
Sulphuric acid	96	20 Å°C	●

Kemikalie	Concentration	Temp.	Beständighet
Tetrahydrofuran (THF)	100	20 Å°C	●
Tetrahydrofuran (THF)	100	60 Å°C	●
Toluene	100%	20 Å°C	●
Toluene	100	60 Å°C	●
Toluene	100	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Transformer oil	â€”	60 Å°C	●
Trichloroethylene	100	60 Å°C	●
Trichloroethylene	100	20 Å°C	●
Vinegar, standard	5-10%	20 Å°C	●
Vinegar, standard	5-10	20 Å°C	●
Vinegar, standard	5-10	60 Å°C	●
Water	â€”	60 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●
Xylene	â€”	60 Å°C	●