



POM C FG 155x3000 mm azul marino

Artikelnr P1006198

Beständig

Delvis beständig

Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100%	20 Å°C	
2-Hydroxypropionic acid (lactic acid)	90%	20 Å°C	
Acetic acid	100%	20 Å°C	
Acetone	100%	20 Å°C	
Ammonia	conc.	20 Å°C	
Ammonium chloride	â€”	20 Å°C	
Amyl alcohol	â€”	20 Å°C	
Apple juice	â€”	20 Å°C	
Benzene	â€”	20 Å°C	
Bleaching solution	12.5 cl	20 Å°C	
Boric acid	100%	20 Å°C	
Brake fluid	â€”	20 Å°C	
Butyl acetate	â€”	20 Å°C	
Calcium chloride	â€”	20 Å°C	
Carbon disulphide	100%	20 Å°C	
Carbon tetrachloride	â€”	20 Å°C	
Chlorobenzene	100%	20 Å°C	
Chloroform	â€”	20 Å°C	
Citric acid	10%	20 Å°C	
Cyclohexanone	100%	20 Å°C	
Cyclohexene	100%	20 Å°C	
Diesel	â€”	20 Å°C	
Diethylene oxide	â€”	20 Å°C	
Ethyl acetate	100%	20 Å°C	
Ethyl alcohol (ethanol)	96%	20 Å°C	

Kemikalie	Koncentrasjon	Temp.	BestÃndighet
Food oil	â€”	20 Â°C	ðŸŒ©
Formaldehyde, aqueous	40%	20 Â°C	ðŸŒ©
Formic acid	10%	20 Â°C	ðŸŒ©
Frost protection agent	â€”	20 Â°C	ðŸŒ©
Fuel oil	â€”	20 Â°C	ðŸŒ©
Fuel, aromatic free	â€”	20 Â°C	ðŸŒ©
Glycerine	100%	20 Â°C	ðŸŒ©
Glycol	100%	20 Â°C	ðŸŒ©
Heptane	100%	20 Â°C	ðŸŒ©
Hydrochloric acid	10%	20 Â°C	ðŸŒª
Hydrochloric acid (concentrated)	conc.	20 Â°C	ðŸŒª
Hydrofluoric acid	40%	20 Â°C	ðŸŒª
Hydrogen peroxide	10%	20 Â°C	ðŸŒ©
Hydrogen sulfide, aqueous	â€”	20 Â°C	ðŸŒ©
Isopropyl alcohol	100%	20 Â°C	ðŸŒ©
Linseed oil	â€”	20 Â°C	ðŸŒ©
Mercurochrome	â€”	20 Â°C	ðŸŒª
Methyl alcohol (methanol)	100%	20 Â°C	ðŸŒ©
Methyl ethyl ketone (MEK)	100%	20 Â°C	ðŸŒŸ
Methylene chloride	100%	20 Â°C	ðŸŒª
Milk	â€”	20 Â°C	ðŸŒ©
Mineral oils (aromatic free)	â€”	20 Â°C	ðŸŒ©
Nitric acid	10%	20 Â°C	ðŸŒª
Nitric acid (50%)	50%	20 Â°C	ðŸŒª
Nitrobenzene	â€”	20 Â°C	ðŸŒŸ
Oxalic acid	â€”	20 Â°C	ðŸŒª
Ozone (gas)	â‰ƒ0.5 ppm	20 Â°C	ðŸŒª
Paraffin oil	100%	20 Â°C	ðŸŒ©
Perchloroethylene	â€”	20 Â°C	ðŸŒ©
Petroleum	100%	20 Â°C	ðŸŒ©
Petroleum ether	100%	20 Â°C	ðŸŒ©
Phenol, aqueous	ca. 9%	20 Â°C	ðŸŒª
Phosphoric acid	50%	20 Â°C	ðŸŒª
Potassium hydroxide solution	50%	20 Â°C	ðŸŒŸ
Premium fuel	â€”	20 Â°C	ðŸŒ©

Kemikalie	Koncentration	Temp.	Beständighet
Propyl alcohol	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Sodium carbonate, aqueous	â€”	20 Å°C	●
Sodium chloride, aqueous	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (15%)	15%	20 Å°C	●
Sodium hydroxide solution (60%)	60%	20 Å°C	●
Sodium nitrate, aqueous	â€”	20 Å°C	●
Sulphuric acid	96%	20 Å°C	●
Tetrahydrofuran (THF)	100%	20 Å°C	●
Toluene	100%	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100%	20 Å°C	●
Vinegar, standard	5-10%	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●