

PA12 GF30 3000x500x35 mm luonnollinen

Tuotenro P1000728

● Kestävä ● Osittain kestävä ● Ei kestävä

Kemikaali	Pitoisuus	Kestäv.
1,4-Dioxane	100	●
2-Hydroxypropionic acid (lactic acid)	90	●
Acetone	100	●
Ammonia	conc.	●
Ammonium chloride	—	●
Amyl alcohol	—	●
Apple juice	—	●
Benzene	—	●
Bleaching solution	12.5 cl	●
Boric acid	100	●
Brake fluid	—	●
Butyl acetate	—	●
Calcium chloride	—	●
Carbon disulphide	100	●
Carbon tetrachloride	—	●
Chlorine (gas)	100	●
Chlorobenzene	100	●
Chloroform	—	●
Citric acid	10	●
Cresol	—	●
Cyclohexanone	100	●
Cyclohexene	100	●
Diesel	—	●
Diethylene oxide	—	●
Ethyl acetate	100	●

Kemikaali		
Pitoisuus		
Kestäv.		

Ethyl alcohol (ethanol)	96	
Ethylene chloride	100	
Food oil	—	
Formaldehyde (aqueous)	40	
Formic acid	10	
Fuel (aromatic free)	—	
Fuel oil	—	
Glycerine	100	
Glycol	100	
Heptane	100	
Hydrochloric acid	10	
Hydrochloric acid (concentrated)	conc.	
Hydrofluoric acid	40	
Hydrogen peroxide	10	
Hydrogen sulfide (aqueous)	—	
Isopropyl alcohol	100	
Linseed oil	—	
Mercurochrome	—	
Methyl alcohol (methanol)	100	
Methyl ethyl ketone (MEK)	100	
Methylene chloride	100	
Milk	—	
Mineral oils (aromatic free)	—	
Nitric acid	50	
Nitric acid	10	
Nitrobenzene	—	
Oxalic acid	—	
Ozone (gas)	≤ 0.5 ppm	
Paraffin oil	100	
Perchloroethylene	—	
Petroleum	100	
Petroleum ether	100	

Kemikaali	Pitoisuus	Kestäv.
Phenol (aqueous)	ca. 9	
Phosphoric acid	50	
Potassium hydroxide solution	50	
Premium fuel	—	
Propyl alcohol	—	
Pyridine	—	
Silicone oil	—	
Sodium carbonate (aqueous)	—	
Sodium chloride (aqueous)	—	
Sodium hydroxide solution (caustic soda)	15	
Sodium nitrate (aqueous)	—	
Sodium thiosulfate	—	
Sulphuric acid	96	
Tetrahydrofuran (THF)	100	
Toluene	100	
Transformer oil	—	
Trichloroethylene	100	
Vinegar (standard)	5 - 10	
Water	—	
Xylene	—	