

PE-500 3000x1250x35 mm vihreä

Artikelnr P1400360

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie                             | Pitoisuus    | Temp.  | Beständighet |
|---------------------------------------|--------------|--------|--------------|
| 1,4-Dioxane                           | 100%         | 20 °C  | ●            |
| 2-Hydroxypropionic Acid               | 90%          | 20 °C  | ●            |
| Acetaldehyde                          | -            | 20 °C  | ●            |
| Acetic Acid                           | 100%         | 20 °C  | ●            |
| Acetic acid                           | 100%         | 20 °C  | ●            |
| Acetic acid                           | 3%           | 100 °C | ●            |
| Acetic acid                           | 3% w/w       | 20 °C  | ●            |
| Acetic acid                           | 3%           | 100 °C | ●            |
| Acetic acid                           | 3%           | 100 °C | ●            |
| Acetic acid, aqueous                  | 70%          | 20 °C  | ●            |
| Acetic anhydride                      | -            | 20 °C  | ●            |
| Acetone                               | -            | 20 °C  | ●            |
| Acetone                               | 100%         | 20 °C  | ●            |
| Acronal dispersions                   | -            | 20 °C  | ●            |
| Acrylonitrile                         | -            | 20 °C  | ●            |
| Allyl acetate                         | -            | 20 °C  | ●            |
| Allyl alcohol                         | 96%          | 20 °C  | ●            |
| Allyl chloride                        | -            | 20 °C  | ●            |
| Aluminium chloride, aqueous           | any          | 20 °C  | ●            |
| Aluminium chloride, solid             | -            | 20 °C  | ●            |
| Aluminium fluoride                    | Conc.        | 20 °C  | ●            |
| Aluminium hydroxide                   | -            | 20 °C  | ●            |
| Aluminium metaphosphate               | -            | 20 °C  | ●            |
| Aluminium sulphate, aqueous saturated | -            | 20 °C  | ●            |
| Aluminium sulphate, solid             | -            | 20 °C  | ●            |
| Ammonia                               | concentrated | 20 °C  | ●            |

| Kemikalie                                | Pitoisuus         | Temp. | Beständighet |
|------------------------------------------|-------------------|-------|--------------|
| Ammonia, gaseous                         | -                 | 20 °C | ●            |
| Ammonia, liquid                          | -                 | 20 °C | ●            |
| Ammonium Chloride                        | -                 | 20 °C | ●            |
| Amyl Alcohol                             | -                 | 20 °C | ●            |
| Aniline                                  | any               | 20 °C | ●            |
| Anisole                                  | -                 | 20 °C | ●            |
| Apple Juice                              | -                 | 20 °C | ●            |
| Aqua regia                               | -                 | 20 °C | ●            |
| Beer                                     | -                 | 20 °C | ●            |
| Benzaldehyde, aqueous                    | any               | 20 °C | ●            |
| Benzene                                  | technically grade | 20 °C | ●            |
| Benzene                                  | -                 | 20 °C | ●            |
| Benzoic acid, aqueous                    | any               | 20 °C | ●            |
| Benzyl alcohol                           | -                 | 20 °C | ●            |
| Bitumen                                  | -                 | 20 °C | ●            |
| Bleaching Solution                       | 12.5 cl           | 20 °C | ●            |
| Boric Acid                               | 100%              | 20 °C | ●            |
| Brake Fluid                              | -                 | 20 °C | ●            |
| Bromine, liquid                          | 100%              | 20 °C | ●            |
| Butanol, aqueous                         | any               | 20 °C | ●            |
| Butter                                   | -                 | 20 °C | ●            |
| Butyl Acetate                            | -                 | 20 °C | ●            |
| Calcium Chloride                         | -                 | 20 °C | ●            |
| Calcium carbonate                        | -                 | 20 °C | ●            |
| Calcium carbonate                        | -                 | 20 °C | ●            |
| Calcium hypochlorite, aqueous suspension | any               | 20 °C | ●            |
| Camphor                                  | -                 | 20 °C | ●            |
| Carbon Disulfide                         | 100%              | 20 °C | ●            |
| Carbon Tetrachloride                     | -                 | 20 °C | ●            |
| Carbon disulphide                        | -                 | 20 °C | ●            |
| Caustic soda                             | any               | 20 °C | ●            |
| Chlorine (gas)                           | 100%              | 20 °C | ●            |
| Chlorine, liquid                         | -                 | 20 °C | ●            |
| Chloroacetic acid, aqueous               | ≤85%              | 20 °C | ●            |

| Kemikalie                | Pitoisuus         | Temp.  | Beständighet |
|--------------------------|-------------------|--------|--------------|
| Chlorobenzene            | 100%              | 20 °C  | <div></div>  |
| Chlorobenzene            | -                 | 20 °C  | <div></div>  |
| Chloroform               | technically grade | 20 °C  | <div></div>  |
| Chloroform               | -                 | 20 °C  | <div></div>  |
| Chromosulphuric acid     | -                 | 20 °C  | <div></div>  |
| Cider                    | -                 | 20 °C  | <div></div>  |
| Citric Acid              | 10%               | 20 °C  | <div></div>  |
| Citrus fruit juices      | -                 | 20 °C  | <div></div>  |
| Coconut oil              | -                 | 20 °C  | <div></div>  |
| Cod liver oil            | -                 | 20 °C  | <div></div>  |
| Cresol                   | -                 | 20 °C  | <div></div>  |
| Cresol                   | 100%              | 20 °C  | <div></div>  |
| Cyclohexane              | -                 | 20 °C  | <div></div>  |
| Cyclohexanol             | -                 | 20 °C  | <div></div>  |
| Cyclohexanone            | 100%              | 20 °C  | <div></div>  |
| Cyclohexanone            | -                 | 20 °C  | <div></div>  |
| Cyclohexene              | 100%              | 20 °C  | <div></div>  |
| Detergents               | -                 | 20 °C  | <div></div>  |
| Dibutyl ether            | -                 | 20 °C  | <div></div>  |
| Dibutyl phthalate        | -                 | 20 °C  | <div></div>  |
| Dichloroacetic acid      | -                 | 20 °C  | <div></div>  |
| Dichloroethane           | -                 | 20 °C  | <div></div>  |
| Diesel Fuel              | -                 | 20 °C  | <div></div>  |
| Diesel fuel              | -                 | 20 °C  | <div></div>  |
| Diethylene Oxide         | -                 | 20 °C  | <div></div>  |
| Diglycolic acid, aqueous | 30%               | 20 °C  | <div></div>  |
| Dimethyl formamide       | -                 | 20 °C  | <div></div>  |
| Dimethylamine            | -                 | 20 °C  | <div></div>  |
| Dioxane                  | -                 | 20 °C  | <div></div>  |
| Ethanol                  | 10%               | 100 °C | <div></div>  |
| Ethanol                  | 10%               | 100 °C | <div></div>  |
| Ethanol                  | 10% v/v           | 20 °C  | <div></div>  |
| Ethanol                  | 10%               | 100 °C | <div></div>  |
| Ethyl Acetate            | 100%              | 20 °C  | <div></div>  |

| Kemikalie                                 | Pitoisuus   | Temp. | Beständighet |
|-------------------------------------------|-------------|-------|--------------|
| Ethyl Alcohol                             | 96%         | 20 °C | ●            |
| Ethyl acetate                             | -           | 20 °C | ●            |
| Ethylene Chloride                         | 100%        | 20 °C | ●            |
| Ethylene alcohol                          | 96%         | 20 °C | ●            |
| Ethylene chloride                         | -           | 20 °C | ●            |
| Ethylene diamine                          | -           | 20 °C | ●            |
| Ethylene glycol                           | -           | 20 °C | ●            |
| Ferric chloride, aqueous                  | any         | 20 °C | ●            |
| Ferric nitrate, aqueous saturated         | -           | 20 °C | ●            |
| Ferric sulphate, aqueous saturated        | -           | 20 °C | ●            |
| Ferrous (II) chloride, aqueous saturated  | -           | 20 °C | ●            |
| Ferrous (II) sulfate, aqueous saturated   | -           | 20 °C | ●            |
| Ferrous (III) chloride, aqueous saturated | -           | 20 °C | ●            |
| Ferrous (III) nitrate, aqueous saturated  | -           | 20 °C | ●            |
| Ferrous (III) sulfate, aqueous saturated  | -           | 20 °C | ●            |
| Food Oil                                  | -           | 20 °C | ●            |
| Formaldehyde (aqueous)                    | 40%         | 20 °C | ●            |
| Formaldehyde, aqueous                     | ≤40%        | 20 °C | ●            |
| Formic Acid                               | 10%         | 20 °C | ●            |
| Formic acid, aqueous                      | 85%         | 20 °C | ●            |
| Frigen 12 (Freon 12)                      | 100%        | 20 °C | ●            |
| Frost Protection Agent                    | -           | 20 °C | ●            |
| Fruit juices                              | any         | 20 °C | ●            |
| Fuel (aromatic free)                      | -           | 20 °C | ●            |
| Fuel oil                                  | -           | 20 °C | ●            |
| Furfural                                  | -           | 20 °C | ●            |
| Glycerin, aqueous                         | any         | 20 °C | ●            |
| Glycerine                                 | 100%        | 20 °C | ●            |
| Glycol                                    | 100%        | 20 °C | ●            |
| Glykol, aqueous                           | as supplied | 20 °C | ●            |
| Glysantin                                 | -           | 20 °C | ●            |
| Heating Oil                               | -           | 20 °C | ●            |
| Heptane                                   | 100%        | 20 °C | ●            |
| Heptane                                   | -           | 20 °C | ●            |

| Kemikalie                           | Pitoisuus                  | Temp. | Beständighet |
|-------------------------------------|----------------------------|-------|--------------|
| Hexane                              | -                          | 20 °C | ●            |
| Honey                               | -                          | 20 °C | ●            |
| Hydrobromic acid, aqueous           | 50%                        | 20 °C | ●            |
| Hydrochloric Acid                   | 10%                        | 20 °C | ●            |
| Hydrochloric Acid (concentrated)    | concentrated               | 20 °C | ●            |
| Hydrochloric acid, aqueous          | any                        | 20 °C | ●            |
| Hydrofluoric Acid                   | 40%                        | 20 °C | ●            |
| Hydrogen Peroxide                   | 10%                        | 20 °C | ●            |
| Hydrogen Sulfide (aqueous solution) | -                          | 20 °C | ●            |
| Ink                                 | -                          | 20 °C | ●            |
| Iodine in potassium iodide solution | 3% iodine                  | 20 °C | ●            |
| Isooctane                           | -                          | 20 °C | ●            |
| Isopropanol                         | -                          | 20 °C | ●            |
| Isopropyl Alcohol                   | 100%                       | 20 °C | ●            |
| Isopropyl ether                     | -                          | 20 °C | ●            |
| Jam                                 | -                          | 20 °C | ●            |
| Kerosene                            | -                          | 20 °C | ●            |
| Linseed Oil                         | -                          | 20 °C | ●            |
| Linseed oil                         | technically grade          | 20 °C | ●            |
| Lithium bromide                     | -                          | 20 °C | ●            |
| Magnesium stearate                  | -                          | 20 °C | ●            |
| Magnesium stearate                  | -                          | 20 °C | ●            |
| Maleic acid, aqueous                | any                        | 20 °C | ●            |
| Menthol                             | -                          | 20 °C | ●            |
| Mercurochrome                       | -                          | 20 °C | ●            |
| Mercury                             | -                          | 20 °C | ●            |
| Methanol                            | technically grade          | 20 °C | ●            |
| Methyl Alcohol                      | 100%                       | 20 °C | ●            |
| Methyl Ethyl Ketone (MEK)           | 100%                       | 20 °C | ●            |
| Methyl chloride                     | gaseous, technically grade | 20 °C | ●            |
| Methyl ethyl ketone                 | technically grade          | 20 °C | ●            |
| Methylene Chloride                  | 100%                       | 20 °C | ●            |
| Milk                                | -                          | 20 °C | ●            |
| Milk                                | -                          | 20 °C | ●            |

| Kemikalie                                    | Pitoisuus | Temp.  | Beständighet |
|----------------------------------------------|-----------|--------|--------------|
| Mineral Oil (aromatic free)                  | -         | 20 °C  | ●            |
| Molasses                                     | -         | 20 °C  | ●            |
| Motor oil (heavy duty oil) without additives | -         | 20 °C  | ●            |
| Naphtha                                      | -         | 20 °C  | ●            |
| Naphthalene                                  | -         | 20 °C  | ●            |
| Nitric Acid                                  | 10%       | 20 °C  | ●            |
| Nitric Acid (50%)                            | 50%       | 20 °C  | ●            |
| Nitric acid, aqueous                         | 50%       | 20 °C  | ●            |
| Nitric acid, aqueous                         | 25%       | 20 °C  | ●            |
| Nitrobenzene                                 | -         | 20 °C  | ●            |
| Nitrobenzene                                 | -         | 20 °C  | ●            |
| Oils, ethereal                               | -         | 20 °C  | ●            |
| Oils, vegetable and animal                   | -         | 20 °C  | ●            |
| Oleic acid                                   | -         | 20 °C  | ●            |
| Oleum                                        | any       | 20 °C  | ●            |
| Olive oil                                    | -         | 100 °C | ●            |
| Olive oil                                    | -         | 100 °C | ●            |
| Olive oil                                    | -         | 20 °C  | ●            |
| Olive oil                                    | -         | 100 °C | ●            |
| Oxalic Acid                                  | -         | 20 °C  | ●            |
| Oxalic acid, aqueous                         | any       | 20 °C  | ●            |
| Oxygen                                       | -         | 20 °C  | ●            |
| Ozone                                        | 50 ppm    | 20 °C  | ●            |
| Ozone Gas                                    | ≤0.5 ppm  | 20 °C  | ●            |
| Paraffine Oil                                | 100%      | 20 °C  | ●            |
| Perchloric acid, aqueous                     | 70%       | 20 °C  | ●            |
| Perchloric acid, aqueous                     | 20%       | 20 °C  | ●            |
| Perchloric acid, aqueous                     | 50%       | 20 °C  | ●            |
| Perchloroethylene                            | -         | 20 °C  | ●            |
| Petroleum                                    | 100%      | 20 °C  | ●            |
| Petroleum                                    | -         | 20 °C  | ●            |
| Petroleum Ether                              | 100%      | 20 °C  | ●            |
| Petroleum ether                              | -         | 20 °C  | ●            |
| Phenol                                       | -         | 20 °C  | ●            |
| Phenol (aqueous)                             | ≈9%       | 20 °C  | ●            |

| Kemikalie                     | Pitoisuus         | Temp. | Beständighet |
|-------------------------------|-------------------|-------|--------------|
| Phosphoric Acid               | 50%               | 20 °C | ●            |
| Phosphoric acid, aqueous      | 80% L 95%         | 20 °C | ●            |
| Phosphoric acid, aqueous      | 50%               | 20 °C | ●            |
| Phosphorus trichloride        | -                 | 20 °C | ●            |
| Photographic developers       | -                 | 20 °C | ●            |
| Photographic emulsions        | as supplied       | 20 °C | ●            |
| Photographic fixing baths     | as supplied       | 20 °C | ●            |
| Phthalic acid, aqueous        | 50%               | 20 °C | ●            |
| Polyester resins              | -                 | 20 °C | ●            |
| Potassium Hydroxide liquor    | 50%               | 20 °C | ●            |
| Premium Fuel                  | -                 | 20 °C | ●            |
| Propionic acid, aqueous       | any               | 20 °C | ●            |
| Propyl Alcohol                | -                 | 20 °C | ●            |
| Pyridine                      | -                 | 20 °C | ●            |
| Pyridine                      | -                 | 20 °C | ●            |
| Sea water                     | -                 | 20 °C | ●            |
| Silicon dioxide               | -                 | 20 °C | ●            |
| Silicon dioxide               | -                 | 20 °C | ●            |
| Silicone Oil                  | -                 | 20 °C | ●            |
| Silicone oil                  | technically grade | 20 °C | ●            |
| Sodium Carbonate (aqueous)    | -                 | 20 °C | ●            |
| Sodium Chloride (aqueous)     | -                 | 20 °C | ●            |
| Sodium Hydrogen Sulfite       | -                 | 20 °C | ●            |
| Sodium Hydroxide liquor       | 15%               | 20 °C | ●            |
| Sodium Hydroxide liquor (60%) | 60%               | 20 °C | ●            |
| Sodium Nitrate (aqueous)      | -                 | 20 °C | ●            |
| Sodium Thiosulfate            | -                 | 20 °C | ●            |
| Sodium borate                 | -                 | 20 °C | ●            |
| Sodium bromide                | -                 | 20 °C | ●            |
| Sodium hydroxide, aqueous     | any               | 20 °C | ●            |
| Sodium hydroxide, solid       | -                 | 20 °C | ●            |
| Stearic acid                  | -                 | 20 °C | ●            |
| Sugar syrup                   | -                 | 20 °C | ●            |
| Sulfuric Acid                 | 96%               | 20 °C | ●            |
| Sulphuric acid, aqueous       | 70%               | 20 °C | ●            |

| Kemikalie                        | Pitoisuus         | Temp. | Beständighet |
|----------------------------------|-------------------|-------|--------------|
|                                  |                   |       |              |
| Sulphuric acid, aqueous          | 80%               | 20 °C | ●            |
| Sulphuric acid, aqueous          | 98%               | 20 °C | ●            |
| Sulphuric acid, aqueous          | ≤50%              | 20 °C | ●            |
| Tallow                           | technically grade | 20 °C | ●            |
| Tannic acid (tannin), aqueous    | 10%               | 20 °C | ●            |
| Tetrahydrofuran                  | technically grade | 20 °C | ●            |
| Tetrahydrofuran (THF)            | 100%              | 20 °C | ●            |
| Thionyl chloride                 | -                 | 20 °C | ●            |
| Thiophene                        | -                 | 20 °C | ●            |
| Tin (II) chloride, aqueous       | any               | 20 °C | ●            |
| Tin (IV) chloride, aqueous       | saturated         | 20 °C | ●            |
| Titanium dioxide                 | -                 | 20 °C | ●            |
| Titanium dioxide                 | -                 | 20 °C | ●            |
| Toluene                          | technically grade | 20 °C | ●            |
| Toluene                          | 100%              | 20 °C | ●            |
| Transformer Oil                  | -                 | 20 °C | ●            |
| Transformer oil (insulating oil) | technically grade | 20 °C | ●            |
| Trichloroacetic acid             | technically grade | 20 °C | ●            |
| Trichloroethylene                | technically grade | 20 °C | ●            |
| Trichloroethylene                | 100%              | 20 °C | ●            |
| Triethanolamine                  | -                 | 20 °C | ●            |
| Triethanolamine                  | -                 | 20 °C | ●            |
| Turpentine oil                   | technically grade | 20 °C | ●            |
| Urea, aqueous                    | ≤33%              | 20 °C | ●            |
| Vaseline                         | technically grade | 20 °C | ●            |
| Vinegar (standard)               | 5-10%             | 20 °C | ●            |
| Washing up liquids               | usual             | 20 °C | ●            |
| Water                            | -                 | 20 °C | ●            |
| Water, distilled                 | -                 | 20 °C | ●            |
| Wine                             | -                 | 20 °C | ●            |
| Xylene                           | -                 | 20 °C | ●            |
| Xylene                           | -                 | 20 °C | ●            |
| Zinc sludge                      | -                 | 20 °C | ●            |

