



Kemisk beständighet

PlastShop.se â€ 2026-02-27

## PEEK 3000x620x8 mm musta

Artikelnr P1500642

● Beständig ● Delvis beständig ● Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	●
2-Hydroxypropionic acid (lactic acid)	90	20 Å°C	●
Acetic acid	100	20 Å°C	●
Acetone	100	20 Å°C	●
Ammonia	â€	20 Å°C	●
Ammonium chloride	â€	20 Å°C	●
Amyl alcohol	â€	20 Å°C	●
Apple juice	â€	20 Å°C	●
Benzene	â€	20 Å°C	●
Boric acid	100	20 Å°C	●
Brake fluid	â€	20 Å°C	●
Butyl acetate	â€	20 Å°C	●
Calcium chloride	â€	20 Å°C	●
Carbon tetrachloride	â€	20 Å°C	●
Chlorine (gas)	100	20 Å°C	●
Chlorobenzene	100	20 Å°C	●
Chloroform	â€	20 Å°C	●
Citric acid	10	20 Å°C	●
Cyclohexanone	100	20 Å°C	●
Cyclohexene	100	20 Å°C	●
Diesel	â€	20 Å°C	●
Diethylene oxide	â€	20 Å°C	●
Ethyl acetate	100	20 Å°C	●
Ethyl alcohol (ethanol)	96	20 Å°C	●
Ethylene chloride	100	20 Å°C	●

Kemikalie	Koncentration	Temp.	Best�ndighet
Food oil	��	20 �C	�
Formaldehyde (aqueous)	40	20 �C	�
Formic acid	10	20 �C	�
Frost protection agent	��	20 �C	�
Fuel oil	��	20 �C	�
Fuel, aromatic free	��	20 �C	�
Glycerine	100	20 �C	�
Glycol	100	20 �C	�
Heptane	100	20 �C	�
Hydrochloric acid	10	20 �C	�
Hydrochloric acid (concentrated)	��	20 �C	�
Hydrofluoric acid	40	20 �C	�
Hydrogen peroxide	10	20 �C	�
Hydrogen sulfide (aqueous)	��	20 �C	�
Isopropyl alcohol	100	20 �C	�
Linseed oil	��	20 �C	�
Mercurochrome	��	20 �C	�
Methyl alcohol (methanol)	100	20 �C	�
Methyl ethyl ketone (MEK)	100	20 �C	�
Methylene chloride	100	20 �C	�
Milk	��	20 �C	�
Mineral oils (aromatic free)	��	20 �C	�
Nitric acid	50	20 �C	�
Nitric acid	10	20 �C	�
Nitrobenzene	��	20 �C	�
Oxalic acid	��	20 �C	�
Ozone (gas)	��	20 �C	�
Paraffin oil	100	20 �C	�
Perchloroethylene	��	20 �C	�
Petroleum	100	20 �C	�
Petroleum ether	100	20 �C	�
Phenol (aqueous)	9	20 �C	�
Phosphoric acid	50	20 �C	�
Potassium hydroxide solution	50	20 �C	�
Premium fuel	��	20 �C	�

Kemikalie	Koncentration	Temp.	Beständighet
Propyl alcohol	â€”	20 Å°C	●
Pyridine	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Sodium carbonate (aqueous)	â€”	20 Å°C	●
Sodium chloride (aqueous)	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	20 Å°C	●
Sodium nitrate (aqueous)	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96	20 Å°C	●
Tetrahydrofuran (THF)	100	20 Å°C	●
Toluene	100	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100	20 Å°C	●
Vinegar (standard)	5-10	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●

**PlastShop.se**  
 SÅderleden 22 , LinkÅping , Sweden  
 Tel: +46 13 328 94 00  
 info@plastshop.se  
 https://plastshop.se  
 Informationen i detta dokument baseras pÅ aktuell kunskap och erfarenhet. VÅrden kan variera beroende pÅ bearbetning och anvÅndningsfÅrhÅllanden. Alla uppgifter utan garanti.