

PET FG 2000x1000x2 mm luonnollinen

Artikelnr P1004039

● Beständig ● Delvis beständig ● Ej beständig

Kemikalie	Pitoisuus	Temp.	Beständighet
1,4-Dioxane	100	60 °C	●
1,4-Dioxane	100	20 °C	●
Acetic acid	100	20 °C	●
Acetic acid	100%	20 °C	●
Acetic acid	100	60 °C	●
Acetone	100	60 °C	●
Acetone	100	20 °C	●
Ammonia	conc.	20 °C	●
Ammonia	conc.	60 °C	●
Apple juice	-	20 °C	●
Apple juice	-	20 °C	●
Benzene	-	20 °C	●
Benzene	-	60 °C	●
Bleaching solution	-	20 °C	●
Brake fluid	-	60 °C	●
Brake fluid	-	20 °C	●
Butyl acetate	-	60 °C	●
Butyl acetate	-	20 °C	●
Calcium chloride	-	60 °C	●
Calcium chloride	-	20 °C	●
Carbon disulphide	100	60 °C	●
Carbon disulphide	100	20 °C	●
Carbon tetrachloride	-	20 °C	●
Carbon tetrachloride	-	20 °C	●
Carbon tetrachloride	-	60 °C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Chlorobenzene	100%	20 °C	●
Chlorobenzene	100	60 °C	●
Chlorobenzene	100	20 °C	●
Chloroform	-	60 °C	●
Chloroform	-	20 °C	●
Citric acid	10	20 °C	●
Citric acid	10	60 °C	●
Diesel	-	20 °C	●
Diesel	-	60 °C	●
Diethylene oxide	-	20 °C	●
Diethylene oxide	-	20 °C	●
Ethyl acetate	100	20 °C	●
Ethyl acetate	100	60 °C	●
Ethyl alcohol (ethanol)	96	60 °C	●
Ethyl alcohol (ethanol)	96%	20 °C	●
Ethyl alcohol (ethanol)	96	20 °C	●
Ethylene chloride	100	20 °C	●
Ethylene chloride	100	60 °C	●
Food oil	-	20 °C	●
Food oil	-	60 °C	●
Food oil	-	20 °C	●
Formic acid	10	20 °C	●
Formic acid	10	60 °C	●
Frost protection agent	-	20 °C	●
Frost protection agent	-	60 °C	●
Fuel oil	-	60 °C	●
Fuel oil	-	20 °C	●
Fuel, aromatic free	-	60 °C	●
Fuel, aromatic free	-	20 °C	●
Glycerine	100	60 °C	●
Glycerine	100	20 °C	●
Glycerine	100%	20 °C	●
Glycol	100	60 °C	●
Glycol	100	20 °C	●
Heptane	100	60 °C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Heptane	100	20 °C	
Hydrochloric acid	10	20 °C	
Hydrochloric acid	10	60 °C	
Hydrochloric acid	conc.	20 °C	
Hydrochloric acid	conc.	60 °C	
Hydrochloric acid (concentrated)	conc.	20 °C	
Hydrofluoric acid	40	60 °C	
Hydrofluoric acid	40%	20 °C	
Hydrofluoric acid	40	20 °C	
Hydrogen peroxide	10	20 °C	
Hydrogen peroxide	10	60 °C	
Hydrogen sulfide, aqueous	-	20 °C	
Isopropyl alcohol	100	20 °C	
Isopropyl alcohol	100%	20 °C	
Isopropyl alcohol	100	60 °C	
Linseed oil	-	60 °C	
Linseed oil	-	20 °C	
Mercurochrome	-	20 °C	
Methyl alcohol (methanol)	100%	20 °C	
Methyl alcohol (methanol)	100	60 °C	
Methyl alcohol (methanol)	100	20 °C	
Methyl ethyl ketone (MEK)	100	60 °C	
Methyl ethyl ketone (MEK)	100	20 °C	
Methylene chloride	100	20 °C	
Methylene chloride	100	60 °C	
Milk	-	20 °C	
Milk	-	60 °C	
Mineral oils, aromatic free	-	60 °C	
Mineral oils, aromatic free	-	20 °C	
Nitric acid	10	20 °C	
Nitric acid	10%	20 °C	
Nitric acid	50	60 °C	
Nitric acid	50	20 °C	
Nitric acid	10	60 °C	
Paraffin oil	100	60 °C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Paraffin oil	100	20 °C	
Perchloroethylene	-	20 °C	
Perchloroethylene	-	60 °C	
Petroleum	100	20 °C	
Petroleum	100%	20 °C	
Petroleum ether	100%	20 °C	
Petroleum ether	100	20 °C	
Petroleum ether	100	60 °C	
Phenol, aqueous	ca.9	20 °C	
Phosphoric acid	50	60 °C	
Phosphoric acid	50	20 °C	
Potassium hydroxide solution	50	60 °C	
Potassium hydroxide solution	50	20 °C	
Premium fuel	-	60 °C	
Premium fuel	-	20 °C	
Propyl alcohol	-	20 °C	
Propyl alcohol	-	60 °C	
Silicone oil	-	20 °C	
Silicone oil	-	60 °C	
Sodium carbonate, aqueous	-	60 °C	
Sodium carbonate, aqueous	-	20 °C	
Sodium chloride, aqueous	-	60 °C	
Sodium chloride, aqueous	-	20 °C	
Sodium hydrogen sulfite	-	20 °C	
Sodium hydrogen sulfite	-	60 °C	
Sodium hydrogen sulfite	-	20 °C	
Sodium hydroxide solution (caustic soda)	60	20 °C	
Sodium hydroxide solution (caustic soda)	15	20 °C	
Sodium hydroxide solution (caustic soda)	60	60 °C	
Sodium hydroxide solution (caustic soda)	15	60 °C	
Sodium nitrate, aqueous	-	20 °C	
Sodium thiosulfate	-	20 °C	
Sulphuric acid	96	60 °C	
Sulphuric acid	96	20 °C	
Tetrahydrofuran (THF)	100	20 °C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Tetrahydrofuran (THF)	100	60 °C	
Toluene	100%	20 °C	
Toluene	100	60 °C	
Toluene	100	20 °C	
Transformer oil	-	20 °C	
Transformer oil	-	60 °C	
Trichloroethylene	100	60 °C	
Trichloroethylene	100	20 °C	
Vinegar, standard	5-10	60 °C	
Vinegar, standard	5-10	20 °C	
Vinegar, standard	5-10%	20 °C	
Water	-	60 °C	
Water	-	20 °C	
Xylene	-	60 °C	
Xylene	-	20 °C	