



PET FG 2000x1000x70 mm luonnollinen

Artikelnr P1004058

Best ndig Delvis best ndig Ej best ndig

Kemikalie	Pitoisuus	Temp.	Best�ndighet
1,4-Dioxane	100	60 �C	
1,4-Dioxane	100	20 �C	
Acetic acid	100	20 �C	
Acetic acid	100%	20 �C	
Acetic acid	100	60 �C	
Acetone	100	60 �C	
Acetone	100	20 �C	
Ammonia	conc.	20 �C	
Ammonia	conc.	60 �C	
Apple juice	��	20 �C	
Apple juice	��	20 �C	
Benzene	��	20 �C	
Benzene	��	60 �C	
Bleaching solution	��	20 �C	
Brake fluid	��	60 �C	
Brake fluid	��	20 �C	
Butyl acetate	��	60 �C	
Butyl acetate	��	20 �C	
Calcium chloride	��	60 �C	
Calcium chloride	��	20 �C	
Carbon disulphide	100	60 �C	
Carbon disulphide	100	20 �C	
Carbon tetrachloride	��	20 �C	
Carbon tetrachloride	��	20 �C	
Carbon tetrachloride	��	60 �C	
Chlorobenzene	100%	20 �C	
Chlorobenzene	100	60 �C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Chlorobenzene	100	20 Å°C	🔴
Chloroform	â€”	60 Å°C	🔴
Chloroform	â€”	20 Å°C	🔴
Citric acid	10	20 Å°C	🟢
Citric acid	10	60 Å°C	🟡
Diesel	â€”	20 Å°C	🟢
Diesel	â€”	60 Å°C	🟢
Diethylene oxide	â€”	20 Å°C	🟢
Diethylene oxide	â€”	20 Å°C	🟢
Ethyl acetate	100	20 Å°C	🟢
Ethyl acetate	100	60 Å°C	🔴
Ethyl alcohol (ethanol)	96	60 Å°C	🟢
Ethyl alcohol (ethanol)	96%	20 Å°C	🟢
Ethyl alcohol (ethanol)	96	20 Å°C	🟢
Ethylene chloride	100	20 Å°C	🟡
Ethylene chloride	100	60 Å°C	🔴
Food oil	â€”	20 Å°C	🟢
Food oil	â€”	60 Å°C	🟢
Food oil	â€”	20 Å°C	🟢
Formic acid	10	20 Å°C	🟢
Formic acid	10	60 Å°C	🟡
Frost protection agent	â€”	20 Å°C	🟢
Frost protection agent	â€”	60 Å°C	🟡
Fuel oil	â€”	60 Å°C	🟢
Fuel oil	â€”	20 Å°C	🟢
Fuel, aromatic free	â€”	60 Å°C	🟢
Fuel, aromatic free	â€”	20 Å°C	🟢
Glycerine	100	60 Å°C	🟢
Glycerine	100	20 Å°C	🟢
Glycerine	100%	20 Å°C	🟢
Glycol	100	60 Å°C	🟡
Glycol	100	20 Å°C	🟢
Heptane	100	20 Å°C	🟢
Heptane	100	60 Å°C	🟢

Kemikalie	Pitoisuus	Temp.	Beständighet
Hydrochloric acid	conc.	20 Å°C	
Hydrochloric acid	10	60 Å°C	
Hydrochloric acid	10	20 Å°C	
Hydrochloric acid	conc.	60 Å°C	
Hydrochloric acid (concentrated)	conc.	20 Å°C	
Hydrofluoric acid	40%	20 Å°C	
Hydrofluoric acid	40	60 Å°C	
Hydrofluoric acid	40	20 Å°C	
Hydrogen peroxide	10	20 Å°C	
Hydrogen peroxide	10	60 Å°C	
Hydrogen sulfide, aqueous	â€”	20 Å°C	
Isopropyl alcohol	100	60 Å°C	
Isopropyl alcohol	100%	20 Å°C	
Isopropyl alcohol	100	20 Å°C	
Linseed oil	â€”	60 Å°C	
Linseed oil	â€”	20 Å°C	
Mercurochrome	â€”	20 Å°C	
Methyl alcohol (methanol)	100	20 Å°C	
Methyl alcohol (methanol)	100	60 Å°C	
Methyl alcohol (methanol)	100%	20 Å°C	
Methyl ethyl ketone (MEK)	100	60 Å°C	
Methyl ethyl ketone (MEK)	100	20 Å°C	
Methylene chloride	100	20 Å°C	
Methylene chloride	100	60 Å°C	
Milk	â€”	20 Å°C	
Milk	â€”	60 Å°C	
Mineral oils, aromatic free	â€”	20 Å°C	
Mineral oils, aromatic free	â€”	60 Å°C	
Nitric acid	50	20 Å°C	
Nitric acid	50	60 Å°C	
Nitric acid	10%	20 Å°C	
Nitric acid	10	20 Å°C	
Nitric acid	10	60 Å°C	
Paraffin oil	100	20 Å°C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Paraffin oil	100	60 Å°C	●
Perchloroethylene	â€”	60 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum ether	100	60 Å°C	●
Petroleum ether	100	20 Å°C	●
Petroleum ether	100%	20 Å°C	●
Phenol, aqueous	ca.9	20 Å°C	●
Phosphoric acid	50	20 Å°C	●
Phosphoric acid	50	60 Å°C	●
Potassium hydroxide solution	50	60 Å°C	●
Potassium hydroxide solution	50	20 Å°C	●
Premium fuel	â€”	60 Å°C	●
Premium fuel	â€”	20 Å°C	●
Propyl alcohol	â€”	60 Å°C	●
Propyl alcohol	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Silicone oil	â€”	60 Å°C	●
Sodium carbonate, aqueous	â€”	20 Å°C	●
Sodium carbonate, aqueous	â€”	60 Å°C	●
Sodium chloride, aqueous	â€”	20 Å°C	●
Sodium chloride, aqueous	â€”	60 Å°C	●
Sodium hydrogen sulfite	â€”	60 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60	60 Å°C	●
Sodium hydroxide solution (caustic soda)	15	60 Å°C	●
Sodium nitrate, aqueous	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96	20 Å°C	●
Sulphuric acid	96	60 Å°C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Tetrahydrofuran (THF)	100	60 Å°C	●
Tetrahydrofuran (THF)	100	20 Å°C	●
Toluene	100	60 Å°C	●
Toluene	100	20 Å°C	●
Toluene	100%	20 Å°C	●
Transformer oil	â€”	60 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100	60 Å°C	●
Trichloroethylene	100	20 Å°C	●
Vinegar, standard	5-10	60 Å°C	●
Vinegar, standard	5-10	20 Å°C	●
Vinegar, standard	5-10%	20 Å°C	●
Water	â€”	20 Å°C	●
Water	â€”	60 Å°C	●
Xylene	â€”	20 Å°C	●
Xylene	â€”	60 Å°C	●