

## PFA 1500x1500x0,8 mm luonnollinen

Tuotenro P2202784

● Kestävä
 ● Osittain kestävä
 ● Ei kestävä

| Kemikaali               | Pitoisuus | Kestäv.                               |
|-------------------------|-----------|---------------------------------------|
| 1,4-Dioxane             | 100       | <span style="color: orange;">●</span> |
| 2-Hydroxypropionic Acid | 90        | <span style="color: green;">●</span>  |
| Acetic Acid             | 100       | <span style="color: green;">●</span>  |
| Acetone                 | 100       | <span style="color: green;">●</span>  |
| Ammonia                 | —         | <span style="color: green;">●</span>  |
| Ammonium Chloride       | —         | <span style="color: green;">●</span>  |
| Amyl Alcohol            | —         | <span style="color: green;">●</span>  |
| Apple Juice             | —         | <span style="color: green;">●</span>  |
| Benzene                 | —         | <span style="color: green;">●</span>  |
| Bleaching Solution      | —         | <span style="color: orange;">●</span> |
| Boric Acid              | 100       | <span style="color: green;">●</span>  |
| Brake Fluid             | —         | <span style="color: green;">●</span>  |
| Butyl Acetate           | —         | <span style="color: green;">●</span>  |
| Calcium Chloride        | —         | <span style="color: green;">●</span>  |
| Carbon Disulfide        | 100       | <span style="color: green;">●</span>  |
| Carbon Tetrachloride    | —         | <span style="color: green;">●</span>  |
| Chlorine (gas)          | 100       | <span style="color: green;">●</span>  |
| Chlorobenzene           | 100       | <span style="color: green;">●</span>  |
| Chloroform              | —         | <span style="color: green;">●</span>  |
| Citric Acid             | 10        | <span style="color: green;">●</span>  |
| Cresol                  | —         | <span style="color: green;">●</span>  |
| Cyclohexanone           | 100       | <span style="color: green;">●</span>  |
| Cyclohexene             | 100       | <span style="color: green;">●</span>  |
| Diesel Fuel             | —         | <span style="color: green;">●</span>  |
| Diethylene Oxide        | —         | <span style="color: green;">●</span>  |

| Kemikaali |  |  |
|-----------|--|--|
| Pitoisuus |  |  |
| Kestäv.   |  |  |

|                                  |           |   |
|----------------------------------|-----------|---|
| Ethyl Acetate                    | 100       | ● |
| Ethyl Alcohol                    | 96        | ● |
| Ethylene Chloride                | 100       | ● |
| Food Oil                         | —         | ● |
| Formaldehyde (aqueous)           | 40        | ● |
| Formic Acid                      | 10        | ● |
| Frost Protection Agent           | —         | ● |
| Fuel, aromatic free              | —         | ● |
| Glycerine                        | 100       | ● |
| Glycol                           | 100       | ● |
| Heating Oil                      | —         | ● |
| Heptane                          | 100       | ● |
| Hydrochloric Acid                | 10        | ● |
| Hydrochloric Acid (concentrated) | —         | ● |
| Hydrofluoric Acid                | 40        | ● |
| Hydrogen Peroxide                | 10        | ● |
| Hydrogen Sulfide (aqueous)       | —         | ● |
| Isopropyl Alcohol                | 100       | ● |
| Linseed Oil                      | —         | ● |
| Mercurochrome                    | —         | ● |
| Methyl Alcohol                   | 100       | ● |
| Methyl Ethyl Ketone (MEK)        | 100       | ● |
| Methylene Chloride               | 100       | ● |
| Milk                             | —         | ● |
| Mineral Oils (aromatic free)     | —         | ● |
| Nitric Acid                      | 10        | ● |
| Nitric Acid (50%)                | 50        | ● |
| Nitrobenzene                     | —         | ● |
| Oxalic Acid                      | —         | ● |
| Ozone Gas                        | ≤ 0.5 ppm | ● |
| Paraffine Oil                    | 100       | ● |
| Perchloroethylene                | —         | ● |

| Kemikaali                    |        | Pitoisuus | Kestäv. |
|------------------------------|--------|-----------|---------|
| Petroleum                    | 100    |           | ●       |
| Petroleum Ether              | 100    |           | ●       |
| Phenol (aqueous)             | ca. 9  |           | ●       |
| Phosphoric Acid              | 50     |           | ●       |
| Potassium Hydroxide liquor   | 50     |           | ●       |
| Premium Fuel                 | —      |           | ●       |
| Propyl Alcohol               | —      |           | ●       |
| Pyridine                     | —      |           | ●       |
| Silicone Oil                 | —      |           | ●       |
| Sodium Carbonate (aqueous)   | —      |           | ●       |
| Sodium Chloride (aqueous)    | —      |           | ●       |
| Sodium Hydrogen Sulfite      | —      |           | ●       |
| Sodium Hydroxide liquor      | 15     |           | ●       |
| Sodium Hydroxide liquor (60) | 60     |           | ●       |
| Sodium Nitrate (aqueous)     | —      |           | ●       |
| Sodium Thiosulfate           | —      |           | ●       |
| Sulfuric Acid                | 96     |           | ●       |
| Tetrahydrofuran (THF)        | 100    |           | ●       |
| Toluene                      | 100    |           | ●       |
| Transformer Oil              | —      |           | ●       |
| Trichloroethylene            | 100    |           | ●       |
| Vinegar (standard)           | 5 - 10 |           | ●       |
| Water                        | —      |           | ●       |
| Xylene                       | —      |           | ●       |