



PFA 3000x1500x2,3 mm luonnollinen

Artikelnr P2202789

● Beständigt ● Delvis beständigt ● Ej beständigt

Kemikalie	Pitoisuus	Temp.	BestÄndighet
1,4-Dioxane	100	20 Å°C	●
2-Hydroxypropionic Acid	90	20 Å°C	●
Acetic Acid	100	20 Å°C	●
Acetone	100	20 Å°C	●
Ammonia	â€”	20 Å°C	●
Ammonium Chloride	â€”	20 Å°C	●
Amyl Alcohol	â€”	20 Å°C	●
Apple Juice	â€”	20 Å°C	●
Benzene	â€”	20 Å°C	●
Bleaching Solution	â€”	20 Å°C	●
Boric Acid	100	20 Å°C	●
Brake Fluid	â€”	20 Å°C	●
Butyl Acetate	â€”	20 Å°C	●
Calcium Chloride	â€”	20 Å°C	●
Carbon Disulfide	100	20 Å°C	●
Carbon Tetrachloride	â€”	20 Å°C	●
Chlorine (gas)	100	20 Å°C	●
Chlorobenzene	100	20 Å°C	●
Chloroform	â€”	20 Å°C	●
Citric Acid	10	20 Å°C	●
Cresol	â€”	20 Å°C	●
Cyclohexanone	100	20 Å°C	●
Cyclohexene	100	20 Å°C	●
Diesel Fuel	â€”	20 Å°C	●
Diethylene Oxide	â€”	20 Å°C	●
Ethyl Acetate	100	20 Å°C	●
Ethyl Alcohol	96	20 Å°C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Ethylene Chloride	100	20 Å°C	●
Food Oil	â€”	20 Å°C	●
Formaldehyde (aqueous)	40	20 Å°C	●
Formic Acid	10	20 Å°C	●
Frost Protection Agent	â€”	20 Å°C	●
Fuel, aromatic free	â€”	20 Å°C	●
Glycerine	100	20 Å°C	●
Glycol	100	20 Å°C	●
Heating Oil	â€”	20 Å°C	●
Heptane	100	20 Å°C	●
Hydrochloric Acid	10	20 Å°C	●
Hydrochloric Acid (concentrated)	â€”	20 Å°C	●
Hydrofluoric Acid	40	20 Å°C	●
Hydrogen Peroxide	10	20 Å°C	●
Hydrogen Sulfide (aqueous)	â€”	20 Å°C	●
Isopropyl Alcohol	100	20 Å°C	●
Linseed Oil	â€”	20 Å°C	●
Mercurochrome	â€”	20 Å°C	●
Methyl Alcohol	100	20 Å°C	●
Methyl Ethyl Ketone (MEK)	100	20 Å°C	●
Methylene Chloride	100	20 Å°C	●
Milk	â€”	20 Å°C	●
Mineral Oils (aromatic free)	â€”	20 Å°C	●
Nitric Acid	10	20 Å°C	●
Nitric Acid (50%)	50	20 Å°C	●
Nitrobenzene	â€”	20 Å°C	●
Oxalic Acid	â€”	20 Å°C	●
Ozone Gas	â‰¤ 0.5 ppm	20 Å°C	●
Paraffine Oil	100	20 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum Ether	100	20 Å°C	●
Phenol (aqueous)	ca. 9	20 Å°C	●
Phosphoric Acid	50	20 Å°C	●
Potassium Hydroxide liquor	50	20 Å°C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Premium Fuel	â€”	20 Å°C	
Propyl Alcohol	â€”	20 Å°C	
Pyridine	â€”	20 Å°C	
Silicone Oil	â€”	20 Å°C	
Sodium Carbonate (aqueous)	â€”	20 Å°C	
Sodium Chloride (aqueous)	â€”	20 Å°C	
Sodium Hydrogen Sulfite	â€”	20 Å°C	
Sodium Hydroxide liquor	15	20 Å°C	
Sodium Hydroxide liquor (60)	60	20 Å°C	
Sodium Nitrate (aqueous)	â€”	20 Å°C	
Sodium Thiosulfate	â€”	20 Å°C	
Sulfuric Acid	96	20 Å°C	
Tetrahydrofuran (THF)	100	20 Å°C	
Toluene	100	20 Å°C	
Transformer Oil	â€”	20 Å°C	
Trichloroethylene	100	20 Å°C	
Vinegar (standard)	5 - 10	20 Å°C	
Water	â€”	20 Å°C	
Xylene	â€”	20 Å°C	