



PMMA E 3050x2050x8 mm l  pin  kyv   92%

Artikelnr P1200674

Best  ndig Delvis best  ndig Ej best  ndig

Kemikalie	Pitoisuus	Temp.	Best��ndighet
Acetic acid	100%	20 ��C	Ej best��ndig
Acetone	100%	20 ��C	Ej best��ndig
Ammonia	conc.	20 ��C	Best��ndig
Amyl alcohol	���	20 ��C	Ej best��ndig
Apple juice	���	20 ��C	Best��ndig
Benzene	���	20 ��C	Ej best��ndig
Butyl acetate	���	20 ��C	Ej best��ndig
Calcium chloride	���	20 ��C	Best��ndig
Carbon disulphide	100%	20 ��C	Ej best��ndig
Carbon tetrachloride	���	20 ��C	Ej best��ndig
Chlorine gas	100%	20 ��C	Delvis best��ndig
Chloroform	���	20 ��C	Ej best��ndig
Citric acid	10%	20 ��C	Best��ndig
Cresol	���	20 ��C	Ej best��ndig
Cyclohexanone	100%	20 ��C	Ej best��ndig
Cyclohexene	100%	20 ��C	Ej best��ndig
Diesel	���	20 ��C	Best��ndig
Diethylene oxide	���	20 ��C	Ej best��ndig
Ethyl acetate	100%	20 ��C	Ej best��ndig
Ethyl alcohol (ethanol)	96%	20 ��C	Best��ndig
Ethylene chloride	100%	20 ��C	Ej best��ndig
Formaldehyde, aqueous	40%	20 ��C	Best��ndig
Formic acid	10%	20 ��C	Ej best��ndig
Fuel oil	���	20 ��C	Best��ndig
Fuel, aromatic free	���	20 ��C	Best��ndig
Glycerine	100%	20 ��C	Best��ndig
Glycol	100%	20 ��C	Best��ndig

Kemikalie	Pitoisuus	Temp.	Beständighet
Heptane	100%	20 Å°C	●
Hydrochloric acid	10%	20 Å°C	●
Hydrochloric acid (concentrated)	conc.	20 Å°C	●
Hydrofluoric acid	40%	20 Å°C	●
Hydrogen peroxide	10%	20 Å°C	●
Hydrogen sulfide, aqueous	â€”	20 Å°C	●
Isopropyl alcohol	100%	20 Å°C	●
Linseed oil	â€”	20 Å°C	●
Mercurochrome	â€”	20 Å°C	●
Methyl alcohol (methanol)	100%	20 Å°C	●
Methyl ethyl ketone (MEK)	100%	20 Å°C	●
Methylene chloride	100%	20 Å°C	●
Milk	â€”	20 Å°C	●
Mineral oils, aromatic free	â€”	20 Å°C	●
Nitric acid	10%	20 Å°C	●
Nitric acid (50%)	50%	20 Å°C	●
Nitrobenzene	â€”	20 Å°C	●
Oxalic acid	â€”	20 Å°C	●
Ozone (gas)	â‰ƒ 0.5 ppm	20 Å°C	●
Paraffin oil	100%	20 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum ether	100%	20 Å°C	●
Phenol, aqueous	ca. 9%	20 Å°C	●
Phosphoric acid	50%	20 Å°C	●
Potassium hydroxide solution	50%	20 Å°C	●
Premium fuel	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Sodium carbonate, aqueous	â€”	20 Å°C	●
Sodium chloride, aqueous	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (60%)	60%	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15%	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Sulphuric acid	96%	20 Å°C	●
Tetrahydrofuran (THF)	100%	20 Å°C	●
Toluene	100%	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100%	20 Å°C	●
Vinegar, standard	5-10%	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●