

## POM C 100/40x1000 mm luonnollinen

Tuotenro P1005841

● Kestävä ● Osittain kestävä ● Ei kestävä

| Kemikaali                             | Pitoisuus | Kestäv. |
|---------------------------------------|-----------|---------|
| 1,4-Dioxane                           | 100%      | ●       |
| 2-Hydroxypropionic acid (lactic acid) | 90%       | ●       |
| Acetic acid                           | 100%      | ●       |
| Acetone                               | 100%      | ●       |
| Ammonia                               | conc.     | ●       |
| Ammonium chloride                     | —         | ●       |
| Amyl alcohol                          | —         | ●       |
| Apple juice                           | —         | ●       |
| Benzene                               | —         | ●       |
| Bleaching solution                    | 12.5 cl   | ●       |
| Boric acid                            | 100%      | ●       |
| Brake fluid                           | —         | ●       |
| Butyl acetate                         | —         | ●       |
| Calcium chloride                      | —         | ●       |
| Carbon disulphide                     | 100%      | ●       |
| Carbon tetrachloride                  | —         | ●       |
| Chlorobenzene                         | 100%      | ●       |
| Chloroform                            | —         | ●       |
| Citric acid                           | 10%       | ●       |
| Cyclohexanone                         | 100%      | ●       |
| Cyclohexene                           | 100%      | ●       |
| Diesel                                | —         | ●       |
| Diethylene oxide                      | —         | ●       |
| Ethyl acetate                         | 100%      | ●       |
| Ethyl alcohol (ethanol)               | 96%       | ●       |

| Kemikaali                        | Pitoisuus | Kestäv. |
|----------------------------------|-----------|---------|
| Food oil                         | —         | ●       |
| Formaldehyde, aqueous            | 40%       | ●       |
| Formic acid                      | 10%       | ●       |
| Frost protection agent           | —         | ●       |
| Fuel oil                         | —         | ●       |
| Fuel, aromatic free              | —         | ●       |
| Glycerine                        | 100%      | ●       |
| Glycol                           | 100%      | ●       |
| Heptane                          | 100%      | ●       |
| Hydrochloric acid                | 10%       | ●       |
| Hydrochloric acid (concentrated) | conc.     | ●       |
| Hydrofluoric acid                | 40%       | ●       |
| Hydrogen peroxide                | 10%       | ●       |
| Hydrogen sulfide, aqueous        | —         | ●       |
| Isopropyl alcohol                | 100%      | ●       |
| Linseed oil                      | —         | ●       |
| Mercurochrome                    | —         | ●       |
| Methyl alcohol (methanol)        | 100%      | ●       |
| Methyl ethyl ketone (MEK)        | 100%      | ●       |
| Methylene chloride               | 100%      | ●       |
| Milk                             | —         | ●       |
| Mineral oils (aromatic free)     | —         | ●       |
| Nitric acid                      | 10%       | ●       |
| Nitric acid (50%)                | 50%       | ●       |
| Nitrobenzene                     | —         | ●       |
| Oxalic acid                      | —         | ●       |
| Ozone (gas)                      | ≤0.5 ppm  | ●       |
| Paraffin oil                     | 100%      | ●       |
| Perchloroethylene                | —         | ●       |
| Petroleum                        | 100%      | ●       |
| Petroleum ether                  | 100%      | ●       |
| Phenol, aqueous                  | ca. 9%    | ●       |

| Kemikaali                       |       | Pitoisuus | Kestäv.     |
|---------------------------------|-------|-----------|-------------|
| Phosphoric acid                 | 50%   |           | <div></div> |
| Potassium hydroxide solution    | 50%   |           | <div></div> |
| Premium fuel                    | —     |           | <div></div> |
| Propyl alcohol                  | —     |           | <div></div> |
| Silicone oil                    | —     |           | <div></div> |
| Sodium carbonate, aqueous       | —     |           | <div></div> |
| Sodium chloride, aqueous        | —     |           | <div></div> |
| Sodium hydrogen sulfite         | —     |           | <div></div> |
| Sodium hydroxide solution (15%) | 15%   |           | <div></div> |
| Sodium hydroxide solution (60%) | 60%   |           | <div></div> |
| Sodium nitrate, aqueous         | —     |           | <div></div> |
| Sulphuric acid                  | 96%   |           | <div></div> |
| Tetrahydrofuran (THF)           | 100%  |           | <div></div> |
| Toluene                         | 100%  |           | <div></div> |
| Transformer oil                 | —     |           | <div></div> |
| Trichloroethylene               | 100%  |           | <div></div> |
| Vinegar, standard               | 5-10% |           | <div></div> |
| Water                           | —     |           | <div></div> |
| Xylene                          | —     |           | <div></div> |