

POM C 100/60x1000 mm luonnollinen

Tuotenro P1005843

● Kestävä ● Osittain kestävä ● Ei kestävä

| Kemikaali | Pitoisuus | Kestäv. |
|---------------------------------------|-----------|---------|
| 1,4-Dioxane | 100% | ● |
| 2-Hydroxypropionic acid (lactic acid) | 90% | ● |
| Acetic acid | 100% | ● |
| Acetone | 100% | ● |
| Ammonia | conc. | ● |
| Ammonium chloride | – | ● |
| Amyl alcohol | – | ● |
| Apple juice | – | ● |
| Benzene | – | ● |
| Bleaching solution | 12.5 cl | ● |
| Boric acid | 100% | ● |
| Brake fluid | – | ● |
| Butyl acetate | – | ● |
| Calcium chloride | – | ● |
| Carbon disulphide | 100% | ● |
| Carbon tetrachloride | – | ● |
| Chlorobenzene | 100% | ● |
| Chloroform | – | ● |
| Citric acid | 10% | ● |
| Cyclohexanone | 100% | ● |
| Cyclohexene | 100% | ● |
| Diesel | – | ● |
| Diethylene oxide | – | ● |
| Ethyl acetate | 100% | ● |
| Ethyl alcohol (ethanol) | 96% | ● |

| Kemikaali | Pitoisuus | Kestäv. |
|----------------------------------|-----------|---------|
| Food oil | – | ● |
| Formaldehyde, aqueous | 40% | ● |
| Formic acid | 10% | ● |
| Frost protection agent | – | ● |
| Fuel oil | – | ● |
| Fuel, aromatic free | – | ● |
| Glycerine | 100% | ● |
| Glycol | 100% | ● |
| Heptane | 100% | ● |
| Hydrochloric acid | 10% | ● |
| Hydrochloric acid (concentrated) | conc. | ● |
| Hydrofluoric acid | 40% | ● |
| Hydrogen peroxide | 10% | ● |
| Hydrogen sulfide, aqueous | – | ● |
| Isopropyl alcohol | 100% | ● |
| Linseed oil | – | ● |
| Mercurochrome | – | ● |
| Methyl alcohol (methanol) | 100% | ● |
| Methyl ethyl ketone (MEK) | 100% | ● |
| Methylene chloride | 100% | ● |
| Milk | – | ● |
| Mineral oils (aromatic free) | – | ● |
| Nitric acid | 10% | ● |
| Nitric acid (50%) | 50% | ● |
| Nitrobenzene | – | ● |
| Oxalic acid | – | ● |
| Ozone (gas) | ≤0.5 ppm | ● |
| Paraffin oil | 100% | ● |
| Perchloroethylene | – | ● |
| Petroleum | 100% | ● |
| Petroleum ether | 100% | ● |
| Phenol, aqueous | ca. 9% | ● |

| Kemikaali | Pitoisuus | Kestäv. |
|---------------------------------|-----------|---------|
| Phosphoric acid | 50% | ● |
| Potassium hydroxide solution | 50% | ● |
| Premium fuel | – | ● |
| Propyl alcohol | – | ● |
| Silicone oil | – | ● |
| Sodium carbonate, aqueous | – | ● |
| Sodium chloride, aqueous | – | ● |
| Sodium hydrogen sulfite | – | ● |
| Sodium hydroxide solution (15%) | 15% | ● |
| Sodium hydroxide solution (60%) | 60% | ● |
| Sodium nitrate, aqueous | – | ● |
| Sulphuric acid | 96% | ● |
| Tetrahydrofuran (THF) | 100% | ● |
| Toluene | 100% | ● |
| Transformer oil | – | ● |
| Trichloroethylene | 100% | ● |
| Vinegar, standard | 5-10% | ● |
| Water | – | ● |
| Xylene | – | ● |