

POM C FG 280/150x1000 mm luonnollinen

Tuotenro P1007458

● Kestävä ● Osittain kestävä ● Ei kestävä

Kemikaali	Pitoisuus	Kestäv.
1,4-Dioxane	100%	●
2-Hydroxypropionic acid (lactic acid)	90%	●
Acetic acid	100%	●
Acetone	100%	●
Ammonia	conc.	●
Ammonium chloride	—	●
Amyl alcohol	—	●
Apple juice	—	●
Benzene	—	●
Bleaching solution	12.5 cl	●
Boric acid	100%	●
Brake fluid	—	●
Butyl acetate	—	●
Calcium chloride	—	●
Carbon disulphide	100%	●
Carbon tetrachloride	—	●
Chlorobenzene	100%	●
Chloroform	—	●
Citric acid	10%	●
Cyclohexanone	100%	●
Cyclohexene	100%	●
Diesel	—	●
Diethylene oxide	—	●
Ethyl acetate	100%	●
Ethyl alcohol (ethanol)	96%	●

Kemikaali	Pitoisuus	Kestäv.
Food oil	—	●
Formaldehyde, aqueous	40%	●
Formic acid	10%	●
Frost protection agent	—	●
Fuel oil	—	●
Fuel, aromatic free	—	●
Glycerine	100%	●
Glycol	100%	●
Heptane	100%	●
Hydrochloric acid	10%	●
Hydrochloric acid (concentrated)	conc.	●
Hydrofluoric acid	40%	●
Hydrogen peroxide	10%	●
Hydrogen sulfide, aqueous	—	●
Isopropyl alcohol	100%	●
Linseed oil	—	●
Mercurochrome	—	●
Methyl alcohol (methanol)	100%	●
Methyl ethyl ketone (MEK)	100%	●
Methylene chloride	100%	●
Milk	—	●
Mineral oils (aromatic free)	—	●
Nitric acid	10%	●
Nitric acid (50%)	50%	●
Nitrobenzene	—	●
Oxalic acid	—	●
Ozone (gas)	≤0.5 ppm	●
Paraffin oil	100%	●
Perchloroethylene	—	●
Petroleum	100%	●
Petroleum ether	100%	●
Phenol, aqueous	ca. 9%	●

Kemikaali		Pitoisuus	Kestäv.
Phosphoric acid	50%		●
Potassium hydroxide solution	50%		●
Premium fuel	—		●
Propyl alcohol	—		●
Silicone oil	—		●
Sodium carbonate, aqueous	—		●
Sodium chloride, aqueous	—		●
Sodium hydrogen sulfite	—		●
Sodium hydroxide solution (15%)	15%		●
Sodium hydroxide solution (60%)	60%		●
Sodium nitrate, aqueous	—		●
Sulphuric acid	96%		●
Tetrahydrofuran (THF)	100%		●
Toluene	100%		●
Transformer oil	—		●
Trichloroethylene	100%		●
Vinegar, standard	5-10%		●
Water	—		●
Xylene	—		●