



POM C FG 320/150x3000 mm liikenne sininen

Artikelnr P1007742

Beständig Delvis beständig Ej beständig

Kemikalie	Pitoisuus	Temp.	Beständighet
1,4-Dioxane	100%	20 °C	
2-Hydroxypropionic acid (lactic acid)	90%	20 °C	
Acetic acid	100%	20 °C	
Acetone	100%	20 °C	
Ammonia	conc.	20 °C	
Ammonium chloride	-	20 °C	
Amyl alcohol	-	20 °C	
Apple juice	-	20 °C	
Benzene	-	20 °C	
Bleaching solution	12.5 cl	20 °C	
Boric acid	100%	20 °C	
Brake fluid	-	20 °C	
Butyl acetate	-	20 °C	
Calcium chloride	-	20 °C	
Carbon disulphide	100%	20 °C	
Carbon tetrachloride	-	20 °C	
Chlorobenzene	100%	20 °C	
Chloroform	-	20 °C	
Citric acid	10%	20 °C	
Cyclohexanone	100%	20 °C	
Cyclohexene	100%	20 °C	
Diesel	-	20 °C	
Diethylene oxide	-	20 °C	
Ethyl acetate	100%	20 °C	
Ethyl alcohol (ethanol)	96%	20 °C	
Food oil	-	20 °C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Formaldehyde, aqueous	40%	20 °C	●
Formic acid	10%	20 °C	●
Frost protection agent	-	20 °C	●
Fuel oil	-	20 °C	●
Fuel, aromatic free	-	20 °C	●
Glycerine	100%	20 °C	●
Glycol	100%	20 °C	●
Heptane	100%	20 °C	●
Hydrochloric acid	10%	20 °C	●
Hydrochloric acid (concentrated)	conc.	20 °C	●
Hydrofluoric acid	40%	20 °C	●
Hydrogen peroxide	10%	20 °C	●
Hydrogen sulfide, aqueous	-	20 °C	●
Isopropyl alcohol	100%	20 °C	●
Linseed oil	-	20 °C	●
Mercurochrome	-	20 °C	●
Methyl alcohol (methanol)	100%	20 °C	●
Methyl ethyl ketone (MEK)	100%	20 °C	●
Methylene chloride	100%	20 °C	●
Milk	-	20 °C	●
Mineral oils (aromatic free)	-	20 °C	●
Nitric acid	10%	20 °C	●
Nitric acid (50%)	50%	20 °C	●
Nitrobenzene	-	20 °C	●
Oxalic acid	-	20 °C	●
Ozone (gas)	≤0.5 ppm	20 °C	●
Paraffin oil	100%	20 °C	●
Perchloroethylene	-	20 °C	●
Petroleum	100%	20 °C	●
Petroleum ether	100%	20 °C	●
Phenol, aqueous	ca. 9%	20 °C	●
Phosphoric acid	50%	20 °C	●
Potassium hydroxide solution	50%	20 °C	●
Premium fuel	-	20 °C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Propyl alcohol	-	20 °C	
Silicone oil	-	20 °C	
Sodium carbonate, aqueous	-	20 °C	
Sodium chloride, aqueous	-	20 °C	
Sodium hydrogen sulfite	-	20 °C	
Sodium hydroxide solution (15%)	15%	20 °C	
Sodium hydroxide solution (60%)	60%	20 °C	
Sodium nitrate, aqueous	-	20 °C	
Sulphuric acid	96%	20 °C	
Tetrahydrofuran (THF)	100%	20 °C	
Toluene	100%	20 °C	
Transformer oil	-	20 °C	
Trichloroethylene	100%	20 °C	
Vinegar, standard	5-10%	20 °C	
Water	-	20 °C	
Xylene	-	20 °C	