

PTFE 600x600x110 mm luonnollinen

Artikelnr P1203073

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie               | Pitoisuus | Temp. | Beständighet |
|-------------------------|-----------|-------|--------------|
| 1,4-Dioxane             | 100       | 20 °C | ●            |
| 2-Hydroxypropionic Acid | 90        | 20 °C | ●            |
| Acetic Acid             | 100       | 20 °C | ●            |
| Acetone                 | 100       | 20 °C | ●            |
| Ammonia                 | -         | 20 °C | ●            |
| Ammonium Chloride       | -         | 20 °C | ●            |
| Amyl Alcohol            | -         | 20 °C | ●            |
| Apple Juice             | -         | 20 °C | ●            |
| Benzene                 | -         | 20 °C | ●            |
| Bleaching Solution      | -         | 20 °C | ●            |
| Boric Acid              | 100       | 20 °C | ●            |
| Brake Fluid             | -         | 20 °C | ●            |
| Butyl Acetate           | -         | 20 °C | ●            |
| Calcium Chloride        | -         | 20 °C | ●            |
| Carbon Disulfide        | 100       | 20 °C | ●            |
| Carbon Tetrachloride    | -         | 20 °C | ●            |
| Chlorine (gas)          | 100       | 20 °C | ●            |
| Chlorobenzene           | 100       | 20 °C | ●            |
| Chloroform              | -         | 20 °C | ●            |
| Citric Acid             | 10        | 20 °C | ●            |
| Cresol                  | -         | 20 °C | ●            |
| Cyclohexanone           | 100       | 20 °C | ●            |
| Cyclohexene             | 100       | 20 °C | ●            |
| Diesel Fuel             | -         | 20 °C | ●            |
| Diethylene Oxide        | -         | 20 °C | ●            |
| Ethyl Acetate           | 100       | 20 °C | ●            |

| Kemikalie                        | Pitoisuus | Temp. | Beständighet |
|----------------------------------|-----------|-------|--------------|
| Ethyl Alcohol                    | 96        | 20 °C | ●            |
| Ethylene Chloride                | 100       | 20 °C | ●            |
| Food Oil                         | -         | 20 °C | ●            |
| Formaldehyde (aqueous)           | 40        | 20 °C | ●            |
| Formic Acid                      | 10        | 20 °C | ●            |
| Frost Protection Agent           | -         | 20 °C | ●            |
| Fuel, aromatic free              | -         | 20 °C | ●            |
| Glycerine                        | 100       | 20 °C | ●            |
| Glycol                           | 100       | 20 °C | ●            |
| Heating Oil                      | -         | 20 °C | ●            |
| Heptane                          | 100       | 20 °C | ●            |
| Hydrochloric Acid                | 10        | 20 °C | ●            |
| Hydrochloric Acid (concentrated) | -         | 20 °C | ●            |
| Hydrofluoric Acid                | 40        | 20 °C | ●            |
| Hydrogen Peroxide                | 10        | 20 °C | ●            |
| Hydrogen Sulfide (aqueous)       | -         | 20 °C | ●            |
| Isopropyl Alcohol                | 100       | 20 °C | ●            |
| Linseed Oil                      | -         | 20 °C | ●            |
| Mercurochrome                    | -         | 20 °C | ●            |
| Methyl Alcohol                   | 100       | 20 °C | ●            |
| Methyl Ethyl Ketone (MEK)        | 100       | 20 °C | ●            |
| Methylene Chloride               | 100       | 20 °C | ●            |
| Milk                             | -         | 20 °C | ●            |
| Mineral Oils (aromatic free)     | -         | 20 °C | ●            |
| Nitric Acid                      | 10        | 20 °C | ●            |
| Nitric Acid (50%)                | 50        | 20 °C | ●            |
| Nitrobenzene                     | -         | 20 °C | ●            |
| Oxalic Acid                      | -         | 20 °C | ●            |
| Ozone Gas                        | ≤ 0.5 ppm | 20 °C | ●            |
| Paraffine Oil                    | 100       | 20 °C | ●            |
| Perchloroethylene                | -         | 20 °C | ●            |
| Petroleum                        | 100       | 20 °C | ●            |
| Petroleum Ether                  | 100       | 20 °C | ●            |
| Phenol (aqueous)                 | ca. 9     | 20 °C | ●            |
| Phosphoric Acid                  | 50        | 20 °C | ●            |

| Kemikalie                    | Pitoisuus | Temp. | Beständighet |
|------------------------------|-----------|-------|--------------|
| Potassium Hydroxide liquor   | 50        | 20 °C | <div></div>  |
| Premium Fuel                 | -         | 20 °C | <div></div>  |
| Propyl Alcohol               | -         | 20 °C | <div></div>  |
| Pyridine                     | -         | 20 °C | <div></div>  |
| Silicone Oil                 | -         | 20 °C | <div></div>  |
| Sodium Carbonate (aqueous)   | -         | 20 °C | <div></div>  |
| Sodium Chloride (aqueous)    | -         | 20 °C | <div></div>  |
| Sodium Hydrogen Sulfite      | -         | 20 °C | <div></div>  |
| Sodium Hydroxide liquor      | 15        | 20 °C | <div></div>  |
| Sodium Hydroxide liquor (60) | 60        | 20 °C | <div></div>  |
| Sodium Nitrate (aqueous)     | -         | 20 °C | <div></div>  |
| Sodium Thiosulfate           | -         | 20 °C | <div></div>  |
| Sulfuric Acid                | 96        | 20 °C | <div></div>  |
| Tetrahydrofuran (THF)        | 100       | 20 °C | <div></div>  |
| Toluene                      | 100       | 20 °C | <div></div>  |
| Transformer Oil              | -         | 20 °C | <div></div>  |
| Trichloroethylene            | 100       | 20 °C | <div></div>  |
| Vinegar (standard)           | 5 - 10    | 20 °C | <div></div>  |
| Water                        | -         | 20 °C | <div></div>  |
| Xylene                       | -         | 20 °C | <div></div>  |