

PVC U 3000x1500x3 mm läpinäkyvä

Tuotenro P2202278

● Kestävä ● Osittain kestävä ● Ei kestävä

Kemikaali	Pitoisuus	Kestäv.
1,4-Dioxane	100%	●
2-Hydroxypropionic acid (lactic acid)	90%	●
Acetic acid	100%	●
Acetone	100%	●
Ammonia	conc.	●
Ammonium chloride	–	●
Amyl alcohol	–	●
Apple juice	–	●
Benzene	–	●
Bleaching solution	12.5 cl	●
Boric acid	100%	●
Brake fluid	–	●
Butyl acetate	–	●
Calcium chloride	–	●
Carbon disulphide	100%	●
Carbon tetrachloride	–	●
Chlorine (gas)	100%	●
Chlorobenzene	100%	●
Chloroform	–	●
Citric acid	10%	●
Cresol	–	●
Cyclohexanone	100%	●
Cyclohexene	100%	●
Diesel	–	●
Diethylene oxide	–	●

Kemikaali	Pitoisuus	Kestäv.
Ethyl acetate	100%	●
Ethyl alcohol (ethanol)	96%	●
Ethylene chloride	100%	●
Food oil	–	●
Formaldehyde (aqueous)	40%	●
Formic acid	10%	●
Frost protection agent	–	●
Fuel (aromatic free)	–	●
Fuel oil	–	●
Glycerine	100%	●
Glycol	100%	●
Heptane	100%	●
Hydrochloric acid	10%	●
Hydrochloric acid (concentrated)	conc.	●
Hydrofluoric acid	40%	●
Hydrogen peroxide	10%	●
Hydrogen sulfide (aqueous)	–	●
Isopropyl alcohol	100%	●
Linseed oil	–	●
Mercurochrome	–	●
Methyl alcohol (methanol)	100%	●
Methyl ethyl ketone (MEK)	100%	●
Methylene chloride	100%	●
Milk	–	●
Mineral oils (aromatic free)	–	●
Nitric acid	50%	●
Nitric acid	10%	●
Nitrobenzene	–	●
Oxalic acid	–	●
Ozone (gas)	≤ 0.5 ppm	●
Paraffin oil	100%	●
Perchloroethylene	–	●

Kemikaali	Pitoisuus	Kestäv.
Petroleum	100%	●
Petroleum ether	100%	●
Phenol (aqueous)	ca. 9%	●
Phosphoric acid	50%	●
Potassium hydroxide solution	50%	●
Premium fuel	–	●
Propyl alcohol	–	●
Pyridine	–	●
Silicone oil	–	●
Sodium carbonate (aqueous)	–	●
Sodium chloride (aqueous)	–	●
Sodium hydrogen sulfite	–	●
Sodium hydroxide solution (caustic soda)	15%	●
Sodium hydroxide solution (caustic soda)	60%	●
Sodium nitrate (aqueous)	–	●
Sodium thiosulfate	–	●
Sulphuric acid	96%	●
Tetrahydrofuran (THF)	100%	●
Toluene	100%	●
Transformer oil	–	●
Trichloroethylene	100%	●
Vinegar (standard)	5 - 10%	●
Water	–	●
Xylene	–	●