

PA6.6 125x1000 mm luonnollinen

Artikelnr P1001963

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie               | Pitoisuus | Temp. | Beständighet |
|-------------------------|-----------|-------|--------------|
| 1,4-Dioxane             | 100       | 20 °C | ●            |
| 2-Hydroxypropionic Acid | 90        | 20 °C | ●            |
| Acetic Acid             | 100       | 20 °C | ●            |
| Acetone                 | 100       | 20 °C | ●            |
| Ammonia                 | conc.     | 20 °C | ●            |
| Ammonium Chloride       | -         | 20 °C | ●            |
| Amyl Alcohol            | -         | 20 °C | ●            |
| Apple Juice             | -         | 20 °C | ●            |
| Benzene                 | -         | 20 °C | ●            |
| Bleaching Solution      | 12.5 cl   | 20 °C | ●            |
| Boric Acid              | 100       | 20 °C | ●            |
| Brake Fluid             | -         | 20 °C | ●            |
| Butyl Acetate           | -         | 20 °C | ●            |
| Calcium Chloride        | -         | 20 °C | ●            |
| Carbon Disulfide        | 100       | 20 °C | ●            |
| Carbon Tetrachloride    | -         | 20 °C | ●            |
| Chlorine (gas)          | 100       | 20 °C | ●            |
| Chlorobenzene           | 100       | 20 °C | ●            |
| Chloroform              | -         | 20 °C | ●            |
| Citric Acid             | 10        | 20 °C | ●            |
| Cresol                  | -         | 20 °C | ●            |
| Cyclohexanone           | 100       | 20 °C | ●            |
| Cyclohexene             | 100       | 20 °C | ●            |
| Diesel Fuel             | -         | 20 °C | ●            |
| Diethylene Oxide        | -         | 20 °C | ●            |
| Ethyl Acetate           | 100       | 20 °C | ●            |

| Kemikalie                        | Pitoisuus | Temp. | Beständighet |
|----------------------------------|-----------|-------|--------------|
| Ethyl Alcohol                    | 96        | 20 °C | <div></div>  |
| Ethylene Chloride                | 100       | 20 °C | <div></div>  |
| Food Oil                         | -         | 20 °C | <div></div>  |
| Formaldehyde (aqueous)           | 40        | 20 °C | <div></div>  |
| Formic Acid                      | 10        | 20 °C | <div></div>  |
| Frost Protection Agent           | -         | 20 °C | <div></div>  |
| Fuel (aromatic free)             | -         | 20 °C | <div></div>  |
| Glycerine                        | 100       | 20 °C | <div></div>  |
| Glycol                           | 100       | 20 °C | <div></div>  |
| Heating Oil                      | -         | 20 °C | <div></div>  |
| Heptane                          | 100       | 20 °C | <div></div>  |
| Hydrochloric Acid                | 10        | 20 °C | <div></div>  |
| Hydrochloric Acid (concentrated) | conc.     | 20 °C | <div></div>  |
| Hydrofluoric Acid                | 40        | 20 °C | <div></div>  |
| Hydrogen Peroxide                | 10        | 20 °C | <div></div>  |
| Hydrogen Sulfide (aqueous)       | -         | 20 °C | <div></div>  |
| Isopropyl Alcohol                | 100       | 20 °C | <div></div>  |
| Linseed Oil                      | -         | 20 °C | <div></div>  |
| Mercurochrome                    | -         | 20 °C | <div></div>  |
| Methyl Alcohol                   | 100       | 20 °C | <div></div>  |
| Methyl Ethyl Ketone (MEK)        | 100       | 20 °C | <div></div>  |
| Methylene Chloride               | 100       | 20 °C | <div></div>  |
| Milk                             | -         | 20 °C | <div></div>  |
| Mineral Oils (aromatic free)     | -         | 20 °C | <div></div>  |
| Nitric Acid                      | 10        | 20 °C | <div></div>  |
| Nitric Acid                      | 50        | 20 °C | <div></div>  |
| Nitrobenzene                     | -         | 20 °C | <div></div>  |
| Oxalic Acid                      | -         | 20 °C | <div></div>  |
| Ozone Gas                        | ≤ 0.5 ppm | 20 °C | <div></div>  |
| Paraffine Oil                    | 100       | 20 °C | <div></div>  |
| Perchloroethylene                | -         | 20 °C | <div></div>  |
| Petroleum                        | 100       | 20 °C | <div></div>  |
| Petroleum Ether                  | 100       | 20 °C | <div></div>  |
| Phenol (aqueous)                 | ca. 9     | 20 °C | <div></div>  |
| Phosphoric Acid                  | 50        | 20 °C | <div></div>  |

| Kemikalie                  | Pitoisuus | Temp. | Beständighet |
|----------------------------|-----------|-------|--------------|
| Potassium Hydroxide liquor | 50        | 20 °C | ●            |
| Premium Fuel               | -         | 20 °C | ●            |
| Propyl Alcohol             | -         | 20 °C | ●            |
| Pyridine                   | -         | 20 °C | ●            |
| Silicone Oil               | -         | 20 °C | ●            |
| Sodium Carbonate (aqueous) | -         | 20 °C | ●            |
| Sodium Chloride (aqueous)  | -         | 20 °C | ●            |
| Sodium Hydrogen Sulfite    | -         | 20 °C | ●            |
| Sodium Hydroxide liquor    | 60        | 20 °C | ●            |
| Sodium Hydroxide liquor    | 15        | 20 °C | ●            |
| Sodium Nitrate (aqueous)   | -         | 20 °C | ●            |
| Sodium Thiosulfate         | -         | 20 °C | ●            |
| Sulfuric Acid              | 96        | 20 °C | ●            |
| Tetrahydrofuran (THF)      | 100       | 20 °C | ●            |
| Toluene                    | 100       | 20 °C | ●            |
| Transformer Oil            | -         | 20 °C | ●            |
| Trichloroethylene          | 100       | 20 °C | ●            |
| Vinegar (standard)         | 5 - 10    | 20 °C | ●            |
| Water                      | -         | 20 °C | ●            |
| Xylene                     | -         | 20 °C | ●            |