

PE-1000 125x2000 mm vihreä

Artikelnr P2200850

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie | Pitoisuus | Temp. | Beständighet |
|---------------------------------------|-----------|-------|--------------|
| 1,4-Dioxane | 100 | 20 °C | ● |
| 2-Hydroxypropionic acid (lactic acid) | 90 | 20 °C | ● |
| Acetic acid | 100 | 20 °C | ● |
| Acetone | 100 | 20 °C | ● |
| Ammonia | - | 20 °C | ● |
| Ammonium chloride | - | 20 °C | ● |
| Amyl alcohol | - | 20 °C | ● |
| Benzene | - | 20 °C | ● |
| Boric acid | 100 | 20 °C | ● |
| Brake fluid | - | 20 °C | ● |
| Butyl acetate | - | 20 °C | ● |
| Calcium chloride | - | 20 °C | ● |
| Citric acid | 10 | 20 °C | ● |
| Cresol | - | 20 °C | ● |
| Cyclohexanone | 100 | 20 °C | ● |
| Cyclohexene | 100 | 20 °C | ● |
| Diesel | - | 20 °C | ● |
| Ethyl acetate | 100 | 20 °C | ● |
| Ethyl alcohol (ethanol) | 96 | 20 °C | ● |
| Food oil | - | 20 °C | ● |
| Formaldehyde, aqueous | 40 | 20 °C | ● |
| Formic acid | 10 | 20 °C | ● |
| Frost protection agent | - | 20 °C | ● |
| Fuel oil | - | 20 °C | ● |
| Fuel, aromatic free | - | 20 °C | ● |
| Glycerine | 100 | 20 °C | ● |

| Kemikalie | Pitoisuus | Temp. | Beständighet |
|--|-----------|-------|--------------|
| Glycol | 100 | 20 °C | ● |
| Heptane | 100 | 20 °C | ● |
| Hydrochloric acid | 10 | 20 °C | ● |
| Hydrochloric acid (concentrated) | - | 20 °C | ● |
| Hydrogen peroxide | 10 | 20 °C | ● |
| Isopropyl alcohol | 100 | 20 °C | ● |
| Linseed oil | - | 20 °C | ● |
| Mercurochrome | - | 20 °C | ● |
| Methyl alcohol (methanol) | 100 | 20 °C | ● |
| Methylene chloride | 100 | 20 °C | ● |
| Milk | - | 20 °C | ● |
| Mineral oils, aromatic free | - | 20 °C | ● |
| Nitric acid | 10 | 20 °C | ● |
| Nitric acid | 50 | 20 °C | ● |
| Nitrobenzene | - | 20 °C | ● |
| Oxalic acid | - | 20 °C | ● |
| Ozone (gas) | ≤ 0.5 ppm | 20 °C | ● |
| Paraffin oil | 100 | 20 °C | ● |
| Perchloroethylene | - | 20 °C | ● |
| Petroleum ether | 100 | 20 °C | ● |
| Phenol, aqueous | ca. 9 | 20 °C | ● |
| Phosphoric acid | 50 | 20 °C | ● |
| Potassium hydroxide solution | 50 | 20 °C | ● |
| Premium fuel | - | 20 °C | ● |
| Propyl alcohol | - | 20 °C | ● |
| Silicone oil | - | 20 °C | ● |
| Sodium carbonate, aqueous | - | 20 °C | ● |
| Sodium chloride, aqueous | - | 20 °C | ● |
| Sodium hydrogen sulfite | - | 20 °C | ● |
| Sodium hydroxide solution (caustic soda) | 60 | 20 °C | ● |
| Sodium hydroxide solution (caustic soda) | 15 | 20 °C | ● |
| Sodium nitrate, aqueous | - | 20 °C | ● |
| Sodium thiosulfate | - | 20 °C | ● |
| Sulphuric acid | 96 | 20 °C | ● |
| Transformer oil | - | 20 °C | ● |

| Kemikalie | Pitoisuus | Temp. | Beständighet |
|-------------------|-----------|-------|--------------|
| Vinegar, standard | 5 - 10 | 20 °C | ● |
| Water | - | 20 °C | ● |
| Xylene | - | 20 °C | ● |