



PEEK+PTFE 30x3000 mm sininen

Artikelnr P1501470

Beständig Delvis beständig Ej beständig

| Kemikalie               | Pitoisuus | Temp.  | Beständighet |
|-------------------------|-----------|--------|--------------|
| 1,4-Dioxane             | 100       | 20 Å°C | Beständig    |
| 2-Hydroxypropionic Acid | 90        | 20 Å°C | Beständig    |
| Acetic Acid             | 100       | 20 Å°C | Beständig    |
| Acetone                 | 100       | 20 Å°C | Beständig    |
| Ammonia                 | â€”       | 20 Å°C | Beständig    |
| Ammonium Chloride       | â€”       | 20 Å°C | Beständig    |
| Amyl Alcohol            | â€”       | 20 Å°C | Beständig    |
| Apple Juice             | â€”       | 20 Å°C | Beständig    |
| Benzene                 | â€”       | 20 Å°C | Beständig    |
| Bleaching Solution      | â€”       | 20 Å°C | Beständig    |
| Boric Acid              | 100       | 20 Å°C | Beständig    |
| Brake Fluid             | â€”       | 20 Å°C | Beständig    |
| Butyl Acetate           | â€”       | 20 Å°C | Beständig    |
| Calcium Chloride        | â€”       | 20 Å°C | Beständig    |
| Carbon Disulfide        | 100       | 20 Å°C | Beständig    |
| Carbon Tetrachloride    | â€”       | 20 Å°C | Beständig    |
| Chlorine (gas)          | 100       | 20 Å°C | Beständig    |
| Chlorobenzene           | 100       | 20 Å°C | Beständig    |
| Chloroform              | â€”       | 20 Å°C | Beständig    |
| Citric Acid             | 10        | 20 Å°C | Beständig    |
| Cresol                  | â€”       | 20 Å°C | Beständig    |
| Cyclohexanone           | 100       | 20 Å°C | Beständig    |
| Cyclohexene             | 100       | 20 Å°C | Beständig    |
| Diesel Fuel             | â€”       | 20 Å°C | Beständig    |
| Diethylene Oxide        | â€”       | 20 Å°C | Beständig    |
| Ethyl Acetate           | 100       | 20 Å°C | Beständig    |
| Ethyl Alcohol           | 96        | 20 Å°C | Beständig    |

| Kemikalie                        | Pitoisuus | Temp.  | BestÄndighet |
|----------------------------------|-----------|--------|--------------|
| Ethylene Chloride                | 100       | 20 Å°C | ●            |
| Food Oil                         | â€”       | 20 Å°C | ●            |
| Formaldehyde (aqueous)           | 40        | 20 Å°C | ●            |
| Formic Acid                      | 10        | 20 Å°C | ●            |
| Frost Protection Agent           | â€”       | 20 Å°C | ●            |
| Fuel, aromatic free              | â€”       | 20 Å°C | ●            |
| Glycerine                        | 100       | 20 Å°C | ●            |
| Glycol                           | 100       | 20 Å°C | ●            |
| Heating Oil                      | â€”       | 20 Å°C | ●            |
| Heptane                          | 100       | 20 Å°C | ●            |
| Hydrochloric Acid                | 10        | 20 Å°C | ●            |
| Hydrochloric Acid (concentrated) | â€”       | 20 Å°C | ●            |
| Hydrofluoric Acid                | 40        | 20 Å°C | ●            |
| Hydrogen Peroxide                | 10        | 20 Å°C | ●            |
| Hydrogen Sulfide (aqueous)       | â€”       | 20 Å°C | ●            |
| Isopropyl Alcohol                | 100       | 20 Å°C | ●            |
| Linseed Oil                      | â€”       | 20 Å°C | ●            |
| Mercurochrome                    | â€”       | 20 Å°C | ●            |
| Methyl Alcohol                   | 100       | 20 Å°C | ●            |
| Methyl Ethyl Ketone (MEK)        | 100       | 20 Å°C | ●            |
| Methylene Chloride               | 100       | 20 Å°C | ●            |
| Milk                             | â€”       | 20 Å°C | ●            |
| Mineral Oils (aromatic free)     | â€”       | 20 Å°C | ●            |
| Nitric Acid                      | 10        | 20 Å°C | ●            |
| Nitric Acid                      | 50        | 20 Å°C | ●            |
| Nitrobenzene                     | â€”       | 20 Å°C | ●            |
| Oxalic Acid                      | â€”       | 20 Å°C | ●            |
| Ozone Gas                        | â€”       | 20 Å°C | ●            |
| Paraffine Oil                    | 100       | 20 Å°C | ●            |
| Perchloroethylene                | â€”       | 20 Å°C | ●            |
| Petroleum                        | 100       | 20 Å°C | ●            |
| Petroleum Ether                  | 100       | 20 Å°C | ●            |
| Phenol (aqueous)                 | 9         | 20 Å°C | ●            |
| Phosphoric Acid                  | 50        | 20 Å°C | ●            |
| Potassium Hydroxide liquor       | 50        | 20 Å°C | ●            |

| Kemikalie                  | Pitoisuus | Temp.  | Beständighet |
|----------------------------|-----------|--------|--------------|
| Premium Fuel               | â€”       | 20 Å°C | ●            |
| Propyl Alcohol             | â€”       | 20 Å°C | ●            |
| Pyridine                   | â€”       | 20 Å°C | ●            |
| Silicone Oil               | â€”       | 20 Å°C | ●            |
| Sodium Carbonate (aqueous) | â€”       | 20 Å°C | ●            |
| Sodium Chloride (aqueous)  | â€”       | 20 Å°C | ●            |
| Sodium Hydrogen Sulfite    | â€”       | 20 Å°C | ●            |
| Sodium Hydroxide liquor    | 15        | 20 Å°C | ●            |
| Sodium Hydroxide liquor    | 60        | 20 Å°C | ●            |
| Sodium Nitrate (aqueous)   | â€”       | 20 Å°C | ●            |
| Sodium Thiosulfate         | â€”       | 20 Å°C | ●            |
| Sulfuric Acid              | 96        | 20 Å°C | ●            |
| Tetrahydrofuran (THF)      | 100       | 20 Å°C | ●            |
| Toluene                    | 100       | 20 Å°C | ●            |
| Transformer Oil            | â€”       | 20 Å°C | ●            |
| Trichloroethylene          | 100       | 20 Å°C | ●            |
| Vinegar (standard)         | 5-10      | 20 Å°C | ●            |
| Water                      | â€”       | 20 Å°C | ●            |
| Xylene                     | â€”       | 20 Å°C | ●            |