



PEEK+PTFE 90x3000 mm beesi

Artikelnr P1501504

Beständig Delvis beständig Ej beständig

Kemikalie	Pitoisuus	Temp.	Beständighet
1,4-Dioxane	100	20 Å°C	Beständig
2-Hydroxypropionic Acid	90	20 Å°C	Beständig
Acetic Acid	100	20 Å°C	Beständig
Acetone	100	20 Å°C	Beständig
Ammonia	â€”	20 Å°C	Beständig
Ammonium Chloride	â€”	20 Å°C	Beständig
Amyl Alcohol	â€”	20 Å°C	Beständig
Apple Juice	â€”	20 Å°C	Beständig
Benzene	â€”	20 Å°C	Beständig
Bleaching Solution	â€”	20 Å°C	Beständig
Boric Acid	100	20 Å°C	Beständig
Brake Fluid	â€”	20 Å°C	Beständig
Butyl Acetate	â€”	20 Å°C	Beständig
Calcium Chloride	â€”	20 Å°C	Beständig
Carbon Disulfide	100	20 Å°C	Beständig
Carbon Tetrachloride	â€”	20 Å°C	Beständig
Chlorine (gas)	100	20 Å°C	Beständig
Chlorobenzene	100	20 Å°C	Beständig
Chloroform	â€”	20 Å°C	Beständig
Citric Acid	10	20 Å°C	Beständig
Cresol	â€”	20 Å°C	Beständig
Cyclohexanone	100	20 Å°C	Beständig
Cyclohexene	100	20 Å°C	Beständig
Diesel Fuel	â€”	20 Å°C	Beständig
Diethylene Oxide	â€”	20 Å°C	Beständig
Ethyl Acetate	100	20 Å°C	Beständig
Ethyl Alcohol	96	20 Å°C	Beständig

Kemikalie	Pitoisuus	Temp.	Bestäändighet
Ethylene Chloride	100	20 Å°C	●
Food Oil	â€”	20 Å°C	●
Formaldehyde (aqueous)	40	20 Å°C	●
Formic Acid	10	20 Å°C	●
Frost Protection Agent	â€”	20 Å°C	●
Fuel, aromatic free	â€”	20 Å°C	●
Glycerine	100	20 Å°C	●
Glycol	100	20 Å°C	●
Heating Oil	â€”	20 Å°C	●
Heptane	100	20 Å°C	●
Hydrochloric Acid	10	20 Å°C	●
Hydrochloric Acid (concentrated)	â€”	20 Å°C	●
Hydrofluoric Acid	40	20 Å°C	●
Hydrogen Peroxide	10	20 Å°C	●
Hydrogen Sulfide (aqueous)	â€”	20 Å°C	●
Isopropyl Alcohol	100	20 Å°C	●
Linseed Oil	â€”	20 Å°C	●
Mercurochrome	â€”	20 Å°C	●
Methyl Alcohol	100	20 Å°C	●
Methyl Ethyl Ketone (MEK)	100	20 Å°C	●
Methylene Chloride	100	20 Å°C	●
Milk	â€”	20 Å°C	●
Mineral Oils (aromatic free)	â€”	20 Å°C	●
Nitric Acid	10	20 Å°C	●
Nitric Acid	50	20 Å°C	●
Nitrobenzene	â€”	20 Å°C	●
Oxalic Acid	â€”	20 Å°C	●
Ozone Gas	â€”	20 Å°C	●
Paraffine Oil	100	20 Å°C	●
Perchloroethylene	â€”	20 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum Ether	100	20 Å°C	●
Phenol (aqueous)	9	20 Å°C	●
Phosphoric Acid	50	20 Å°C	●
Potassium Hydroxide liquor	50	20 Å°C	●

Kemikalie	Pitoisuus	Temp.	Beständighet
Premium Fuel	â€”	20 Å°C	●
Propyl Alcohol	â€”	20 Å°C	●
Pyridine	â€”	20 Å°C	●
Silicone Oil	â€”	20 Å°C	●
Sodium Carbonate (aqueous)	â€”	20 Å°C	●
Sodium Chloride (aqueous)	â€”	20 Å°C	●
Sodium Hydrogen Sulfite	â€”	20 Å°C	●
Sodium Hydroxide liquor	15	20 Å°C	●
Sodium Hydroxide liquor	60	20 Å°C	●
Sodium Nitrate (aqueous)	â€”	20 Å°C	●
Sodium Thiosulfate	â€”	20 Å°C	●
Sulfuric Acid	96	20 Å°C	●
Tetrahydrofuran (THF)	100	20 Å°C	●
Toluene	100	20 Å°C	●
Transformer Oil	â€”	20 Å°C	●
Trichloroethylene	100	20 Å°C	●
Vinegar (standard)	5-10	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●