

PPS 36x3000 mm luonnollinen

Artikelnr P1010780

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie | Pitoisuus | Temp. | Beständighet |
|----------------------------------|-----------|--------|--------------|
| 1,4-Dioxane | 100 | 20 Å°C | ● |
| Acetone | 100 | 20 Å°C | ● |
| Ammonia | â€” | 20 Å°C | ● |
| Ammonium chloride | â€” | 20 Å°C | ● |
| Benzene | â€” | 20 Å°C | ● |
| Brake fluid | â€” | 20 Å°C | ● |
| Butyl acetate | â€” | 20 Å°C | ● |
| Calcium chloride | â€” | 20 Å°C | ● |
| Carbon tetrachloride | â€” | 20 Å°C | ● |
| Chlorobenzene | 100 | 20 Å°C | ● |
| Chloroform | â€” | 20 Å°C | ● |
| Diesel | â€” | 20 Å°C | ● |
| Diethylene oxide | â€” | 20 Å°C | ● |
| Ethyl acetate | 100 | 20 Å°C | ● |
| Ethyl alcohol (ethanol) | 96 | 20 Å°C | ● |
| Frost protection agent | â€” | 20 Å°C | ● |
| Fuel, aromatic free | â€” | 20 Å°C | ● |
| Glycerine | 100 | 20 Å°C | ● |
| Hydrochloric acid (10%) | 10 | 20 Å°C | ● |
| Hydrochloric acid (concentrated) | â€” | 20 Å°C | ● |
| Isopropyl alcohol | 100 | 20 Å°C | ● |
| Methyl alcohol (methanol) | 100 | 20 Å°C | ● |
| Methyl ethyl ketone (MEK) | 100 | 20 Å°C | ● |
| Methylene chloride | 100 | 20 Å°C | ● |
| Mineral oils (aromatic free) | â€” | 20 Å°C | ● |
| Nitric acid (10%) | 10 | 20 Å°C | ● |
| Nitric acid (50%) | 50 | 20 Å°C | ● |

| Kemikalie | Pitoisuus | Temp. | Beständighet |
|---------------------------------|-----------|--------|--------------|
| Perchloroethylene | â€” | 20 Å°C | ● |
| Phenol, aqueous | 9 | 20 Å°C | ● |
| Phosphoric acid | 50 | 20 Å°C | ● |
| Premium fuel | â€” | 20 Å°C | ● |
| Sodium chloride, aqueous | â€” | 20 Å°C | ● |
| Sodium hydroxide solution (15%) | 15 | 20 Å°C | ● |
| Sodium hydroxide solution (60%) | 60 | 20 Å°C | ● |
| Sulphuric acid | 96 | 20 Å°C | ● |
| Tetrahydrofuran (THF) | 100 | 20 Å°C | ● |
| Toluene | 100 | 20 Å°C | ● |
| Transformer oil | â€” | 20 Å°C | ● |
| Trichloroethylene | 100 | 20 Å°C | ● |
| Water | â€” | 20 Å°C | ● |
| Xylene | â€” | 20 Å°C | ● |