



PVC U 12x5000 mm SDR 13,5 l  pin  kyv  

Artikelnr P2202288

Best  ndig Delvis best  ndig Ej best  ndig

Kemikalie	Pitoisuus	Temp.	Best��ndighet
1,4-Dioxane	100%	20 ��C	Ej best��ndig
2-Hydroxypropionic acid (lactic acid)	90%	20 ��C	Best��ndig
Acetic acid	100%	20 ��C	Best��ndig
Acetone	100%	20 ��C	Ej best��ndig
Ammonia	conc.	20 ��C	Best��ndig
Ammonium chloride	���	20 ��C	Best��ndig
Amyl alcohol	���	20 ��C	Best��ndig
Apple juice	���	20 ��C	Best��ndig
Benzene	���	20 ��C	Ej best��ndig
Bleaching solution	12.5 cl	20 ��C	Best��ndig
Boric acid	100%	20 ��C	Best��ndig
Brake fluid	���	20 ��C	Best��ndig
Butyl acetate	���	20 ��C	Ej best��ndig
Calcium chloride	���	20 ��C	Best��ndig
Carbon disulphide	100%	20 ��C	Ej best��ndig
Carbon tetrachloride	���	20 ��C	Ej best��ndig
Chlorine (gas)	100%	20 ��C	Delvis best��ndig
Chlorobenzene	100%	20 ��C	Ej best��ndig
Chloroform	���	20 ��C	Ej best��ndig
Citric acid	10%	20 ��C	Best��ndig
Cresol	���	20 ��C	Ej best��ndig
Cyclohexanone	100%	20 ��C	Ej best��ndig
Cyclohexene	100%	20 ��C	Best��ndig
Diesel	���	20 ��C	Best��ndig
Diethylene oxide	���	20 ��C	Ej best��ndig
Ethyl acetate	100%	20 ��C	Ej best��ndig
Ethyl alcohol (ethanol)	96%	20 ��C	Best��ndig

Kemikalie	Pitoisuus	Temp.	Beständighet
Ethylene chloride	100%	20 Å°C	
Food oil	â€”	20 Å°C	
Formaldehyde (aqueous)	40%	20 Å°C	
Formic acid	10%	20 Å°C	
Frost protection agent	â€”	20 Å°C	
Fuel (aromatic free)	â€”	20 Å°C	
Fuel oil	â€”	20 Å°C	
Glycerine	100%	20 Å°C	
Glycol	100%	20 Å°C	
Heptane	100%	20 Å°C	
Hydrochloric acid	10%	20 Å°C	
Hydrochloric acid (concentrated)	conc.	20 Å°C	
Hydrofluoric acid	40%	20 Å°C	
Hydrogen peroxide	10%	20 Å°C	
Hydrogen sulfide (aqueous)	â€”	20 Å°C	
Isopropyl alcohol	100%	20 Å°C	
Linseed oil	â€”	20 Å°C	
Mercurochrome	â€”	20 Å°C	
Methyl alcohol (methanol)	100%	20 Å°C	
Methyl ethyl ketone (MEK)	100%	20 Å°C	
Methylene chloride	100%	20 Å°C	
Milk	â€”	20 Å°C	
Mineral oils (aromatic free)	â€”	20 Å°C	
Nitric acid	50%	20 Å°C	
Nitric acid	10%	20 Å°C	
Nitrobenzene	â€”	20 Å°C	
Oxalic acid	â€”	20 Å°C	
Ozone (gas)	â‰¤ 0.5 ppm	20 Å°C	
Paraffin oil	100%	20 Å°C	
Perchloroethylene	â€”	20 Å°C	
Petroleum	100%	20 Å°C	
Petroleum ether	100%	20 Å°C	
Phenol (aqueous)	ca. 9%	20 Å°C	
Phosphoric acid	50%	20 Å°C	
Potassium hydroxide solution	50%	20 Å°C	

Kemikalie	Pitoisuus	Temp.	Beständighet
Premium fuel	â€”	20 Å°C	●
Propyl alcohol	â€”	20 Å°C	●
Pyridine	â€”	20 Å°C	●
Silicone oil	â€”	20 Å°C	●
Sodium carbonate (aqueous)	â€”	20 Å°C	●
Sodium chloride (aqueous)	â€”	20 Å°C	●
Sodium hydrogen sulfite	â€”	20 Å°C	●
Sodium hydroxide solution (caustic soda)	15%	20 Å°C	●
Sodium hydroxide solution (caustic soda)	60%	20 Å°C	●
Sodium nitrate (aqueous)	â€”	20 Å°C	●
Sodium thiosulfate	â€”	20 Å°C	●
Sulphuric acid	96%	20 Å°C	●
Tetrahydrofuran (THF)	100%	20 Å°C	●
Toluene	100%	20 Å°C	●
Transformer oil	â€”	20 Å°C	●
Trichloroethylene	100%	20 Å°C	●
Vinegar (standard)	5 - 10%	20 Å°C	●
Water	â€”	20 Å°C	●
Xylene	â€”	20 Å°C	●