



PE-500 2000x1000x12 mm grön

Artikelnr P1400340

● Beständig

● Delvis beständig

● Ej beständig

Kemikalie	Konsentrasjon	Temp.	Beständighet
1,4-Dioxan	100%	20 Å°C	●
2-Hydroxypropionic Acid	90%	20 Å°C	●
Acetaldehyd	â€”	20 Å°C	●
Acetic Acid	100%	20 Å°C	●
Aceton	â€”	20 Å°C	●
Aceton	100%	20 Å°C	●
Acronal-dispersjoner	â€”	20 Å°C	●
Akrylonitril	â€”	20 Å°C	●
Allylacetat	â€”	20 Å°C	●
Allylalkohol	96%	20 Å°C	●
Allylklorid	â€”	20 Å°C	●
Aluminiumfluorid	Conc.	20 Å°C	●
Aluminiumhydroxid	â€”	20 Å°C	●
Aluminiumklorid, fast	â€”	20 Å°C	●
Aluminiumklorid, vattenl.	any	20 Å°C	●
Aluminiummetafosfat	â€”	20 Å°C	●
Aluminiumsulfat, fast	â€”	20 Å°C	●
Aluminiumsulfat, vattenl. mÅttad	â€”	20 Å°C	●
Ammoniak	concentrated	20 Å°C	●
Ammoniak, flytande	â€”	20 Å°C	●
Ammoniak, gas	â€”	20 Å°C	●
Ammonium Chloride	â€”	20 Å°C	●
Amyl Alcohol	â€”	20 Å°C	●
Anilin	any	20 Å°C	●
Anisol	â€”	20 Å°C	●
Apple Juice	â€”	20 Å°C	●
Bensen	technically grade	20 Å°C	●

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Bensen	���	20 ��C	��
Bensoesyra, vattenl.	any	20 ��C	��
Bensylalkohol	���	20 ��C	��
Benzaldehyd, vattenl.	any	20 ��C	��
Bitumen	���	20 ��C	��
Bleaching Solution	12.5 cl	20 ��C	��
Blekk	���	20 ��C	��
Boric Acid	100%	20 ��C	��
Brake Fluid	���	20 ��C	��
Brom, flytande	100%	20 ��C	��
Bromv��tesyra, vattenl.	50%	20 ��C	��
Br���nsle (aromatfritt)	���	20 ��C	��
Butanol, vattenl.	any	20 ��C	��
Butyl Acetate	���	20 ��C	��
Calcium Chloride	���	20 ��C	��
Calcium carbonate	���	20 ��C	��
Calcium carbonate	���	20 ��C	��
Carbon Disulfide	100%	20 ��C	��
Carbon Tetrachloride	���	20 ��C	��
Caustic soda	any	20 ��C	��
Cider	���	20 ��C	��
Citric Acid	10%	20 ��C	��
Citrusfruktjuicer	���	20 ��C	��
Cyklohexan	���	20 ��C	��
Cyklohexanol	���	20 ��C	��
Cyklohexanon	���	20 ��C	��
Cyklohexanon	100%	20 ��C	��
Cyklohexen	100%	20 ��C	��
Dibutyleter	���	20 ��C	��
Dibutylftalat	���	20 ��C	��
Diesel Fuel	���	20 ��C	��
Diesel fuel	���	20 ��C	��
Diethylene Oxide	���	20 ��C	��
Diglykolsyra, vattenl.	30%	20 ��C	��

[illegible]

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Fyringsolje	����	20 ��C	��
Garvsyra (tannin), vattenl.	10%	20 ��C	��
Glycerin	100%	20 ��C	��
Glycerin, aqueous	any	20 ��C	��
Glykol	100%	20 ��C	��
Glykol, aqueous	as supplied	20 ��C	��
Glysantin	����	20 ��C	��
Heating Oil	����	20 ��C	��
Heptan	����	20 ��C	��
Heptan	100%	20 ��C	��
Hexan	����	20 ��C	��
Honning	����	20 ��C	��
Hydrochloric Acid	10%	20 ��C	��
Hydrochloric Acid (concentrated)	concentrated	20 ��C	��
Hydrofluoric Acid	40%	20 ��C	��
Hydrogen Peroxide	10%	20 ��C	��
Hydrogen Sulfide (aqueous solution)	����	20 ��C	��
Isooktan	����	20 ��C	��
Isopropanol	����	20 ��C	��
Isopropyl Alcohol	100%	20 ��C	��
Isopropyleter	����	20 ��C	��
Jod i kaliumjodidl��sning	3% iodine	20 ��C	��
J���rn(II)klorid, vattenl. m���ttad	����	20 ��C	��
J���rn(II)sulfat, vattenl. m���ttad	����	20 ��C	��
J���rn(III)klorid, vattenl.	any	20 ��C	��
J���rn(III)klorid, vattenl. m���ttad	����	20 ��C	��
J���rn(III)nitrat, vattenl. m���ttad	����	20 ��C	��
J���rn(III)sulfat, vattenl. m���ttad	����	20 ��C	��
Kalciumhypoklorit, vattenl. suspension	any	20 ��C	��
Kamfer	����	20 ��C	��
Klor (gas)	100%	20 ��C	��
Klor, flytande	����	20 ��C	��
Klorbensen	����	20 ��C	��
Klorbensen	100%	20 ��C	��
Kloroform	����	20 ��C	��

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Kloroform	technically grade	20 �C	�
Klor�ttiksyra, vattenl.	�85%	20 �C	�
Kokosolje	�	20 �C	�
Koldisulfid	�	20 �C	�
Kresol	100%	20 �C	�
Kresol	�	20 �C	�
Kromsyra-svavelsyra	�	20 �C	�
Kungsvatten	�	20 �C	�
Kvikksilver	�	20 �C	�
Linolje	technically grade	20 �C	�
Linseed Oil	�	20 �C	�
Litiumbromid	�	20 �C	�
Magnesium stearate	�	20 �C	�
Magnesium stearate	�	20 �C	�
Maleinsyra, vattenl.	any	20 �C	�
Melasse	�	20 �C	�
Melk	�	20 �C	�
Melk	�	20 �C	�
Mentol	�	20 �C	�
Merkurokrom	�	20 �C	�
Metanol	technically grade	20 �C	�
Methyl Alcohol	100%	20 �C	�
Methyl Ethyl Ketone (MEK)	100%	20 �C	�
Methyl ethyl ketone	technically grade	20 �C	�
Methylene Chloride	100%	20 �C	�
Metylklorid	gaseous, technically grade	20 �C	�
Mineral Oil (aromatic free)	�	20 �C	�
Motor oil (heavy duty oil) without additives	�	20 �C	�
Myrsyra, vattenl.	85%	20 �C	�
Nafta	�	20 �C	�
Naftalen	�	20 �C	�
Natriumbromid	�	20 �C	�
Natriumhydroxid, fast	�	20 �C	�
Natriumhydroxid, vattenl.	any	20 �C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Nitric Acid	10%	20 ��C	�
Nitric Acid (50%)	50%	20 ��C	�
Nitrobensen	���	20 ��C	�
Nitrobensen	���	20 ��C	�
Oils, ethereal	���	20 ��C	�
Oksygen	���	20 ��C	�
Oleum	any	20 ��C	�
Olive oil	���	100 ��C	�
Olive oil	���	20 ��C	�
Olive oil	���	100 ��C	�
Olive oil	���	100 ��C	�
Oljer, vegetabilske og animalske	���	20 ��C	�
Oljesyra	���	20 ��C	�
Oppvaskmiddel	���	20 ��C	�
Oxalic Acid	���	20 ��C	�
Oxalsyra, vattenl.	any	20 ��C	�
Ozon	50 ppm	20 ��C	�
Ozone Gas	���0.5 ppm	20 ��C	�
Paraffine Oil	100%	20 ��C	�
Parafin	���	20 ��C	�
Perkloretylen	���	20 ��C	�
Perklorsyra, vattenl.	50%	20 ��C	�
Perklorsyra, vattenl.	20%	20 ��C	�
Perklorsyra, vattenl.	70%	20 ��C	�
Petroleum	100%	20 ��C	�
Petroleum	���	20 ��C	�
Petroleum Ether	100%	20 ��C	�
Petroleumeter	���	20 ��C	�
Phosphoric Acid	50%	20 ��C	�
Photographic developers	���	20 ��C	�
Photographic emulsions	as supplied	20 ��C	�
Photographic fixing baths	as supplied	20 ��C	�
Polyesterhartser	���	20 ��C	�
Potassium Hydroxide liquor	50%	20 ��C	�

Kemikalie	Konsentrasjon	Temp.	BestÅndighet
Premium Fuel	â€”	20 Å°C	●
Propionsyra, vattenl.	any	20 Å°C	●
Propyl Alcohol	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Salpetersyra, vattenl.	25%	20 Å°C	●
Salpetersyra, vattenl.	50%	20 Å°C	●
Saltsyra, vattenl.	any	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicone Oil	â€”	20 Å°C	●
Silikonolje	technically grade	20 Å°C	●
Sj�, vann	â€”	20 Å°C	●
Sm�, r	â€”	20 Å°C	●
Sodium Carbonate (aqueous)	â€”	20 Å°C	●
Sodium Chloride (aqueous)	â€”	20 Å°C	●
Sodium Hydrogen Sulfite	â€”	20 Å°C	●
Sodium Hydroxide liquor	15%	20 Å°C	●
Sodium Hydroxide liquor (60%)	60%	20 Å°C	●
Sodium Nitrate (aqueous)	â€”	20 Å°C	●
Sodium Thiosulfate	â€”	20 Å°C	●
Sodium borate	â€”	20 Å°C	●
Stearinsyra	â€”	20 Å°C	●
Sukkersirup	â€”	20 Å°C	●
Sulfuric Acid	96%	20 Å°C	●
Svavelsyra, vattenl.	���50%	20 Å°C	●
Svavelsyra, vattenl.	80%	20 Å°C	●
Svavelsyra, vattenl.	70%	20 Å°C	●
Svavelsyra, vattenl.	98%	20 Å°C	●
Sylvet�, y	â€”	20 Å°C	●
Talg	technically grade	20 Å°C	●
Tenn(II)klorid, vattenl.	any	20 Å°C	●
Tenn(IV)klorid, vattenl.	saturated	20 Å°C	●
Terpentinolje	technically grade	20 Å°C	●
Tetrahydrofuran	technically grade	20 Å°C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Tetrahydrofuran (THF)	100%	20 �C	
Tiofen	��	20 �C	
Tionylklorid	��	20 �C	
Titanium dioxide	��	20 �C	
Titanium dioxide	��	20 �C	
Toluen	technically grade	20 �C	
Toluen	100%	20 �C	
Torskeleverije	��	20 �C	
Transformatorolja (isolerolja)	technically grade	20 �C	
Transformer Oil	��	20 �C	
Trichloracetic acid	technically grade	20 �C	
Trietanolamin	��	20 �C	
Trietanolamin	��	20 �C	
Trikloret�n	technically grade	20 �C	
Trikloret�n	100%	20 �C	
Urea, aqueous	���33%	20 �C	
Vann	��	20 �C	
Vann, destillert	��	20 �C	
Vaselin	technically grade	20 �C	
Vin	��	20 �C	
Washing up liquids	usual	20 �C	
Xylen	��	20 �C	
Xylen	��	20 �C	
Zinksl�m	��	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	100%	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	3% w/w	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra, vattenl.	70%	20 �C	
��ttiksyraanhydrid	��	20 �C	
��I	��	20 �C	