



PE-500 2000x1000x60 mm rÅd

Artikelnr P1400468

- Beständig
- Delvis beständig
- Ej beständig

Kemikalie	Konsentrasjon	Temp.	Beständighet
1,4-Dioxan	100%	20 Å°C	
2-Hydroxypropionic Acid	90%	20 Å°C	
Acetaldehyd	â€	20 Å°C	
Acetic Acid	100%	20 Å°C	
Aceton	â€	20 Å°C	
Aceton	100%	20 Å°C	
Acronal-dispersjoner	â€	20 Å°C	
Akrylonitril	â€	20 Å°C	
Allylacetat	â€	20 Å°C	
Allylalkohol	96%	20 Å°C	
Allylklorid	â€	20 Å°C	
Aluminiumfluorid	Conc.	20 Å°C	
Aluminiumhydroxid	â€	20 Å°C	
Aluminiumklorid, fast	â€	20 Å°C	
Aluminiumklorid, vattenl.	any	20 Å°C	
Aluminiummetafosfat	â€	20 Å°C	
Aluminiumsulfat, fast	â€	20 Å°C	
Aluminiumsulfat, vattenl. mÅttad	â€	20 Å°C	
Ammoniak	concentrated	20 Å°C	
Ammoniak, flytande	â€	20 Å°C	
Ammoniak, gas	â€	20 Å°C	
Ammonium Chloride	â€	20 Å°C	
Amyl Alcohol	â€	20 Å°C	
Anilin	any	20 Å°C	
Anisol	â€	20 Å°C	
Apple Juice	â€	20 Å°C	
Bensen	â€	20 Å°C	

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Bensen	technically grade	20 �C	�
Bensoesyra, vattenl.	any	20 �C	�
Bensylalkohol	��	20 �C	�
Benzaldehyd, vattenl.	any	20 �C	�
Bitumen	��	20 �C	�
Bleaching Solution	12.5 cl	20 �C	�
Blekk	��	20 �C	�
Boric Acid	100%	20 �C	�
Brake Fluid	��	20 �C	�
Brom, flytande	100%	20 �C	�
Bromv��tesyra, vattenl.	50%	20 �C	�
Br��nsle (aromatfritt)	��	20 �C	�
Butanol, vattenl.	any	20 �C	�
Butyl Acetate	��	20 �C	�
Calcium Chloride	��	20 �C	�
Calcium carbonate	��	20 �C	�
Calcium carbonate	��	20 �C	�
Carbon Disulfide	100%	20 �C	�
Carbon Tetrachloride	��	20 �C	�
Caustic soda	any	20 �C	�
Cider	��	20 �C	�
Citric Acid	10%	20 �C	�
Citrusfruktjuicer	��	20 �C	�
Cyklohexan	��	20 �C	�
Cyklohexanol	��	20 �C	�
Cyklohexanon	100%	20 �C	�
Cyklohexanon	��	20 �C	�
Cyklohexen	100%	20 �C	�
Dibutyleter	��	20 �C	�
Dibutylftalat	��	20 �C	�
Diesel Fuel	��	20 �C	�
Diesel fuel	��	20 �C	�
Diethylene Oxide	��	20 �C	�
Diglykolsyra, vattenl.	30%	20 �C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Dikloreten	â€”	20 Â°C	●
Diklor�ttiksyr�	â€”	20 Â°C	●
Dimethyl formamide	â€”	20 Â°C	●
Dimetylamin	â€”	20 Â°C	●
Dioxan	â€”	20 Â°C	●
Eddik (standard)	5-10%	20 Â°C	●
Ethanol	10%	100 Â°C	●
Ethanol	10%	100 Â°C	●
Ethanol	10% v/v	20 Â°C	●
Ethanol	10%	100 Â°C	●
Ethyl Acetate	100%	20 Â°C	●
Ethyl Alcohol	96%	20 Â°C	●
Ethylene Chloride	100%	20 Â°C	●
Etylacetat	â€”	20 Â°C	●
Etylenalkohol	96%	20 Â°C	●
Etylendiamin	â€”	20 Â°C	●
Etylenglykol	â€”	20 Â°C	●
Etylenklorid	â€”	20 Â°C	●
Fenol	â€”	20 Â°C	●
Fenol (vattenl.)	���9%	20 Â°C	●
Ferrous (III) nitrate, aqueous saturated	â€”	20 Â°C	●
Ferrous (III) sulfate, aqueous saturated	â€”	20 Â°C	●
Food Oil	â€”	20 Â°C	●
Formaldehyd (vattenl.)	40%	20 Â°C	●
Formaldehyd, vattenl.	���40%	20 Â°C	●
Formic Acid	10%	20 Â°C	●
Fosforsyra, vattenl.	50%	20 Â°C	●
Fosforsyra, vattenl.	80% L 95%	20 Â°C	●
Fosfortriklorid	â€”	20 Â°C	●
Frigen 12 (Freon 12)	100%	20 Â°C	●
Frost Protection Agent	â€”	20 Â°C	●
Fruktjuicer	any	20 Â°C	●
Ftalsyra, vattenl.	50%	20 Â°C	●
Furfurol	â€”	20 Â°C	●

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Fyringsolje	���	20 ��C	�
Garvsyra (tannin), vattenl.	10%	20 ��C	�
Glycerin	100%	20 ��C	�
Glycerin, aqueous	any	20 ��C	�
Glykol	100%	20 ��C	�
Glykol, aqueous	as supplied	20 ��C	�
Glysantin	���	20 ��C	�
Heating Oil	���	20 ��C	�
Heptan	���	20 ��C	�
Heptan	100%	20 ��C	�
Hexan	���	20 ��C	�
Honning	���	20 ��C	�
Hydrochloric Acid	10%	20 ��C	�
Hydrochloric Acid (concentrated)	concentrated	20 ��C	�
Hydrofluoric Acid	40%	20 ��C	�
Hydrogen Peroxide	10%	20 ��C	�
Hydrogen Sulfide (aqueous solution)	���	20 ��C	�
Isooktan	���	20 ��C	�
Isopropanol	���	20 ��C	�
Isopropyl Alcohol	100%	20 ��C	�
Isopropyleter	���	20 ��C	�
Jod i kaliumjodidl��sning	3% iodine	20 ��C	�
J��rn(II)klorid, vattenl. m��ttad	���	20 ��C	�
J��rn(II)sulfat, vattenl. m��ttad	���	20 ��C	�
J��rn(III)klorid, vattenl.	any	20 ��C	�
J��rn(III)klorid, vattenl. m��ttad	���	20 ��C	�
J��rn(III)nitrat, vattenl. m��ttad	���	20 ��C	�
J��rn(III)sulfat, vattenl. m��ttad	���	20 ��C	�
Kalciumhypoklorit, vattenl. suspension	any	20 ��C	�
Kamfer	���	20 ��C	�
Klor (gas)	100%	20 ��C	�
Klor, flytande	���	20 ��C	�
Klorbensen	���	20 ��C	�
Klorbensen	100%	20 ��C	�
Kloroform	���	20 ��C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Kloroform	technically grade	20 �C	�
Klor�ttiksyra, vattenl.	�85%	20 �C	�
Kokosolje	�	20 �C	�
Koldisulfid	�	20 �C	�
Kresol	100%	20 �C	�
Kresol	�	20 �C	�
Kromsyra-svavelsyra	�	20 �C	�
Kungsvatten	�	20 �C	�
Kvikksilver	�	20 �C	�
Linolje	technically grade	20 �C	�
Linseed Oil	�	20 �C	�
Litiumbromid	�	20 �C	�
Magnesium stearate	�	20 �C	�
Magnesium stearate	�	20 �C	�
Maleinsyra, vattenl.	any	20 �C	�
Melasse	�	20 �C	�
Melk	�	20 �C	�
Melk	�	20 �C	�
Mentol	�	20 �C	�
Merkurokrom	�	20 �C	�
Metanol	technically grade	20 �C	�
Methyl Alcohol	100%	20 �C	�
Methyl Ethyl Ketone (MEK)	100%	20 �C	�
Methyl ethyl ketone	technically grade	20 �C	�
Methylene Chloride	100%	20 �C	�
Metylklorid	gaseous, technically grade	20 �C	�
Mineral Oil (aromatic free)	�	20 �C	�
Motor oil (heavy duty oil) without additives	�	20 �C	�
Myrsyra, vattenl.	85%	20 �C	�
Nafta	�	20 �C	�
Naftalen	�	20 �C	�
Natriumbromid	�	20 �C	�
Natriumhydroxid, fast	�	20 �C	�
Natriumhydroxid, vattenl.	any	20 �C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Nitric Acid	10%	20 �C	●
Nitric Acid (50%)	50%	20 �C	●
Nitrobensen	��	20 �C	●
Nitrobensen	��	20 �C	●
Oils, ethereal	��	20 �C	●
Oksygen	��	20 �C	●
Oleum	any	20 �C	●
Olive oil	��	100 �C	●
Olive oil	��	20 �C	●
Olive oil	��	100 �C	●
Olive oil	��	100 �C	●
Oljer, vegetabilske og animalske	��	20 �C	●
Oljesyra	��	20 �C	●
Oppvaskmiddel	��	20 �C	●
Oxalic Acid	��	20 �C	●
Oxalsyra, vattenl.	any	20 �C	●
Ozon	50 ppm	20 �C	●
Ozone Gas	���0.5 ppm	20 �C	●
Paraffine Oil	100%	20 �C	●
Parafin	��	20 �C	●
Perkloretylen	��	20 �C	●
Perklorsyra, vattenl.	70%	20 �C	●
Perklorsyra, vattenl.	20%	20 �C	●
Perklorsyra, vattenl.	50%	20 �C	●
Petroleum	100%	20 �C	●
Petroleum	��	20 �C	●
Petroleum Ether	100%	20 �C	●
Petroleumeter	��	20 �C	●
Phosphoric Acid	50%	20 �C	●
Photographic developers	��	20 �C	●
Photographic emulsions	as supplied	20 �C	●
Photographic fixing baths	as supplied	20 �C	●
Polyesterhartser	��	20 �C	●
Potassium Hydroxide liquor	50%	20 �C	●

Kemikalie	Konsentrasjon	Temp.	BestÅndighet
Premium Fuel	â€”	20 Å°C	●
Propionsyra, vattenl.	any	20 Å°C	●
Propyl Alcohol	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Salpetersyra, vattenl.	25%	20 Å°C	●
Salpetersyra, vattenl.	50%	20 Å°C	●
Saltsyra, vattenl.	any	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicone Oil	â€”	20 Å°C	●
Silikonolje	technically grade	20 Å°C	●
Sj�, vann	â€”	20 Å°C	●
Sm�, r	â€”	20 Å°C	●
Sodium Carbonate (aqueous)	â€”	20 Å°C	●
Sodium Chloride (aqueous)	â€”	20 Å°C	●
Sodium Hydrogen Sulfite	â€”	20 Å°C	●
Sodium Hydroxide liquor	15%	20 Å°C	●
Sodium Hydroxide liquor (60%)	60%	20 Å°C	●
Sodium Nitrate (aqueous)	â€”	20 Å°C	●
Sodium Thiosulfate	â€”	20 Å°C	●
Sodium borate	â€”	20 Å°C	●
Stearinsyra	â€”	20 Å°C	●
Sukkersirup	â€”	20 Å°C	●
Sulfuric Acid	96%	20 Å°C	●
Svavelsyra, vattenl.	���50%	20 Å°C	●
Svavelsyra, vattenl.	98%	20 Å°C	●
Svavelsyra, vattenl.	70%	20 Å°C	●
Svavelsyra, vattenl.	80%	20 Å°C	●
Syltet�, y	â€”	20 Å°C	●
Talg	technically grade	20 Å°C	●
Tenn(II)klorid, vattenl.	any	20 Å°C	●
Tenn(IV)klorid, vattenl.	saturated	20 Å°C	●
Terpentinolje	technically grade	20 Å°C	●
Tetrahydrofuran	technically grade	20 Å°C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Tetrahydrofuran (THF)	100%	20 �C	
Tiofen	��	20 �C	
Tionylklorid	��	20 �C	
Titanium dioxide	��	20 �C	
Titanium dioxide	��	20 �C	
Toluen	100%	20 �C	
Toluen	technically grade	20 �C	
Torskeleverije	��	20 �C	
Transformatorolja (isolerolja)	technically grade	20 �C	
Transformer Oil	��	20 �C	
Trichloracetic acid	technically grade	20 �C	
Trietanolamin	��	20 �C	
Trietanolamin	��	20 �C	
Trikloret�n	100%	20 �C	
Trikloret�n	technically grade	20 �C	
Urea, aqueous	���33%	20 �C	
Vann	��	20 �C	
Vann, destillert	��	20 �C	
Vaselin	technically grade	20 �C	
Vin	��	20 �C	
Washing up liquids	usual	20 �C	
Xylen	��	20 �C	
Xylen	��	20 �C	
Zinksl�m	��	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	100%	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	3% w/w	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra, vattenl.	70%	20 �C	
��ttiksyraanhydrid	��	20 �C	
��I	��	20 �C	