



# PMMA E 3050x2050x3 mm rÅd 2%

Artikelnr P1200686

● Beständig

● Delvis beständig

● Ej beständig

| Kemikalie             | Konsentrasjon | Temp.  | Beständighet |
|-----------------------|---------------|--------|--------------|
| Aceton                | 100%          | 20 Å°C | ●            |
| Ammoniak              | conc.         | 20 Å°C | ●            |
| Amylalkohol           | â€”           | 20 Å°C | ●            |
| Bensen                | â€”           | 20 Å°C | ●            |
| Bensin (premium)      | â€”           | 20 Å°C | ●            |
| BrÅnsle, aromatfritt  | â€”           | 20 Å°C | ●            |
| Butylacetat           | â€”           | 20 Å°C | ●            |
| Citronsyra            | 10%           | 20 Å°C | ●            |
| Cyklohexanon          | 100%          | 20 Å°C | ●            |
| Cyklohexen            | 100%          | 20 Å°C | ●            |
| Diesel                | â€”           | 20 Å°C | ●            |
| Dietylenoxid          | â€”           | 20 Å°C | ●            |
| Eddik, standard       | 5-10%         | 20 Å°C | ●            |
| Eplejuice             | â€”           | 20 Å°C | ●            |
| Etylacetat            | 100%          | 20 Å°C | ●            |
| Etylalkohol (etanol)  | 96%           | 20 Å°C | ●            |
| Etylenklorid          | 100%          | 20 Å°C | ●            |
| Fenol, vattenl.       | ca. 9%        | 20 Å°C | ●            |
| Flussyre              | 40%           | 20 Å°C | ●            |
| Formaldehyd, vattenl. | 40%           | 20 Å°C | ●            |
| Fosforsyra            | 50%           | 20 Å°C | ●            |
| Fyringsolje           | â€”           | 20 Å°C | ●            |
| Glycerin              | 100%          | 20 Å°C | ●            |
| Glykol                | 100%          | 20 Å°C | ●            |
| Heptan                | 100%          | 20 Å°C | ●            |
| Hydrogenperoxid       | 10%           | 20 Å°C | ●            |
| Isopropylalkohol      | 100%          | 20 Å°C | ●            |

| Kemikalie                          | Konsentrasjon | Temp. | Best ndighet |
|------------------------------------|---------------|-------|--------------|
| Kalciumklorid                      |               | 20  C |              |
| Kaliumhydroxid  sning              | 50%           | 20  C |              |
| Klorgas                            | 100%          | 20  C |              |
| Kloroform                          |               | 20  C |              |
| Koldisulfid                        | 100%          | 20  C |              |
| Koltetraklorid                     |               | 20  C |              |
| Kresol                             |               | 20  C |              |
| Linolje                            |               | 20  C |              |
| Maursyre                           | 10%           | 20  C |              |
| Melk                               |               | 20  C |              |
| Merkurokrom                        |               | 20  C |              |
| Metylalkohol (metanol)             | 100%          | 20  C |              |
| Metylenklorid                      | 100%          | 20  C |              |
| Metyletylketon (MEK)               | 100%          | 20  C |              |
| Mineraloljer, aromاتفrie           |               | 20  C |              |
| Natriumhydroxid  sning (natronlut) | 15%           | 20  C |              |
| Natriumkarbonat, vattenf.          |               | 20  C |              |
| Natriumklorid, vattenf.            |               | 20  C |              |
| Natriumtiosulfat                   |               | 20  C |              |
| Natriumv  tesulfitt                |               | 20  C |              |
| Natronlut (60%)                    | 60%           | 20  C |              |
| Nitrobensen                        |               | 20  C |              |
| Oxalsyra                           |               | 20  C |              |
| Ozon (gas)                         |     0.5 ppm   | 20  C |              |
| Paraffinolja                       | 100%          | 20  C |              |
| Perkloretysten                     |               | 20  C |              |
| Petroleum                          | 100%          | 20  C |              |
| Petroleometer                      | 100%          | 20  C |              |
| Salpetersyra                       | 10%           | 20  C |              |
| Salpetersyra (50%)                 | 50%           | 20  C |              |
| Saltsyra                           | 10%           | 20  C |              |
| Saltsyra (konc.)                   | conc.         | 20  C |              |
| Silikonolja                        |               | 20  C |              |
| Svavelsyra                         | 96%           | 20  C |              |

| Kemikalie             | Konsentrasjon | Temp. | Best ndighet |
|-----------------------|---------------|-------|--------------|
| Tetrahydrofuran (THF) | 100%          | 20  C |              |
| Toluen                | 100%          | 20  C |              |
| Transformatorolje     |               | 20  C |              |
| Trikloret n           | 100%          | 20  C |              |
| Vann                  |               | 20  C |              |
| V  tesulfid, vattenl. |               | 20  C |              |
| Xylen                 |               | 20  C |              |
|   ttiksyra            | 100%          | 20  C |              |