



# PMMA E 500/490x2000 mm transparent

Artikelnr P1200767

Best ndig

Delvis best ndig

Ej best ndig

| Kemikalie             | Konsentrasjon | Temp. | Best ndighet |
|-----------------------|---------------|-------|--------------|
| Aceton                | 100%          | 20  C |              |
| Ammoniak              | conc.         | 20  C |              |
| Amylalkohol           |               | 20  C |              |
| Bensen                |               | 20  C |              |
| Bensin (premium)      |               | 20  C |              |
| Br nsle, aromatfritt  |               | 20  C |              |
| Butylacetat           |               | 20  C |              |
| Citronsyra            | 10%           | 20  C |              |
| Cyklohexanon          | 100%          | 20  C |              |
| Cyklohexen            | 100%          | 20  C |              |
| Diesel                |               | 20  C |              |
| Dietylenoxid          |               | 20  C |              |
| Eddik, standard       | 5-10%         | 20  C |              |
| Eplejuice             |               | 20  C |              |
| Etylacetat            | 100%          | 20  C |              |
| Etylalkohol (etanol)  | 96%           | 20  C |              |
| Etylenklorid          | 100%          | 20  C |              |
| Fenol, vattenl.       | ca. 9%        | 20  C |              |
| Flussyre              | 40%           | 20  C |              |
| Formaldehyd, vattenl. | 40%           | 20  C |              |
| Fosforsyra            | 50%           | 20  C |              |
| Fyringsolje           |               | 20  C |              |
| Glycerin              | 100%          | 20  C |              |
| Glykol                | 100%          | 20  C |              |
| Heptan                | 100%          | 20  C |              |
| Hydrogenperoksid      | 10%           | 20  C |              |
| Isopropylalkohol      | 100%          | 20  C |              |

| Kemikalie                           | Konsentrasjon | Temp.  | BestÅndighet |
|-------------------------------------|---------------|--------|--------------|
| Kalciumklorid                       | â€”           | 20 Å°C | ●            |
| KaliumhydroxidlÅ¶sning              | 50%           | 20 Å°C | ●            |
| Klorgas                             | 100%          | 20 Å°C | ●            |
| Kloroform                           | â€”           | 20 Å°C | ●            |
| Koldisulfid                         | 100%          | 20 Å°C | ●            |
| Koltetraklorid                      | â€”           | 20 Å°C | ●            |
| Kresol                              | â€”           | 20 Å°C | ●            |
| Linolje                             | â€”           | 20 Å°C | ●            |
| Maurisyre                           | 10%           | 20 Å°C | ●            |
| Melk                                | â€”           | 20 Å°C | ●            |
| Merkurokrom                         | â€”           | 20 Å°C | ●            |
| Metylalkohol (metanol)              | 100%          | 20 Å°C | ●            |
| Metylenklorid                       | 100%          | 20 Å°C | ●            |
| Metyletylketon (MEK)                | 100%          | 20 Å°C | ●            |
| Mineraloljer, aromاتفrie            | â€”           | 20 Å°C | ●            |
| NatriumhydroxidlÅ¶sning (natronlut) | 15%           | 20 Å°C | ●            |
| Natriumkarbonat, vattenl.           | â€”           | 20 Å°C | ●            |
| Natriumklorid, vattenl.             | â€”           | 20 Å°C | ●            |
| Natriumtiosulfat                    | â€”           | 20 Å°C | ●            |
| NatriumvÅ±tesulfitt                 | â€”           | 20 Å°C | ●            |
| Natronlut (60%)                     | 60%           | 20 Å°C | ●            |
| Nitrobensen                         | â€”           | 20 Å°C | ●            |
| Oxalsyra                            | â€”           | 20 Å°C | ●            |
| Ozon (gas)                          | â‰¥ 0.5 ppm   | 20 Å°C | ●            |
| Paraffinolja                        | 100%          | 20 Å°C | ●            |
| Perkloretysten                      | â€”           | 20 Å°C | ●            |
| Petroleum                           | 100%          | 20 Å°C | ●            |
| Petroleometer                       | 100%          | 20 Å°C | ●            |
| Salpetersyra                        | 10%           | 20 Å°C | ●            |
| Salpetersyra (50%)                  | 50%           | 20 Å°C | ●            |
| Saltsyra                            | 10%           | 20 Å°C | ●            |
| Saltsyra (konc.)                    | conc.         | 20 Å°C | ●            |
| Silikonolja                         | â€”           | 20 Å°C | ●            |
| Svavelsyra                          | 96%           | 20 Å°C | ●            |

| Kemikalie             | Konsentrasjon | Temp. | Best ndighet |
|-----------------------|---------------|-------|--------------|
| Tetrahydrofuran (THF) | 100%          | 20  C |              |
| Toluen                | 100%          | 20  C |              |
| Transformatorolje     |               | 20  C |              |
| Trikloret n           | 100%          | 20  C |              |
| Vann                  |               | 20  C |              |
| V  tesulfid, vattenl. |               | 20  C |              |
| Xylen                 |               | 20  C |              |
|   ttiksyra            | 100%          | 20  C |              |