



# POM C FG 3000x620x50 mm svart

Artikelnr P1200819

● Best ndig

● Delvis best ndig

● Ej best ndig

| Kemikalie                         | Konsentrasjon | Temp. | Best ndighet |
|-----------------------------------|---------------|-------|--------------|
| 1,4-Dioxan                        | 100%          | 20  C | ●            |
| 2-Hydroxipropionsyra (mj lkksyra) | 90%           | 20  C | ●            |
| Aceton                            | 100%          | 20  C | ●            |
| Ammoniak                          | conc.         | 20  C | ●            |
| Ammoniumklorid                    |               | 20  C | ●            |
| Amylalkohol                       |               | 20  C | ●            |
| Bensen                            |               | 20  C | ●            |
| Bensin (premium)                  |               | 20  C | ●            |
| Blekningsl sning                  | 12.5 cl       | 20  C | ●            |
| Borsyra                           | 100%          | 20  C | ●            |
| Bremsev jske                      |               | 20  C | ●            |
| Br nnsle, aromatfritt             |               | 20  C | ●            |
| Butylacetat                       |               | 20  C | ●            |
| Citronsyra                        | 10%           | 20  C | ●            |
| Cyklohexanon                      | 100%          | 20  C | ●            |
| Cyklohexen                        | 100%          | 20  C | ●            |
| Diesel                            |               | 20  C | ●            |
| Dietylenoxid                      |               | 20  C | ●            |
| Eddik, standard                   | 5-10%         | 20  C | ●            |
| Eplejuice                         |               | 20  C | ●            |
| Etylacetat                        | 100%          | 20  C | ●            |
| Etylalkohol (etanol)              | 96%           | 20  C | ●            |
| Fenol, vattenl.                   | ca. 9%        | 20  C | ●            |
| Flussyre                          | 40%           | 20  C | ●            |
| Formaldehyd, vattenl.             | 40%           | 20  C | ●            |
| Fosforsyra                        | 50%           | 20  C | ●            |
| Frostv jske                       |               | 20  C | ●            |

| Kemikalie                 | Konsentrasjon | Temp.  | BestÅndighet |
|---------------------------|---------------|--------|--------------|
| Fyringsolje               | â€”           | 20 Å°C | ●            |
| Glycerin                  | 100%          | 20 Å°C | ●            |
| Glykol                    | 100%          | 20 Å°C | ●            |
| Heptan                    | 100%          | 20 Å°C | ●            |
| Hydrogenperoksid          | 10%           | 20 Å°C | ●            |
| Isopropylalkohol          | 100%          | 20 Å°C | ●            |
| Kalciumklorid             | â€”           | 20 Å°C | ●            |
| KaliumhydroxidÅtsning     | 50%           | 20 Å°C | ●            |
| Klorbensen                | 100%          | 20 Å°C | ●            |
| Kloroform                 | â€”           | 20 Å°C | ●            |
| Koldisulfid               | 100%          | 20 Å°C | ●            |
| Koltetraklorid            | â€”           | 20 Å°C | ●            |
| Linolje                   | â€”           | 20 Å°C | ●            |
| Matolje                   | â€”           | 20 Å°C | ●            |
| Maurisyre                 | 10%           | 20 Å°C | ●            |
| Melk                      | â€”           | 20 Å°C | ●            |
| Merkurokrom               | â€”           | 20 Å°C | ●            |
| Metylalkohol (metanol)    | 100%          | 20 Å°C | ●            |
| Metylenklorid             | 100%          | 20 Å°C | ●            |
| Metyletylketon (MEK)      | 100%          | 20 Å°C | ●            |
| Mineraloljer (aromatfrie) | â€”           | 20 Å°C | ●            |
| Natriumkarbonat, vattenl. | â€”           | 20 Å°C | ●            |
| Natriumklorid, vattenl.   | â€”           | 20 Å°C | ●            |
| Natriumnitrat, vattenl.   | â€”           | 20 Å°C | ●            |
| NatriumvÃœtesulfitt       | â€”           | 20 Å°C | ●            |
| Natronlut (15%)           | 15%           | 20 Å°C | ●            |
| Natronlut (60%)           | 60%           | 20 Å°C | ●            |
| Nitrobensen               | â€”           | 20 Å°C | ●            |
| Oxalsyra                  | â€”           | 20 Å°C | ●            |
| Ozon (gas)                | â‰¥0.5 ppm    | 20 Å°C | ●            |
| Paraffinolja              | 100%          | 20 Å°C | ●            |
| Perkloretylen             | â€”           | 20 Å°C | ●            |
| Petroleum                 | 100%          | 20 Å°C | ●            |
| Petroleometer             | 100%          | 20 Å°C | ●            |

| Kemikalie             | Konsentrasjon | Temp. | Best ndighet |
|-----------------------|---------------|-------|--------------|
| Propylalkohol         |               | 20  C |              |
| Salpetersyra          | 10%           | 20  C |              |
| Salpetersyra (50%)    | 50%           | 20  C |              |
| Saltsyra              | 10%           | 20  C |              |
| Saltsyra (konc.)      | conc.         | 20  C |              |
| Silikonolje           |               | 20  C |              |
| Svavelsyra            | 96%           | 20  C |              |
| Tetrahydrofuran (THF) | 100%          | 20  C |              |
| Toluen                | 100%          | 20  C |              |
| Transformatorolje     |               | 20  C |              |
| Trikloreten           | 100%          | 20  C |              |
| Vann                  |               | 20  C |              |
| V  tesulfid, vattenl. |               | 20  C |              |
| Xylen                 |               | 20  C |              |
|   ttiksyra            | 100%          | 20  C |              |