



POM CGL 70/60x1000 mm bl  

Artikelnr P1008203

Best ndig

Delvis best ndig

Ej best ndig

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
1,4-Dioxan	100%	20 �C	
2-Hydroxypropionic Acid	90%	20 �C	
Acetic Acid	100%	20 �C	
Aceton	100%	20 �C	
Ammoniak	conc.	20 �C	
Ammonium Chloride	��	20 �C	
Amyl Alcohol	��	20 �C	
Apple Juice	��	20 �C	
Bensen	��	20 �C	
Bleaching Solution	12.5 cl	20 �C	
Boric Acid	100%	20 �C	
Brake Fluid	��	20 �C	
Br��nsle, aromatfritt	��	20 �C	
Butyl Acetate	��	20 �C	
Calcium Chloride	��	20 �C	
Carbon Disulfide	100%	20 �C	
Carbon Tetrachloride	��	20 �C	
Citric Acid	10%	20 �C	
Cyklohexanon	100%	20 �C	
Cyklohexen	100%	20 �C	
Diesel Fuel	��	20 �C	
Diethylene Oxide	��	20 �C	
Eddik, standard	5-10%	20 �C	
Ethyl Acetate	100%	20 �C	
Ethyl Alcohol	96%	20 �C	
Ethylene Chloride	100%	20 �C	
Fenol, vattenl.	ca. 9%	20 �C	

[illegible]

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Potassium Hydroxide liquor	50%	20 �C	
Premium Fuel	��	20 �C	
Propyl Alcohol	��	20 �C	
Pyridin	��	20 �C	
Silicone Oil	��	20 �C	
Sodium Carbonate, aqueous	��	20 �C	
Sodium Chloride, aqueous	��	20 �C	
Sodium Hydrogen Sulfite	��	20 �C	
Sodium Hydroxide liquor (15%)	15%	20 �C	
Sodium Hydroxide liquor (60%)	60%	20 �C	
Sodium Nitrate, aqueous	��	20 �C	
Sodium Thiosulfate	��	20 �C	
Sulfuric Acid	96%	20 �C	
Tetrahydrofuran, THF	100%	20 �C	
Toluen	100%	20 �C	
Transformer Oil	��	20 �C	
Trikloreten	100%	20 �C	
Vann	��	20 �C	
Xylen	��	20 �C	