



Artikelnr P1002310

● Beständigt
 ● Delvis beständigt
 ● Ej beständigt

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
1,4-Dioxan	100	20 ��C	�
2-Hydroxypropionic Acid	90	20 ��C	�
Acetic Acid	100	20 ��C	�
Aceton	100	20 ��C	�
Ammoniak	conc.	20 ��C	�
Ammonium Chloride	���	20 ��C	�
Amyl Alcohol	���	20 ��C	�
Apple Juice	���	20 ��C	�
Bensen	���	20 ��C	�
Bleaching Solution	12.5 cl	20 ��C	�
Boric Acid	100	20 ��C	�
Brake Fluid	���	20 ��C	�
Br��nsle (aromatfritt)	���	20 ��C	�
Butyl Acetate	���	20 ��C	�
Calcium Chloride	���	20 ��C	�
Carbon Disulfide	100	20 ��C	�
Carbon Tetrachloride	���	20 ��C	�
Citric Acid	10	20 ��C	�
Cyklohexanon	100	20 ��C	�
Cyklohexen	100	20 ��C	�
Diesel Fuel	���	20 ��C	�
Diethylene Oxide	���	20 ��C	�
Eddik (standard)	5 - 10	20 ��C	�
Ethyl Acetate	100	20 ��C	�
Ethyl Alcohol	96	20 ��C	�
Ethylene Chloride	100	20 ��C	�
Fenol (vattenl.)	ca. 9	20 ��C	�

[illegible]

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Potassium Hydroxide liquor	50	20 �C	●
Premium Fuel	��	20 �C	●
Propyl Alcohol	��	20 �C	●
Pyridin	��	20 �C	●
Silicone Oil	��	20 �C	●
Sodium Carbonate (aqueous)	��	20 �C	●
Sodium Chloride (aqueous)	��	20 �C	●
Sodium Hydrogen Sulfite	��	20 �C	●
Sodium Hydroxide liquor	60	20 �C	●
Sodium Hydroxide liquor	15	20 �C	●
Sodium Nitrate (aqueous)	��	20 �C	●
Sodium Thiosulfate	��	20 �C	●
Sulfuric Acid	96	20 �C	●
Tetrahydrofuran (THF)	100	20 �C	●
Toluen	100	20 �C	●
Transformer Oil	��	20 �C	●
Trikloret�n	100	20 �C	●
Vann	��	20 �C	●
Xylen	��	20 �C	●