

PC 10x3000 mm gjennomsliktig

Artikkelnr P1002634

● Bestandig
 ● Delvis bestandig
 ● Ikke bestandig

Kjemikalie	Konsentrasjon	Bestand.
1,4-Dioxan	100%	●
2-Hydroxipropionsyra (mjølksyra)	90%	●
Aceton	100%	●
Ammoniak	conc.	●
Ammoniumklorid	—	●
Bensen	—	●
Bensin (premium)	—	●
Blekningsløsning	12.5 cl	●
Borsyra	100%	●
Bränsl, aromatfritt	—	●
Butylacetat	—	●
Citronsyra	10%	●
Cyklohexanon	100%	●
Cyklohexen	100%	●
Diesel	—	●
Dietylenoxid	—	●
Eddik, standard	5-10%	●
Eplejuice	—	●
Etylacetat	100%	●
Etylalkohol (etanol)	96%	●
Etylenklorid	100%	●
Fenol, vattenl.	ca. 9%	●
Flussyre	40%	●
Formaldehyd, vattenl.	40%	●
Fosforsyra	50%	●

Kjemikalie			Konsentrasjon			Bestand.		
Frostvæske			—			●		
Fyringsolje			—			●		
Glycerin			100%			●		
Glykol			100%			●		
Heptan			100%			●		
Hydrogenperoksid			10%			●		
Isopropylalkohol			100%			●		
Kalciumklorid			—			●		
Kaliumhydroxidløsning			50%			●		
Klor (gas)			100%			●		
Klorbensen			100%			●		
Kloroform			—			●		
Koldisulfid			100%			●		
Koltetraklorid			—			●		
Kresol			—			●		
Linolje			—			●		
Matolje			—			●		
Maursyre			10%			●		
Melk			—			●		
Merkurokrom			—			●		
Metylalkohol (metanol)			100%			●		
Metylenklorid			100%			●		
Metyletylketon (MEK)			100%			●		
Natriumkarbonat, vattenl.			—			●		
Natriumklorid, vattenl.			—			●		
Natriumnitrat, vattenl.			—			●		
Natriumvåtesulfit			—			●		
Natronlut (15%)			15%			●		
Natronlut (60%)			60%			●		
Nitrobensen			—			●		
Oxalsyra			—			●		
Ozon (gas)			≤ 0.5 ppm			●		

Kjemikalie	Konsentrasjon	Bestand.
Paraffinolja	100%	
Perkloretylen	—	
Petroleum	100%	
Petroleumeter	100%	
Propylalkohol	—	
Pyridin	—	
Salpetersyra (10%)	10%	
Salpetersyra (50%)	50%	
Saltsyra	10%	
Saltsyra (konc.)	conc.	
Silikonolje	—	
Svavelsyra	96%	
Tetrahydrofuran (THF)	100%	
Toluen	100%	
Trikloretan	100%	
Vann	—	
Vätesulfid, vattenl.	—	
Xylen	—	
Ättiksyra	100%	