



PE-500 160x1000 mm natur

Artikelnr P2200647

Best ndig

Delvis best ndig

Ej best ndig

Kemikalie		Konsentrasjon	Temp.	Best�ndighet
1,4-Dioxan	100%	20 �C		
2-Hydroxypropionic Acid	90%	20 �C		
Acetaldehyd	��	20 �C		
Acetic Acid	100%	20 �C		
Aceton	��	20 �C		
Aceton	100%	20 �C		
Acronal-dispersjoner	��	20 �C		
Akrylonitril	��	20 �C		
Allylacetat	��	20 �C		
Allylalkohol	96%	20 �C		
Allylklorid	��	20 �C		
Aluminiumfluorid	Conc.	20 �C		
Aluminiumhydroxid	��	20 �C		
Aluminiumklorid, fast	��	20 �C		
Aluminiumklorid, vattenl.	any	20 �C		
Aluminiummetafosfat	��	20 �C		
Aluminiumsulfat, fast	��	20 �C		
Aluminiumsulfat, vattenl. m�ttad	��	20 �C		
Ammoniak	concentrated	20 �C		
Ammoniak, flytande	��	20 �C		
Ammoniak, gas	��	20 �C		
Ammonium Chloride	��	20 �C		
Amyl Alcohol	��	20 �C		
Anilin	any	20 �C		
Anisol	��	20 �C		
Apple Juice	��	20 �C		
Bensen	��	20 �C		

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Bensen	technically grade	20 �C	�
Bensoesyra, vattenl.	any	20 �C	�
Bensylalkohol	��	20 �C	�
Benzaldehyd, vattenl.	any	20 �C	�
Bitumen	��	20 �C	�
Bleaching Solution	12.5 cl	20 �C	�
Blekk	��	20 �C	�
Boric Acid	100%	20 �C	�
Brake Fluid	��	20 �C	�
Brom, flytande	100%	20 �C	�
Bromv��tesyra, vattenl.	50%	20 �C	�
Br��nsle (aromatfritt)	��	20 �C	�
Butanol, vattenl.	any	20 �C	�
Butyl Acetate	��	20 �C	�
Calcium Chloride	��	20 �C	�
Calcium carbonate	��	20 �C	�
Calcium carbonate	��	20 �C	�
Carbon Disulfide	100%	20 �C	�
Carbon Tetrachloride	��	20 �C	�
Caustic soda	any	20 �C	�
Cider	��	20 �C	�
Citric Acid	10%	20 �C	�
Citrusfruktjuicer	��	20 �C	�
Cyklohexan	��	20 �C	�
Cyklohexanol	��	20 �C	�
Cyklohexanon	100%	20 �C	�
Cyklohexanon	��	20 �C	�
Cyklohexen	100%	20 �C	�
Dibutyleter	��	20 �C	�
Dibutylftalat	��	20 �C	�
Diesel Fuel	��	20 �C	�
Diesel fuel	��	20 �C	�
Diethylene Oxide	��	20 �C	�
Diglykolsyra, vattenl.	30%	20 �C	�

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Dikloretan	â€”	20 Â°C	⬢
Diklor�ttiksyr�	â€”	20 Â°C	⬢
Dimethyl formamide	â€”	20 Â°C	⬢
Dimetylamin	â€”	20 Â°C	⬢
Dioxan	â€”	20 Â°C	⬢
Eddik (standard)	5-10%	20 Â°C	⬢
Ethanol	10%	100 Â°C	⬢
Ethanol	10%	100 Â°C	⬢
Ethanol	10% v/v	20 Â°C	⬢
Ethanol	10%	100 Â°C	⬢
Ethyl Acetate	100%	20 Â°C	⬢
Ethyl Alcohol	96%	20 Â°C	⬢
Ethylene Chloride	100%	20 Â°C	⬢
Etylacetat	â€”	20 Â°C	⬢
Etylenalkohol	96%	20 Â°C	⬢
Etylendiamin	â€”	20 Â°C	⬢
Etylenglykol	â€”	20 Â°C	⬢
Etylenklorid	â€”	20 Â°C	⬤
Fenol	â€”	20 Â°C	⬢
Fenol (vattenl.)	���9%	20 Â°C	⬢
Ferrous (III) nitrate, aqueous saturated	â€”	20 Â°C	⬢
Ferrous (III) sulfate, aqueous saturated	â€”	20 Â°C	⬢
Food Oil	â€”	20 Â°C	⬢
Formaldehyd (vattenl.)	40%	20 Â°C	⬢
Formaldehyd, vattenl.	���40%	20 Â°C	⬢
Formic Acid	10%	20 Â°C	⬢
Fosforsyra, vattenl.	50%	20 Â°C	⬢
Fosforsyra, vattenl.	80% L 95%	20 Â°C	⬢
Fosfortriklorid	â€”	20 Â°C	⬤
Frigen 12 (Freon 12)	100%	20 Â°C	⬤
Frost Protection Agent	â€”	20 Â°C	⬢
Fruktjuicer	any	20 Â°C	⬢
Ftalsyra, vattenl.	50%	20 Â°C	⬢
Furfurol	â€”	20 Â°C	⬢

Kemikalie	Konsentrasjon	Temp.	BestÃndighet
Fyringsolja	â€”	20 Â°C	●
Garvsyra (tannin), vattenl.	10%	20 Â°C	●
Glycerin	100%	20 Â°C	●
Glycerin, aqueous	any	20 Â°C	●
Glykol	100%	20 Â°C	●
Glykol, aqueous	as supplied	20 Â°C	●
Glysantin	â€”	20 Â°C	●
Heating Oil	â€”	20 Â°C	●
Heptan	100%	20 Â°C	●
Heptan	â€”	20 Â°C	●
Hexan	â€”	20 Â°C	●
Honning	â€”	20 Â°C	●
Hydrochloric Acid	10%	20 Â°C	●
Hydrochloric Acid (concentrated)	concentrated	20 Â°C	●
Hydrofluoric Acid	40%	20 Â°C	●
Hydrogen Peroxide	10%	20 Â°C	●
Hydrogen Sulfide (aqueous solution)	â€”	20 Â°C	●
Isooktan	â€”	20 Â°C	●
Isopropanol	â€”	20 Â°C	●
Isopropyl Alcohol	100%	20 Â°C	●
Isopropyleter	â€”	20 Â°C	●
Jod i kaliumjodidl�sning	3% iodine	20 Â°C	●
J�rn(II)klorid, vattenl. m�ttad	â€”	20 Â°C	●
J�rn(II)sulfat, vattenl. m�ttad	â€”	20 Â°C	●
J�rn(III)klorid, vattenl.	any	20 Â°C	●
J�rn(III)klorid, vattenl. m�ttad	â€”	20 Â°C	●
J�rn(III)nitrat, vattenl. m�ttad	â€”	20 Â°C	●
J�rn(III)sulfat, vattenl. m�ttad	â€”	20 Â°C	●
Kalciumhypoklorit, vattenl. suspension	any	20 Â°C	●
Kamfer	â€”	20 Â°C	●
Klor (gas)	100%	20 Â°C	●
Klor, flytande	â€”	20 Â°C	●
Klorbensen	â€”	20 Â°C	●
Klorbensen	100%	20 Â°C	●
Kloroform	â€”	20 Â°C	●

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Kloroform	technically grade	20 �C	
Klor�ttiksyra, vattenl.	�85%	20 �C	
Kokosolje	�	20 �C	
Koldisulfid	�	20 �C	
Kresol	�	20 �C	
Kresol	100%	20 �C	
Kromsyra-svavelsyra	�	20 �C	
Kungsvatten	�	20 �C	
Kvikksilver	�	20 �C	
Linolje	technically grade	20 �C	
Linseed Oil	�	20 �C	
Litiumbromid	�	20 �C	
Magnesium stearate	�	20 �C	
Magnesium stearate	�	20 �C	
Maleinsyra, vattenl.	any	20 �C	
Melasse	�	20 �C	
Melk	�	20 �C	
Melk	�	20 �C	
Mentol	�	20 �C	
Merkurokrom	�	20 �C	
Metanol	technically grade	20 �C	
Methyl Alcohol	100%	20 �C	
Methyl Ethyl Ketone (MEK)	100%	20 �C	
Methyl ethyl ketone	technically grade	20 �C	
Methylene Chloride	100%	20 �C	
Metylklorid	gaseous, technically grade	20 �C	
Mineral Oil (aromatic free)	�	20 �C	
Motor oil (heavy duty oil) without additives	�	20 �C	
Myrsyra, vattenl.	85%	20 �C	
Nafta	�	20 �C	
Naftalen	�	20 �C	
Natriumbromid	�	20 �C	
Natriumhydroxid, fast	�	20 �C	
Natriumhydroxid, vattenl.	any	20 �C	

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Nitric Acid	10%	20 ��C	�
Nitric Acid (50%)	50%	20 ��C	�
Nitrobensen	���	20 ��C	�
Nitrobensen	���	20 ��C	�
Oils, ethereal	���	20 ��C	�
Oksygen	���	20 ��C	�
Oleum	any	20 ��C	�
Olive oil	���	100 ��C	�
Olive oil	���	20 ��C	�
Olive oil	���	100 ��C	�
Olive oil	���	100 ��C	�
Oljer, vegetabilske og animalske	���	20 ��C	�
Oljesyra	���	20 ��C	�
Oppvaskmiddel	���	20 ��C	�
Oxalic Acid	���	20 ��C	�
Oxalsyra, vattenl.	any	20 ��C	�
Ozon	50 ppm	20 ��C	�
Ozone Gas	���0.5 ppm	20 ��C	�
Paraffine Oil	100%	20 ��C	�
Parafin	���	20 ��C	�
Perkloretylen	���	20 ��C	�
Perklorsyra, vattenl.	70%	20 ��C	�
Perklorsyra, vattenl.	20%	20 ��C	�
Perklorsyra, vattenl.	50%	20 ��C	�
Petroleum	100%	20 ��C	�
Petroleum	���	20 ��C	�
Petroleum Ether	100%	20 ��C	�
Petroleumeter	���	20 ��C	�
Phosphoric Acid	50%	20 ��C	�
Photographic developers	���	20 ��C	�
Photographic emulsions	as supplied	20 ��C	�
Photographic fixing baths	as supplied	20 ��C	�
Polyesterhartser	���	20 ��C	�
Potassium Hydroxide liquor	50%	20 ��C	�

Kemikalie	Konsentrasjon	Temp.	BestÅndighet
Premium Fuel	â€”	20 Å°C	●
Propionsyra, vattenl.	any	20 Å°C	●
Propyl Alcohol	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Pyridin	â€”	20 Å°C	●
Salpetersyra, vattenl.	25%	20 Å°C	●
Salpetersyra, vattenl.	50%	20 Å°C	●
Saltsyra, vattenl.	any	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicon dioxide	â€”	20 Å°C	●
Silicone Oil	â€”	20 Å°C	●
Silikonolje	technically grade	20 Å°C	●
Sj�, vann	â€”	20 Å°C	●
Sm�, r	â€”	20 Å°C	●
Sodium Carbonate (aqueous)	â€”	20 Å°C	●
Sodium Chloride (aqueous)	â€”	20 Å°C	●
Sodium Hydrogen Sulfite	â€”	20 Å°C	●
Sodium Hydroxide liquor	15%	20 Å°C	●
Sodium Hydroxide liquor (60%)	60%	20 Å°C	●
Sodium Nitrate (aqueous)	â€”	20 Å°C	●
Sodium Thiosulfate	â€”	20 Å°C	●
Sodium borate	â€”	20 Å°C	●
Stearinsyra	â€”	20 Å°C	●
Sukkersirup	â€”	20 Å°C	●
Sulfuric Acid	96%	20 Å°C	●
Svavelsyra, vattenl.	��50%	20 Å°C	●
Svavelsyra, vattenl.	98%	20 Å°C	●
Svavelsyra, vattenl.	80%	20 Å°C	●
Svavelsyra, vattenl.	70%	20 Å°C	●
Syltet�, y	â€”	20 Å°C	●
Talg	technically grade	20 Å°C	●
Tenn(II)klorid, vattenl.	any	20 Å°C	●
Tenn(IV)klorid, vattenl.	saturated	20 Å°C	●
Terpentinolje	technically grade	20 Å°C	●
Tetrahydrofuran	technically grade	20 Å°C	●

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Tetrahydrofuran (THF)	100%	20 �C	
Tiofen	��	20 �C	
Tionylklorid	��	20 �C	
Titanium dioxide	��	20 �C	
Titanium dioxide	��	20 �C	
Toluen	technically grade	20 �C	
Toluen	100%	20 �C	
Torskeleverije	��	20 �C	
Transformatorolja (isolerolja)	technically grade	20 �C	
Transformer Oil	��	20 �C	
Trichloracetic acid	technically grade	20 �C	
Trietanolamin	��	20 �C	
Trietanolamin	��	20 �C	
Trikloret�n	100%	20 �C	
Trikloret�n	technically grade	20 �C	
Urea, aqueous	���33%	20 �C	
Vann	��	20 �C	
Vann, destillert	��	20 �C	
Vaselin	technically grade	20 �C	
Vin	��	20 �C	
Washing up liquids	usual	20 �C	
Xylen	��	20 �C	
Xylen	��	20 �C	
Zinksl�m	��	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	100%	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra	3% w/w	20 �C	
��ttiksyra	3%	100 �C	
��ttiksyra, vattenl.	70%	20 �C	
��ttiksyraanhydrid	��	20 �C	
��I	��	20 �C	