



# POM C 18x1000 mm trafikröd

Artikelnr P1005127

● Beständig

● Delvis beständig

● Ej beständig

| Kemikalie                        | Konsentrasjon | Temp.  | Beständighet |
|----------------------------------|---------------|--------|--------------|
| 1,4-Dioxan                       | 100%          | 20 Å°C | ●            |
| 2-Hydroxipropionsyra (mjölksyra) | 90%           | 20 Å°C | ●            |
| Aceton                           | 100%          | 20 Å°C | ●            |
| Ammoniak                         | conc.         | 20 Å°C | ●            |
| Ammoniumklorid                   | â€”           | 20 Å°C | ●            |
| Amylalkohol                      | â€”           | 20 Å°C | ●            |
| Bensen                           | â€”           | 20 Å°C | ●            |
| Bensin (premium)                 | â€”           | 20 Å°C | ●            |
| Blekningsl sning                 | 12.5 cl       | 20 Å°C | ●            |
| Borsyra                          | 100%          | 20 Å°C | ●            |
| Bremsev jske                     | â€”           | 20 Å°C | ●            |
| Br nsle, aromatfritt             | â€”           | 20 Å°C | ●            |
| Butylacetat                      | â€”           | 20 Å°C | ●            |
| Citronsyra                       | 10%           | 20 Å°C | ●            |
| Cyklohexanon                     | 100%          | 20 Å°C | ●            |
| Cyklohexen                       | 100%          | 20 Å°C | ●            |
| Diesel                           | â€”           | 20 Å°C | ●            |
| Dietylenoxid                     | â€”           | 20 Å°C | ●            |
| Eddik, standard                  | 5-10%         | 20 Å°C | ●            |
| Eplejuice                        | â€”           | 20 Å°C | ●            |
| Etylacetat                       | 100%          | 20 Å°C | ●            |
| Etylalkohol (etanol)             | 96%           | 20 Å°C | ●            |
| Fenol, vattenl.                  | ca. 9%        | 20 Å°C | ●            |
| Flussyre                         | 40%           | 20 Å°C | ●            |
| Formaldehyd, vattenl.            | 40%           | 20 Å°C | ●            |
| Fosforsyra                       | 50%           | 20 Å°C | ●            |
| Frostv jske                      | â€”           | 20 Å°C | ●            |

[illegible]

| Kemikalie             | Konsentrasjon | Temp. | Best ndighet |
|-----------------------|---------------|-------|--------------|
| Propylalkohol         |               | 20  C |              |
| Salpetersyra          | 10%           | 20  C |              |
| Salpetersyra (50%)    | 50%           | 20  C |              |
| Saltsyra              | 10%           | 20  C |              |
| Saltsyra (konc.)      | conc.         | 20  C |              |
| Silikonolje           |               | 20  C |              |
| Svavelsyra            | 96%           | 20  C |              |
| Tetrahydrofuran (THF) | 100%          | 20  C |              |
| Toluen                | 100%          | 20  C |              |
| Transformatorolje     |               | 20  C |              |
| Trikloreten           | 100%          | 20  C |              |
| Vann                  |               | 20  C |              |
| V  tesulfid, vattenl. |               | 20  C |              |
| Xylen                 |               | 20  C |              |
|   ttiksyra            | 100%          | 20  C |              |