



POM CGL 45x1000 mm bl  

Artikelnr P1008015

Best ndig

Delvis best ndig

Ej best ndig

Kemikalie		Konsentrasjon	Temp.	Best�ndighet
1,4-Dioxan	100%	20 �C		
2-Hydroxypropionic Acid	90%	20 �C		
Acetic Acid	100%	20 �C		
Aceton	100%	20 �C		
Ammoniak	conc.	20 �C		
Ammonium Chloride	��	20 �C		
Amyl Alcohol	��	20 �C		
Apple Juice	��	20 �C		
Bensen	��	20 �C		
Bleaching Solution	12.5 cl	20 �C		
Boric Acid	100%	20 �C		
Brake Fluid	��	20 �C		
Br��nsle, aromatfritt	��	20 �C		
Butyl Acetate	��	20 �C		
Calcium Chloride	��	20 �C		
Carbon Disulfide	100%	20 �C		
Carbon Tetrachloride	��	20 �C		
Citric Acid	10%	20 �C		
Cyklohexanon	100%	20 �C		
Cyklohexen	100%	20 �C		
Diesel Fuel	��	20 �C		
Diethylene Oxide	��	20 �C		
Eddik, standard	5-10%	20 �C		
Ethyl Acetate	100%	20 �C		
Ethyl Alcohol	96%	20 �C		
Ethylene Chloride	100%	20 �C		
Fenol, vattenl.	ca. 9%	20 �C		

[illegible]

Kemikalie	Konsentrasjon	Temp.	Best�ndighet
Potassium Hydroxide liquor	50%	20 �C	
Premium Fuel	��	20 �C	
Propyl Alcohol	��	20 �C	
Pyridin	��	20 �C	
Silicone Oil	��	20 �C	
Sodium Carbonate, aqueous	��	20 �C	
Sodium Chloride, aqueous	��	20 �C	
Sodium Hydrogen Sulfite	��	20 �C	
Sodium Hydroxide liquor (15%)	15%	20 �C	
Sodium Hydroxide liquor (60%)	60%	20 �C	
Sodium Nitrate, aqueous	��	20 �C	
Sodium Thiosulfate	��	20 �C	
Sulfuric Acid	96%	20 �C	
Tetrahydrofuran, THF	100%	20 �C	
Toluen	100%	20 �C	
Transformer Oil	��	20 �C	
Trikloret�n	100%	20 �C	
Vann	��	20 �C	
Xylen	��	20 �C	